

SCIENTIFIC AMERICAN

[Entered at the Post Office of New York, N. Y., as Second Class Matter. Copyright, 1904, by Munn & Co.]


Vol. XC.—No. 19.
ESTABLISHED 1845.

NEW YORK, MAY 7, 1904

[8 CENTS A COPY
\$3.00 A YEAR.]



The Palace of Liberal Arts.



The Palaces of Electricity and Education, Showing One of the Many Ornamental Bridges.
THE OPENING OF THE LOUISIANA PURCHASE EXPOSITION.—[See page 364.]

SCIENTIFIC AMERICAN

ESTABLISHED 1845

MUNN & CO., - - Editors and Proprietors

Published Weekly at

No. 361 Broadway, New York

TERMS TO SUBSCRIBERS

One copy, one year for the United States, Canada, or Mexico.....\$3.00
 One copy, one year, to any foreign country, postage prepaid, £0 16s. 6d. 4.00

THE SCIENTIFIC AMERICAN PUBLICATIONS.

Scientific American (Established 1845).....\$3.00 a year
 Scientific American Supplement (Established 1876).....5.00
 Scientific American Building Monthly (Established 1885).....2.50
 Scientific American Export Edition (Established 1878).....5.00
 The combined subscription rates and rates to foreign countries will be furnished upon application.

Remit by postal or express money order, or by bank draft or check.
 MUNN & CO., 361 Broadway, New York.

NEW YORK, SATURDAY, MAY 7, 1904.

The Editor is always glad to receive for examination illustrated articles on subjects of timely interest. If the photographs are sharp, the articles short, and the facts authentic, the contributions will receive special attention. Accepted articles will be paid for at regular space rates.

COMMEMORATION OF THE LOUISIANA PURCHASE.

The huge industrial exposition on the banks of the Mississippi, which has now opened its gates to the world, is a worthy commemoration of one of the most important steps in the development of the United States. In view of the vast extent of the country—over one million square miles—which was acquired from the French government; the splendid field which it opened for the restless energy of the young republic; and the unparalleled growth in prestige, population, and wealth that has followed, it was necessary that any national commemoration of the anniversary of the Louisiana purchase should be carried out upon a scale that was commensurate with its intrinsic importance, and with the splendid results to which we, the posterity of a hundred years later, are the fortunate heirs.

That the St. Louis Exposition will be worthy of the event which it commemorates is shown by the vast scale upon which it is laid out, the architectural magnificence of the individual buildings, and the well-considered and harmonious plan upon which they are grouped. If mere size is to be taken as a standard of merit, the St. Louis Exposition will surely justify its existence. In point of area it covers no less than 1,240 acres, which invites comparison with the 733 acres of the Chicago Exposition, the 336 acres required for the Paris Exposition, and the 300 acres of the Pan-American Exposition at Buffalo, all three of which do not much more than equal the area of the present Exposition grounds at St. Louis. So again, if we compare the total area that is actually roofed over by the various buildings, great and small, we find that while Chicago had 82 acres, Buffalo 15, and Omaha 9 acres under roof, the main exhibit buildings at St. Louis cover 128 acres. The total cost will reach the huge sum of \$50,000,000, of which \$15,000,000 has been contributed in equal parts by the United States government, by the city of St. Louis, and by private stockholders. This sum has been swelled by the appropriations of States and Territories, and of the various foreign governments, and by the expenditures by the various exhibitors and concessionaires. The response of foreign governments has been most liberal, Germany and France spending over \$1,000,000 each, Brazil \$600,000, while Great Britain, Mexico, China, and Japan each are spending over half a million dollars. The individual buildings themselves are on a scale commensurate with the exhibition itself. The Liberal Arts and the Mining and Metallurgy buildings each cover a space of 750 by 525 feet. The Government Building, conspicuous by its splendid burnished dome, covers 800 by 260 feet. The Palace of Manufactures and the Palace of Varied Industries each extend 525 feet in breadth by 1,200 feet in length. The Transportation Building, 559 feet in width, is over 1,300 feet in length; while to crown all in point of size, as is fitting, considering that the agricultural interests are the greatest of all interests in the United States, is the building devoted to agriculture, 500 feet in width and 1,600 feet in length.

The men who negotiated for the United States the purchase of the Louisiana territory have left abundant evidence of their farsightedness. They believed in the future growth of the young republic; though whether, in their most sanguine moments, they dreamed of such a growth in population and wealth as we witness to-day, is much to be doubted. In 1803, when the transfer was made, the population of the United States was about 5,500,000 souls, our western boundary was marked by the Mississippi River, and the center of population was about thirty miles northwest of Washington, D. C. In 1820 the population had grown to 9,638,453, and its center was at a point about 16 miles north of Woodstock, Va. The westward migration was so greatly stimulated by the opening of the Louisiana territory, that the center of population moved steadily westward, and by 1840 the 17,000,000 souls in the United States found their center at a point 16 miles

south of Clarksburg in the present State of West Virginia. Twenty years later, in 1860, the population had almost doubled, having reached a total of 31,443,321, and its center was to be found at a point 20 miles south of Chillicothe, Ohio, at about the center of the southern boundary of that State. By 1880, the center had moved westward along the southern boundary of Ohio until it lay at the point where the States of Ohio, Indiana, and Kentucky meet, and the total population had grown to a little over 50,000,000 people. Twenty years later the Census of 1900 showed that our population had reached 75,568,686, with its center in the southern suburbs of the city of Columbus, Ohio, or about 240 miles from the city of St. Louis. Judging from the fact that in the last ten years, from 1890 to 1900, the westward progression of the center of population was only about half as much as in the ten years 1880-90, it is questionable whether the center will have moved to St. Louis or to any point on the Mississippi River, before the second centennial of the Louisiana purchase has been celebrated.

BATTLESHIP OR TORPEDO BOAT.

It was inevitable that the unbroken series of disasters to the Russian battleships should stimulate into renewed activity those people who believe that the battleship is a cumbersome and costly type of war vessel, that has outlived its usefulness. This was proved in a recent discussion in Congress, when several prominent members, one of whom at least is closely connected with naval affairs, seriously advocated the abandonment of all battleship construction. The argument adduced was the familiar fallacy that because a ship costing six or seven million dollars can be destroyed in a few minutes by the attack of an insignificant torpedo boat, or sunk by a mine, it would be better to build smaller ships and more of them. "Let us have done with 12-inch guns and foot-thick armor," said one; "give me the fast cruiser and the 8-inch gun, which is big enough to sink any ship afloat."

We are not going to reiterate the well-known arguments in favor of the big battleship. They are as well known to our readers, doubtless, as they are to the gentlemen in Congress, who just now seem to be seized with something of a panic because of the Russian disasters. What we do wish to state, is that while the torpedo boat and the submarine mine have given fresh demonstration of their deadly powers, nothing whatever has occurred to prove that the battleship has outlived its usefulness. The loss of these vessels must be viewed carefully in the full light of the circumstances under which it happened. On the night of the attack at Port Arthur, there is no question that the Russians were totally unprepared. An article published recently in one of our leading dailies, by a correspondent who was on board a passenger steamer that lay with the Russian fleet in the outer roadstead, makes it perfectly clear that an attack by the Japanese on that particular night was not even dreamed of.

The task of sinking these ships, judging from the description, was almost as simple as if the torpedo boats had steamed in among a fleet of anchored merchant vessels in time of peace. In saying this we do not detract one iota from the praise due to the Japanese for their alertness, dash, and skill. We simply wish to emphasize the fact that the torpedoing of the battleships "Czarevitch" and "Retvizan" and the cruiser "Pallada" proves nothing more, as regards the vulnerability of battleships, than that an 18-inch Whitehead torpedo with 200 pounds of guncotton in its nose will, if fired from close ranges of a few hundred yards, most surely disable, if not send to the bottom, any battleship afloat. This has been known for years, and the practical demonstration of the fact on that eventful night in Port Arthur has introduced into the problem of battleship construction not a single factor that was not well known before.

As to the sinking of the "Petropavlovsk," it is not denied that she was sunk by a submarine mine of some kind, and the probabilities are that it was one of several that were laid by the Japanese on the night previous to the disaster. A submarine mine may contain anywhere from 250 to 500 pounds of the most powerful high explosive. It was perfectly well known that contact with such a mine by anything that floats, battleship or what-not, meant almost certain destruction. The "Petropavlovsk" did not turn turtle because of any faults in her design, or any want of a proper margin of stability; she turned turtle because when a huge section of her bottom was blown in, the work of cutting her in two was completed by the blowing up of the magazines. It is little wonder that she went down; and it matters little whether she went down on an even keel, by the head, by the stern, or keel uppermost. It was not that the battleship was weak; but that the mine was strong. The true lesson of the loss of the Russian battleships is that these costly and most formidable engines of war are to be handled with a becoming sense of their inestimable value, and of the terrible gap that is left in the naval fighting strength of a nation if so much as one of them be lost. They are not designed for running in and out of harbors

over fields that are mined both by friend and foe. They were never built as floating fortresses for harbor defense. Their place is in the open; they are pre-eminently deep-sea craft; they are designed to fight where sea room can be had, the perils of the mine do not exist, and the deadly torpedo boat can be fought under conditions that limit its powers. Had the splendid Russian fleet on the night of February 9 been concentrated, as it should have been, in the inner harbor of Port Arthur, it would not have had its wings clipped at the very opening of the war. It would have probably met and fought the Japanese fleet on the open sea, on thoroughly even terms, if not with a slight advantage in weight and numbers, and we have not a doubt that after the hard hammering of a bitterly-fought engagement in the open, the survivors would have proved to be the ships that carried the heaviest guns and the heaviest armor.

The torpedo and the mine, however, have undoubtedly added in this war to their prestige, even among those naval experts who are able to estimate the dramatic incidents of the war at their full value. The most astonishing thing is the comparative immunity with which the torpedo boats seem to have run in under the fire of the forts, whether to attack with the torpedo, or to escort loaded merchant ships for blocking the harbor. What naval men are hoping for is that there may yet be a fleet engagement in which the battleship will be given an opportunity to demonstrate its powers of attack and defense.

SOME INTERESTING FACTS ABOUT THE DEVELOPMENT OF THE EDISON STORAGE BATTERY.

In a lecture delivered before the New York Electrical Society on April 27, Mr. R. A. Fliess, the superintendent of the testing department of the Edison Storage Battery Company, traced the development of the new nickel-iron storage cell from its beginnings up to its present form, in which it is being manufactured. A number of interesting lantern slides were exhibited, showing the cell and the way it was tested in the Edison laboratory, as well as numerous discharge curves taken from the different cells under widely varying conditions. Some half dozen cells on the lecture room table showed the different steps in the development of the present type.

Mr. Edison's first experiments were made with small single briquettes of active material suspended in caustic potash electrolyte in round glass jars. By surrounding a briquette of nickel with a number of briquettes of iron and discharging it, Mr. Edison found he could obtain 1.5 of an ampere hour of current per gramme of nickel, and by reversing the process, 0.23 ampere hour per gramme of iron. These results were arrived at early in 1901 after much experimenting; and the best part of a year, during which some 10,000 tests were made, was spent in refining and improving these active materials in order to increase their capacity. Finally, in the fall of 1901, ½ an ampere hour per gramme of nickel and 0.57 ampere hour per gramme of iron were obtained, whereupon Mr. Edison set to work to build a commercial cell.

The active materials were prepared in sufficient quantity to make up a set of automobile cells, but when the first one was completed and tested, it was found that mixing the active material in bulk and in commercial quantities was quite a different matter from making a little for laboratory purposes, and that consequently the capacity of the first lot of cells was somewhat reduced.

The first machine-made cell was completed in January, 1902. This cell had 9 iron and 9 nickel plates, although the first hand-made cell had twice as many iron as nickel. Twenty of these cells were made and were tested on the road in a Baker runabout, which was first sent out equipped with the new battery on April 3, 1902. These cells, which were of the "C" type, were tested thoroughly after they had driven the runabout 2,488 miles, and, on the test discharge, they gave about 18 per cent in increased capacity. This increase, however, was due to numerous overchargings which they had received when in service, and, on receiving a normal charge afterward, they resumed their normal capacity. This appears to be a good feature of the Edison cell, viz., that if extra capacity is needed, about one-third more can be got out of it if it is given an extra long charge first. Yet this heavy overcharging does not appear to hurt the plates. The "C" type cell was, however, affected by the rates of discharge to a considerable extent. It lost 37 per cent in watt-hour capacity when discharged at five times the normal rate, as against 50 per cent loss by the lead cell at the same rate. This defect Mr. Edison set out to remedy. Another difficulty which was met with at the start was that if hard rubber was used in the cell for separation and insulation purposes, it caused the caustic potash to foam. Rubber had to be abandoned, therefore, for a time, and glass used instead. Flat, enameled, iron clamps were devised for holding the plates together and against the glass rods which were placed between them, while different arrangements of glass tubes on steel plates had to be

devised and tested for insulating the plates from the bottom of the jar. All this took a great deal of time, as Mr. Edison was very thorough. Later, after he had solved the problem of capacity at varying rates of discharge, he took up again the question of rubber for insulating purposes, and finally succeeded in treating it so as to overcome the difficulties and so that it can now be used without any damage to the cell.

The "D" type cell showed a considerable advance over the "C" type. There was 35 per cent more surface area of active material in this type cell, which contained 18 positive plates of nickel and 18 negative plates of iron. When discharged at a 150-ampere rate, this cell gave only 4 ampere hours, or 2 per cent, less capacity than when discharged at a 10-ampere rate, and there was no difference in ampere hour capacity between a 30- and a 120-ampere discharge rate.

The present, or "E" type, cell is perfect as regards falling off in capacity at a high rate of discharge. This cell can be discharged at five times the normal rate without any loss whatever in ampere-hour capacity. This type of cell having 18 plates (6 iron and 12 nickel), weighs $47\frac{3}{4}$ and $54\frac{1}{4}$ pounds per horse-power-hour at a 30- and 120-ampere discharge rate respectively. At the former rate of discharge, the "E" cell gives 15.56 watt-hours per pound as against 14.7 watt-hours per pound—the figure given by Dr. Kennelly in his paper read in May, 1901. The comparison between the lead cell and the nickel-iron cell was neatly made by a photograph showing two of the latter cells in one pan of a balance, which was elevated by a single lead cell in the other pan. The lead cell weighed $27\frac{1}{2}$ pounds against 25 pounds for the two Edison cells (which is equal to a net gain of 9 per cent in weight), and the latter had 34 per cent more energy, their watt-hour capacity being 375. The space they occupied, however, was only slightly greater than that taken up by the lead cell. The three sizes of cells that are now being manufactured are a $12\frac{1}{2}$ -pound, 18-plate, 110-ampere-hour cell; a $17\frac{1}{4}$ -pound, 27-plate, 165-ampere-hour cell; and a 28-pound, 45-plate, 275-ampere-hour cell. These cells, by a considerable overcharging, can be made to give 140, 220, and 350 ampere-hours respectively. The first cost of an Edison battery is nearly double that of a lead battery of equal capacity, a fact mentioned not by Mr. Fliess, but by one of the audience who took part in the discussion. At a four-hour rate of charge, Mr. Fliess claimed for the Edison battery 55 to 60 per cent watt hour efficiency, while the watt hour efficiency of a good lead battery is about 75 per cent. Discharging the Edison cell at high rates for short periods decreases the energy output but slightly. Between the normal and five times the normal rate of discharge, the efficiency of an Edison cell varies between 55 and 44 per cent only, while the efficiency of a lead cell under the same conditions varies from 75 per cent to 38 per cent.

If the battery is charged in two hours at 75 amperes instead of in $3\frac{3}{4}$ hours at 40, the total loss in efficiency due to the use of this high rate is only 6.6 per cent, whereas the saving in time amounts to 46.23 per cent. At still higher rates of charge, such as 120 amperes for $2\frac{1}{4}$ hours instead of 30 amperes for 9 hours, the loss of efficiency in output increases in a slightly greater ratio than that of the saving in time. For instance, in the case just cited, there is a saving of 75 per cent in time, with a loss of 12 per cent in efficiency. The voltage on charge reaches 1.85 volts when the cell is about two-thirds charged. From that point on, the charge curve is a straight line, no matter how much longer the cell is charged. On this account there is no way of telling when the cell is charged, except by keeping account of the amount of current that has been put in. A recording ammeter for the discharge and charge will of course overcome this difficulty.

With regard to the durability of the cell, Mr. Fliess stated that a three month's test in a specially devised bumping apparatus, during all of which time the cell was being constantly charged and discharged, failed to show a loss of active material or capacity. Tests on the road covering over 5,000 miles under the most severe conditions failed to cause any deterioration. This would go to show that the life of the Edison cell is extremely long.

THE HEAVENS IN MAY.

BY HENRY NORRIS RUSSELL, PH.D.

Though the evening skies are not very brilliant at present, there is yet much worth seeing in them. In identifying the principal constellations, let us begin with Ursa Major, which, at our usual hour of 9 P. M. on the 15th, lies just north and west of the zenith, the Dipper being most nearly overhead. The star at the bend of the handle—Mizar—is a fine naked-eye double, having a companion of the 5th magnitude, at a distance of some 12 minutes of arc.

Following the curve of the dipper-handle to the southward, we pass several fainter stars in Boötes, and reach Arcturus, the brightest star in this part of the sky. Half way down from this to the horizon, and rather to the right, is the fainter Spica, the principal

star of Virgo. Below it and to the right is the little group of Corvus.

Leo lies southwest of the zenith, and Hydra occupies the dull region below him and Virgo.

A series of brighter constellations lies along the course of the Milky Way, which skirts the horizon pretty closely from west through north to east.

Canis Minor is almost due west, Procyon being still an hour high. North of it is Gemini, and then Auriga. Perseus has almost set in the northwest, but Cassiopeia is still visible, right under the Pole. Cepheus comes next on the right, and then Cygnus, which is just rising. Lyra is higher up, so that Vega is the most conspicuous star in the northeastern sky.

Ophiuchus and Serpens are rising in the east, and Scorpio in the southeast. Hercules and Corona Borealis, which lie between Vega and Arcturus, and Draco, which is between them and the Pole, are the only other prominent constellations.

Observers south of latitude 30 deg., that is, in southern Florida and Texas and farther south, can see the Southern Cross at this season, low on the horizon, and, a little later, the two bright stars of Centaurus, which lie some 15 deg. east of the Cross, and point to it.

Certain recent observations relating to some of the asteroids are of sufficient interest to deserve mention here. It will be remembered that these small planets are, for the most part, too small to be seen as disks even in the most powerful telescopes. Only the four brightest ones have measurable diameters, and Prof. Barnard has found that these are from 200 to 500 miles in diameter. Many of the fainter ones must be less than 50 miles in diameter—probably less than 20; and telescopes several times more powerful than any now existing would only show them as star-like points.

There would seem to be no hope of finding out the time of rotation of such small bodies; but in some cases this can be done, as we shall soon see. The first asteroid to lend itself to such an investigation was Eros, already remarkable enough for its singular orbit and close approach to the earth. Early in 1901 it was discovered that the planet showed rapid variations in brightness, to the extent of more than a magnitude, so that at some times it was three or four times as bright as at others. Further observation showed that the changes repeated themselves in a period of $5\frac{1}{4}$ hours, during which there were two maxima of brightness, and two minima, which some observers found to be unequal in light.

As the planet changed its direction from the earth, the amount of the variation decreased, and in a few months it had become insensible.

Early in the present year it was announced from the Harvard Observatory that Iris, one of the brighter asteroids, showed similar fluctuations in light, but of much smaller range—only 3-10 of a magnitude, or about 25 per cent of the total light. In this case the period is $6\frac{1}{4}$ hours, with two maxima and two minima, as before.

Certain other asteroids have been observed to vary in brightness, but the extent and period of their variation is not yet determined.

The only available explanation of such changes in a planet's light seems to be to assume that the planet is rotating about an axis, and either that it is not spherical in form, or that some parts of its surface are much darker than others, or that both of these things happen together.

If the planet is of irregular form, and we are looking at it from the direction of its equator, we will evidently see it "end on" twice in each revolution, and broadside on twice.

The first position will give us a minimum of light, and the second a maximum. If we accept this explanation for the cause of the light-changes, the period of rotation of the planet must be twice the interval between consecutive maxima, that is, $5\frac{1}{4}$ hours for Eros, and $6\frac{1}{4}$ for Iris.

But if we assume that the variation is due to the presence of dark and light spots on a nearly spherical planet, the phases will in general occur only once in each revolution, so that we will be led to find values for this period just half as large as those quoted above. However, it is easily possible to imagine arrangements of spots which give rise to two maxima and two minima in each revolution, so that the time period remains uncertain. If we allow ourselves to assume that the planet is irregular both in shape and in the brightness of its surface, it would be possible to represent almost any observed light curve by a variety of different assumptions. Consequently, we cannot be sure of any details about the planet's surface (at least at present), though we can be certain that it rotates rapidly, and that the period is either that mentioned above for each planet, or else one-half of it. The longer periods appear on the whole to be more probable.

The rotation hypothesis affords also an explanation of the observed change in the range of the variation of Eros. If we looked at one of our hypothetical planets from the direction of its axis of rotation, the total amount of light it sent us would be constant, no mat-

ter how it was spotted, for we would always see the same side of it.

Consequently, if we assume that the planet's axis of rotation is so situated that at first the earth was nearly in the plane of its equator, but later got nearer and nearer to its pole, we can account for the decrease and final disappearance of its variations in brightness.

The idea that the asteroids may be irregular in shape recalls, and apparently confirms, the old "explosion hypothesis," which regarded them as the fragments of a disrupted planet. This theory has however been discredited by the proof that it would have required, not one, but many successive explosions to produce the present system of asteroid orbits, so that the wisest attitude appears to be to suspend judgment on the question.

THE PLANETS.

Mercury is evening star until the 13th, when he passes between us and the sun and becomes a morning star. He is usually nearly in line between us and the sun, and if he had been in conjunction a day earlier, he would have transited across the sun's disk. We need not regret this seriously, however, as there will be a transit in 1907. He is practically invisible to the naked eye throughout the month.

Venus is morning star, but is inconspicuous, as she is getting near the sun. On the 1st she rises about an hour before him, but the interval decreases to about half an hour at the end of the month, when she will be hardly visible.

Mars is evening star until the 30th, when he is in conjunction with the sun and becomes a morning star. He is entirely invisible throughout the month.

Jupiter is morning star in Pisces, rising at about 3 P. M. on the 15th, and is fairly conspicuous.

Saturn is morning star in Capricornus. On the 11th he is in quadrature with the sun, rises at 1 A. M., and comes to the meridian at 6 A. M.

Uranus is in Sagittarius, and comes to the meridian at 2:20 A. M. on the 15th.

Neptune is in Gemini, and sets about three hours after the sun.

THE MOON.

Last quarter occurs at 7 A. M. on the 7th, new moon at 6 A. M. on the 15th, first quarter at 5 A. M. on the 22d, and full moon at 4 A. M. on the 29th. The moon is nearest us on the 22d, and farthest away on the 8th. She is in conjunction with Uranus on the 3d, Saturn on the 7th, Jupiter on the 12th, Venus on the 13th, Mercury on the 14th, Mars on the 15th, Neptune on the 18th, and Uranus again on the 30th.

Cambridge, England.

ACTION OF RADIUM ON METALS.

Mr. N. Orloff, as stated in a recent communication to the Russian Phys. Chemical Society, covered in April, 1903, an ebonite capsule containing 0.03 gramme of radium bromide with an aluminium plate, 0.01 millimeter in thickness, instead of the mica generally used. In the course of July, the author, having opened the capsule, noted on the surface of the aluminium turned toward the radium some protuberances of the same aspect as the surrounding surface of the aluminium and resembling small drops of melted metal. These protuberances proved to be radio-active, producing a photographic image on acting for some minutes through black paper, and even after six months they were found to emit invisible radiations without any appreciable weakening. The author thinks that a stable alloy is formed by the accumulation of material particles given off from the atomic systems of radium, around small aluminium nuclei.

THE CURRENT SUPPLEMENT.

The current SUPPLEMENT, No. 1479, opens with an illustrated article on the "Old and New Railway Bridges Over the Susquehanna River at Rockville." The English correspondent of the SCIENTIFIC AMERICAN describes at length an engineering novelty in the form of a powerful gasoline locomotive. Pictures accompany his article. Dr. Erlwein's interesting discussion of the purification of potable water by means of ozone is concluded. Prof. C. F. Burgess and Mr. Carl Hambuechen recently read a paper at the Washington meeting of the Electro-Chemical Society on electrolytic iron, to which subject much attention has been devoted of late. The paper describes original work in an investigation, the primary object of which was to produce, if possible, pure iron in such quantities and at such cost as to make it an available material for further inquiry into its properties. The work shows that it is possible to obtain electrolytic iron in large quantities and at a reasonable cost. Mr. William A. Robertson writes interestingly on Pennsylvania's first mountain railroad. "Sofka and Blue Dumplings, a National Indian Dish," is the title of an instructive article by William R. Draper. Charles H. Coe discusses the subject of gin-seng, its character, history, commerce, and medicinal value, with great thoroughness. In a *résumé* of recent studies of radio-activity, new information about radium is given.

EXPERIMENTS WITH THREE-PHASE ELECTRIC ARCS.

Three-phase electric arcs have recently been produced and investigated by the Italian General Electric Edison Company, at Milan, on the one hand, and by an American, Mr. Richard Fleming, on the other. Quite independently of these researches (of which he was not aware until after his work was completed), Dr. P. L. Mercanton, of Lausanne, Switzerland, undertook a number of investigations in the same direction with a view of producing powerful illuminants in a rather condensed form, and of materially lowering the frequency necessary for maintaining the arc. The principal object of this work was, however, a possible increase in the luminous output of the electric lamp.

Three-phase arcs are constituted by three single-phase arcs burning successively between each pair of carbons, each being extinguished and lit again twice per period. As these are therefore at any time at least two arcs burning, the cooling effects are likely to be considerably reduced, and the consumption of energy required per candle materially lowered. These provisions were in fact fully borne out by experimenting with the lamp represented.


The lamp contains three carbons connected each to a phase of the current, and constituting a regular triangular pyramid, on the top of which the arc is produced by virtue of electrodynamic forces. Regulation is effected by hand, and consists in inclining the carbons with respect to the axis of the pyramids. For this purpose they are supported by three carbon holders which are pivoted at three points placed at angular distances of 120 deg. on the circumference of a circular metallic disk that serves as a base plate. To the middle of this disk, on the side opposite the arc, there is fixed a strong screw, the box of which is connected to a lever system controlling the mutual distance of the carbons. By a special arrangement, the levers may be lengthened or shortened.

The aspect of the luminous focus of this lamp depends to some degree on the kind of carbon used; the latter should be rich in volatile substances. As regards the length of the arc, on which its behavior will depend to a high degree, this is always upward of some millimeters, and in most cases superior to 10 millimeters. Under these conditions, the ends of the carbon appear to the eye placed on the axis of the lamp, like three luminous points of a high brilliancy (as represented); the common angle between the carbons varies between 30 deg. and 50 deg. The lowering in the frequency necessary to maintain the three-phase

arc may be readily shown by adjusting the arc for the maximum of frequency and eventually withdrawing violently one of the carbons, when the arc ceases to pass between the two remaining points. The jumping of the single-phase arc from one pair of carbons to the other is visible by the flicker in the light given off from the edges of the crater in front of each other.

For a number of periods ranging between 38.5 and 51, the light is quite steady.

In order to determine the candle power of three-phase arcs, Dr. Mercanton undertook photometric measurements for various carbons and different directions of the light rays, by means of a Lummer and Brodhun photometer.



A THREE-PHASE ELECTRIC ARC.

From the results recorded, it is shown that three-phase arcs have a much better luminous output than monophase arcs between the same carbons.

While the provisions of the experimenter were thus borne out fully, Dr. Mercanton is however somewhat doubtful as to whether the saving afforded will warrant the difficulties inherent in the design of a regulating mechanism. On the other hand, there is the necessity of using three wires instead of two, and of replacing the single-phase lighting transformers by three-phase transformers. Wherever regulation by hand is practicable, and especially in connection with

THE RUSSIAN ICE-BREAKER "ERMACK."

To Admiral Makaroff, who went down with the ill-fated "Petropavlovsk," is due some belated tribute for his skill and enterprise in familiarizing the Russian marine with ice-breaking steamers of more pretentious size than the small craft of this type that had been used for thirty years in the harbor of Cronstadt. The "Ermack," if not actually designed by him, is at least a product of his energy and the embodiment of the best features of the American ice-breakers, which he had made the subject of an exhaustive study during a visit to America. She carries, moreover, many an appliance which Makaroff himself invented.


The problem of keeping open the ice-bound ports of the Baltic and of the Siberian Pacific coast is somewhat more difficult than the task that confronts the American engineer of the Sault Ste. Marie region. Russian ice is thicker; it lasts longer; and the longer it lasts, the more difficult it is to penetrate. For that reason Admiral Makaroff was compelled to design a vessel which, although in principle it did conform with the best American practice, still embodied features that would enable her to cope with the difficulties presented by the ice-bound harbor ice of Cronstadt and Vladivostok. What these features are will appear more fully from the following description:

The "Ermack" is 335 feet in length, 71 feet beam, and with her coal and stores on board has about 8,000 tons displacement. Her propelling machinery consists of four sets of triple-expansion engines of 2,500 horse-power each, steam being generated in six very large double-ended boilers built for 160 pounds pressure. She has three stern propellers and one bow propeller. Her speed with 8,000 horse-power is nearly $15\frac{1}{4}$ knots. The speed with the three after engines working ahead is about $15\frac{1}{2}$ knots, and the speed with all the engines running ahead is about $16\frac{1}{4}$ knots, the power in each case being at the maximum. The highest indicated power developed is 12,000, corresponding with the speed of $16\frac{1}{4}$ knots.

Each propeller has a set of main engines of the triple-expansion type for driving it when the full power has to be exerted. At the side of the shafting of each screw is a pair of ordinary compound engines which drive the propeller by tooth gearing. The cylinders of the main engines are $25\frac{1}{2}$ inches, $39\frac{1}{2}$ inches, and 64 inches in diameter by 3 feet 6 inches stroke. The boilers are double-ended, and six in number, 15 feet in diameter, and 20 feet 6 inches long. The grate area is 800 square feet, while the heating surface is 27,600 square feet total. The pro-

pellors are made with nickel-steel blades containing 3 per cent nickel, having a tensile strength of 40 tons; the stern propellers are 14 feet in diameter, the wing propellers being 14 feet 6 inches pitch, and the center propeller 14 feet pitch. The forward propeller is 13 feet in diameter and is 13 feet 6 inches pitch. The

(Continued on page 362.)




THE RUSSIAN ICE-BREAKER "ERMACK," CAPABLE OF FORCING HER WAY THROUGH ICE TWENTY-FIVE FEET THICK.

luminous projections, three-phase arcs seem however likely to render material services, in virtue of the steadiness and brilliancy of the triple illuminant.

Thirty-five miles of roadway have been constructed within the World's Fair grounds.

HIGH-VELOCITY 6-INCH WIRE-WOUND GUN FOR THE UNITED STATES ARMY.

The Board of Ordnance and Fortifications of the United States army recently made an allotment of \$41,000 for the construction of a 6-inch Brown wire-wound gun which, if it fulfills the requirements of the



A. Trunnion jacket. B. Wire. C. Segmental tube. D. Liner.

Cross-Section Through the Gun at the Powder Chamber.

specifications on which it is built, will certainly be the most powerful piece of its weight and size in existence. The gun will shortly be tested at Sandy Hook proving ground and fired 250 rounds, with gradually increasing powder pressures, the last five rounds being fired under from 45,000 to 50,000 pounds maximum pressure in the powder chamber. The estimated service velocity of the gun is 3,541 feet per second, under a maximum powder pressure of 42,823 pounds.


The full significance of these figures will be realized if we compare them with the ballistics of the 6-inch 50-caliber navy gun which is designed for a muzzle velocity of 2,900 feet per second when firing a 100-pound projectile. On February 8 of the present year the Bureau of Ordnance, in consequence of recent failures of some navy guns, decided to reduce the service velocities, and an order was sent out that the 6-inch, 50-caliber navy gun was to have a service velocity of only 2,700 feet per second, which is 800 feet per second less than the service velocity designed for the new wire-wound gun under construction. As the striking energy of the shell varies as the square of the velocity, it will be seen at once how very much more efficient the new piece will be than the latest type of navy gun.

If a person who was quite unacquainted with modern gun construction were to watch the tedious and costly process of building up a modern high-power gun, he would naturally ask why it is not forged out of one solid piece. The gun-maker, in explaining to the inquiring layman why guns must be built up piecemeal would point out that, in

forging masses of metal of the size that would be required, it would be impossible to detect any hidden defects, and that, steel being a highly elastic material, it is necessary that in the finished gun, if the whole mass of the gun is to be available in resisting the bursting effects of the powder, the metal be brought into a certain condition of initial strain. He would

tell him that in a 12-inch gun, for instance, where there may be a foot or more of solid metal surrounding the bore, the pressure of the powder gases would stretch the metal at the bore of the gun to the rupture point, before the outer layers of metal were able to add their full resistance to that of the inner layers; that the bore of the gun would be cracked, and that the crack would eventually extend from bore to circumference. He would explain to him how Rodman, an army officer, at the time of our civil war, very cleverly met the difficulty in cast-iron guns, by running a stream of cold water through the bore of the gun when it was being cast, chilling and contracting the metal at the bore, with the result that as the body of the metal throughout the gun cooled from bore to circumference, it contracted and gripped the bore, throwing the latter into a state of compression, and placing the rest of the metal of the gun in a state of initial tension. The effect of this was that when the gun was fired the pressure of the powder gases was felt throughout the whole section of the gun from bore to circumference and every part of the metal did its share of duty.


He would then explain to him that as the manufacture of steel developed, the superiority of this metal to cast iron for gun manufacture became evident, and the Rodman principle of gun construction was applied by first making a steel tube containing the bore of the gun, and then shrinking on successive hoops of steel which, as they cooled, threw the inner tube into a state of compression, and were themselves left in a state of tension. He would explain to him further that in addition to the higher resisting qualities of steel over cast iron, the former metal, having the advantage of being built up in hoops which are



Winding the Wire Upon the Gun, Under a Tension of 2,500 Pounds per Wire, or 125,000 Pounds per Square Inch.

forged on a mandrel, the metal of the hoops can be subjected to more thorough working and inspection, with a view to improving the quality of the steel and eliminating all defects. The gun manufacturer would then proceed to explain to our supposititious layman

the United States, the gun built by Capt. Crozier and the various Brown wire guns which have been built and tested by the army being the only guns of the wire type that have been built in this country, the wire-wound system has been adopted by the English navy and is the standard type that is built by the two great gun-making firms of Armstrong and Vickers-Maxim in England. All the large guns of the latest English warships are wire guns, as are the weapons which are doing such good service in the Japanese navy during the present war in the Far East. The sys-



Longitudinal Section Through the Breech.

tem has, therefore, long ago passed beyond the experimental stage. The difference between the wire gun herewith described and the English and Japanese guns is that in the former the fundamental principles upon which wire guns are constructed have been carried


further along their logical lines of development, with ballistic results that are proportionately superior.

In the construction of the new 6-inch gun, the foundation consists of a forged steel lining tube with an elastic limit of 60,000 pounds and an ultimate breaking strength of 105,000 pounds to the square inch. This tube extends for the full length of the gun, which is 26 feet 1 inch in length, and it is enlarged from a diameter of 6 inches in the bore to a diameter of 9 inches in the powder chamber, which has a length of 49.3 inches and a cubical capacity of 3,120 cubic inches, which latter, it will be seen, is exceptionally large for a gun of this caliber. On this tube is assembled what is known as the segmental tube. It is formed of a


series of sheets of rolled steel, 308 inches in length, 21½ inches wide at the breech, and 4½ inches wide at the muzzle of the gun, which are rolled into an involute shape and wrapped together to make up a solid tube. The sheets are first assembled on a stepped

core, or former, and securely clamped. The core is then withdrawn and a stepped lining, of the section shown in our engraving, is forced into position within the segmental tube and the clamps are firmly screwed down, one at each 6 inches of the length of the tube, which is then centered in the lathe and turned to size. A new series of clamps is

then put on, and the exterior of the segmental tube is turned down into stepped frustums of cones, each step being equal to the thickness of one wire, or one-seventh of an inch. There are seven of these steps over the bore of the gun and four steps where the powder chamber commences, one of the latter steps being the depth of one wire and three of the steps



Longitudinal Section, Showing Thickness of Wire Winding.



New 50-Caliber, 6-Inch, Wire-Wound Gun for the United States Army, Shortly to be Tested at Sandy Hook. Maximum Powder Pressure 42,823 Pounds. Muzzle Velocity, 3,541 Feet per Second.

THE MOST POWERFUL GUN FOR ITS WEIGHT IN EXISTENCE.

that the system of building up guns by winding steel wire upon an inner tube was a further step in the direction of securing thorough inspection of the steel, and of placing the finished gun under conditions of initial compression and tension which would be accurately known to the maker.

Although the wire-wound gun is but little known in

equal to the depth of two wires. Now comes the process of wire winding. One end of the wire is driven into a hole bored into the segmental tube at the first step from the powder chamber, and the wire, which is one-seventh of an inch square, is wound upon the gun under a tension of 2,500 pounds. The thickness of the winding varies from seven thicknesses, or one inch, at the muzzle to 21 thicknesses, or 3 inches, over the powder chamber. A trunnion jacket, extending from the breech to beyond the trunnions, a distance of about 12 feet, is then shrunk on with sufficient tension merely to prevent its rotation upon the segmental tube. A sheet-steel tube is also placed over the chase of the gun for the purpose of giving it a finish and protecting the wire wrapping. It should be noted that no reliance is placed upon the trunnion jacket or the chase covering, for the strength of the gun. By a study of the sectional view of the breech, it will be seen that the thrust of the breech-block is taken up jointly by the lining tube, the segmental tube, and the trunnion jacket, and a very even distribution of the longitudinal stress is thereby secured. The advantage of using a segmental built-up tube to carry the tension of the wiring is that the plates, being rolled down to a thickness of one-seventh of an inch, the danger of hidden flaws existing in the metal is practically eliminated; whereas when the solid tube is used, as in the built-up guns, there is sufficient thickness of metal for such flaws to exist without being detected. Moreover, in the segmental tube, should a flaw exist and a fracture occur in any one plate, it could merely extend through the thickness of one-seventh of an inch, and would not, as in the case of a solid tube, extend radially through the whole thickness of the tube.

In an investigation of the principles of the segmental tube wire gun by Prof. Denton, of Stevens Institute of Technology, Hoboken, N. J., Mr. Denton estimated that there was no loss of longitudinal or tangential strength in the built-up tube, for the reason that the tension of the wire windings throughout the whole length of the tube will bind the segments together "with sufficient pressure to cause the frictional adhesion between its curved lines of division to exceed the shearing forces which would be transmitted along these lines in a forged tube of the same thickness, when fired with powder developing the highest current pressures." He found, moreover, that "the metal of the segmental tube, by virtue of the magnitude of its frictional adhesion" (due to a tension of 125,000 pounds to the square inch in the wire winding), "is as available as a source of longitudinal strength and transverse stiffness as the same thickness of solid metal." Prof. Denton further found that "the distribution of the wire windings secured a practically uniform compressive resistance in the lining tube throughout its length, and without exceeding about 90 per cent of the elastic strength of the tightest wire. The lining of the tube was probably compressed so that under 50,000 pounds per square inch of powder pressure it was not required to exert a tensile resistance." In other words, the principles of the wire gun had by this system developed to such a high point that when this gun is fired at Sandy Hook in the last few rounds, with a maximum powder pressure of 50,000 pounds to the square inch, and a corresponding muzzle velocity of about 3,900 feet per second, the lining tube will still be under some of the initial compression which was given to it when the wire was wound on; which means that the wire with its high elastic limit of 150,000 pounds to the square inch, will be comfortably taking care of the enormous forces developed by the powder.

The unusually high velocities secured in this gun are due to the exceptionally large powder chamber. Owing to the abundant supply of gas given off by the burning powder, the pressure on the base of the shell is maintained at a high figure even to the moment that the shell leaves the muzzle, when the pressure is no less than 23,721 pounds to the square inch. In the earlier guns, the powder pressures fell rapidly toward the muzzle and it is this high muzzle pressure that has caused the blowing off or bursting of the chase of several guns of the hooped type during the past few months. It can be seen at once that by increasing the number of windings of wire over the muzzle, this part of the gun may be made relatively just as strong and reliable as any other portion.

There were recently received at the National Museum two termitariums from Jamaica, which are regarded as the greatest curiosities which have been placed in the institution for a number of years. The termitarium is the residence of a tribe of termites, or white ants. One of these specimens was at once shipped to St. Louis, where it will form a part of one of the government exhibits at the exposition. The other was placed on view in the museum. The largest of the two nests received by the museum is about four feet long and two in diameter, being shaped a great deal like an elongated double peanut, round and oval at the ends, and with a narrower portion in the center,

with a decided crook between the two ends. This was built around the limb of a tree, and in order to get the nest the limb was cut, leaving about a foot extending from each end of the nest. The construction of the nest consists of leaves overlying each other, and arranged in such order that it was likened to a bill file with bills placed in regular order one over the other.

THE RUSSIAN ICE-BREAKER "ERMACK."

(Continued from page 360.)

blades are enormously thick, and are calculated to be brought up by ice without breaking when running at full speed. The machinery is all designed to withstand this test.

The "Ermack" is capable at half power of putting 1,300 tons of weight on the ice to crush it down, when in her ordinary ice-breaking trim, with a draft of 22 to 23 feet. The bow is enormously strong, and for a considerable distance the frames are only 12 inches apart. The ice-belt at the bow extends to the keel. At the sides of the ship it is 27 feet deep.

The "Ermack" left the Tyne on her maiden voyage to Cronstadt early in March, 1899, under the command of Capt. Vassiliev, Admiral Makaroff being also on board. In less than a fortnight after sailing, the ice-blink was seen just before dark, the first drift-ice being met with off the western end of the harbor of Revel. In the Gulf of Finland the small drift ice is first met; this gradually grows to a paste, which, in calm weather, soon solidifies into floes. These increase in size until the solid ice is met, and it is here that the packs of ice are found. The "Ermack" proceeded by night through the ice, her course illuminated by the electric searchlight. On the rocks and islands in the Gulf of Finland the ice forms to an enormous thickness, and the noise occasioned at the bow of the vessel when breaking ice was considerable, but the vibration set up forward was very small. The "Ermack" pursued her way through the ice right up to Cronstadt. Below Cronstadt the vessel could easily break her way through the ice at 8 knots an hour, the ice field being from 18 inches to 24 inches thick, with 6 inches of snow upon it. Three days after her arrival at Cronstadt she was ordered to Revel to save steamers that were in danger of being crushed by the ice, and to open the port. Upon arrival at Revel Bay it was found that an enormous ice-pack had been formed across the entrance to the bay, 15 miles from the town of Revel. The pack had formed during a northwest gale that had blown the drift-ice from the Baltic into the bay, packing it in a dense mass $3\frac{1}{2}$ miles across, about one-third of a mile wide, and from 20 to 25 feet thick, completely closing the harbor. In two hours the "Ermack" succeeded in crushing a way through this ice-pack in fourteen charges. During the limited time that the "Ermack" was on that station she was instrumental in salving eighty-two vessels that were fast in the ice.

In order to test the capabilities of ice-breakers of large size in polar ice, the "Ermack" was sent to Advent Bay, in Ice Fjord, Spitzbergen. She was fully provisioned for twelve months. Advent Bay was left on August 5, 1899, and on the following day she encountered the first polar drift-ice. Then the fight began in real earnest. Collisions with enormous masses of ice occurred continually. The floes became thicker and older as the ship proceeded north. It was soon a task of ice breaking and charging continually. When stopped by ice, the vessel retired 100 yards or more, got up speed to strike the strong spot, and continued to do so until the obstruction was broken down. In some of the water lanes it was strange to note how the ice had separated in a vertical cleavage, leaving the walls of solid ice on each side of the canal from 12 feet to 20 feet thick. With half boiler power the "Ermack" could force her way through polar ice 12 feet to 14 feet thick at $2\frac{1}{2}$ to 3 knots an hour.

Reference should be made to the arrangement for coupling up the "Ermack" with other vessels in order to make a train of ships for more effectually dealing with thick ice. Although the "Ermack" is big and strong, there is, of course, a limit to her capacity of breaking up ice and to the speed with which she can perform the operation. A vessel pushing astern of her, therefore, would supply additional power for the work. Forward, the stem is set at an angle of 70 deg. from the vertical. In going through ice she slides up, raising her bow, and this causes the ice to break down. She might, of course, mount the ice until her forward propeller came in contact with it; but this is made of sufficient strength to withstand the shock. That, however, is not what is expected generally to occur, as the form of the bow is designed to insure a constant breaking down of the ice. This would absorb an enormous amount of power; but if another vessel, either an ice breaker or an ordinary steamer, were pushing astern, naturally the speed could be increased. Moreover, a steamer not so strongly built as the "Ermack" would be protected by following close behind her. For this reason a recess has been built into the counter. This recess is designed to take the stem of the following vessel, arrangements being made for lashing the latter in firm contact with the leading craft.

The Geographical Society of Philadelphia.

The annual reunion of the Geographical Society of Philadelphia was held Tuesday evening, April 26, at the Hotel Roosevelt, Philadelphia. President Angelo Heilprin, the noted Arctic explorer and student of Mont Pelé and other volcanoes, in his opening remarks sketched the history of the society from its organization twelve years ago to the present, mentioning the great geographical discoveries made in the period in the Far North, Asia, Africa, and the Antarctic regions, in some of which members of the society have participated. The society began in a modest way with fifty-one members and has grown so that a hall seating several hundred is now needed for the open meetings. Excursions to points within reach from Philadelphia are a feature of the summer work of the society.

Prof. Heilprin announced that the Elisha Kent Kane gold medal for noteworthy geographical achievement had been awarded to Capt. R. F. Scott, R. N., of the "Discovery," who has been in charge of the British Antarctic expedition which has recently returned in safety to New Zealand after two years of arduous work. The principal features of Captain Scott's geographical work have been the tracing of the eastern edge of the Antarctic continent for 350 miles south of Mount Erebus; the journey of the "Discovery" eastward from Mount Erebus for 640 miles along the edge of the great ice-barrier to new land, named by this expedition King Edward VII. Land, which is probably a portion of the Antarctic continent. Capt. Scott has attained a point further south than any other explorer, and the geographical results of the expedition under his care are among the most important which have been achieved in recent years.

The chief speaker of the evening was Commander R. E. Peary, U. S. N., president of the Eighth International Geographic Congress, which is to meet in this country in the fall. Commander Peary said that when he was attached to the League Island navy yard, fifteen years ago, he completed the plans for his first expedition into the Antarctic regions, and presented them to Prof. Heilprin, then the president of the Academy of Natural Sciences, who took a hearty interest in the matter and, in connection with Capt. Amos Bonsor, Mr. H. G. Bryant, and others, began the agitation which made possible the Peary South Polar expedition of 1891.

To-day Arctic exploration is not to be considered a foolish matter, but it is a broad national undertaking participated in by the President, Congress, the press, and the people. The object, of course, is the North Pole, which is the mathematical center of the northern hemisphere, where there is but one day and one night in the year; where there is no west and no north, and every wind is a south wind. It is the last great geographical prize which the earth has to offer, and in view of the work which has been carried on under the auspices of the United States, its winning belongs by right to this nation.

The undertaking divides itself naturally into two parts. The first section is the journey by ship to the north shore of Grant Land; the second section is the 420 nautical miles from Grant Land to the Pole. The journey from New York to Cape Sabine or Cape York can be made every summer in about two weeks time. Here Commander Peary would get Esquimaux and dogs, and proceed to Grant Land in from two days to two weeks, according to the season. This journey is the uncertain part of the preparatory work, but it has been made by four ships. The ship would be frozen in off Grant Land by the middle of September, and the preparatory work for the next season's dash to the Pole would occupy the time until the long Arctic night set in. About the middle of February returning light would enable the sledges to start north, and they would have three months or more in which to cover the 840-mile journey to the Pole and back before there was any chance of the ice breaking up. Commander Peary himself has made several dog journeys longer than this.

The features which promise success for a new expedition are that the explorer would take an especially constructed ship which would depend primarily upon steam power for propulsion and would have auxiliary sail, rather than a sailing ship with auxiliary steam, as has been done heretofore. The second feature would be the extensive utilization of the native Esquimaux, which would be possible through the personal influence which Commander Peary has obtained with the tribe during his previous expeditions. The third feature would be Commander Peary's intimate personal knowledge of the coast. The nervous strain due to the long winter night, is the great drawback to work in the polar regions. The cold, which is easily provided against, is only relative in any case and is therefore a negligible factor. The value of the attainment of the Pole lies in getting many geographical data which need not be enumerated, farther than that they lie in pendulum observations which would be invaluable for determination of the exact shape of the globe, and in observations bearing upon terrestrial magnetism and the meteorology and the economics of 300,000 square miles

of unknown land. For this great enterprise, Commander Peary needs \$200,000. If the expedition were accomplished in one year without the loss of the ship, the cost would be only \$100,000, but a larger guarantee is necessary, because two years' time or more might be consumed and the ship might not be brought back. This great geographical prize therefore can be obtained for much less than the sum expended in defense of a single challenge for the America's cup.

Other speakers of the evening were Capt. T. C. McLean, U. S. N., commander of the cruiser "Cincinnati," who rendered great services to the stricken island of Martinique directly after the eruptions of 1902, and who was in command at Colon at the time of the last revolution at the Isthmus of Panama; Major W. R. Abercrombie, U. S. A., who had charge of the surveys along the Copper and Tanana rivers, Alaska, in the search for an all-American route from the coast to the Yukon; Dr. A. Donaldson Smith, who has carried on important investigations in Abyssinia; Capt. Amos Bonsall; Dr. E. O. Hovey, who studied the eruptions of Mont Pelé and the Soufrière for the American Museum of Natural History; Mr. George C. Mercer, who is one of the very few men who have stood upon the summit of the South Dome in Yosemite Valley; Mr. Gilbert H. Grosvenor, editor of the National Geographic Magazine; Miss Dora Keen, who has traveled extensively in Asia and has been almost the only white person to witness (in Teheran) the religious ceremony of the Mohammedans which corresponds to the Passion Play of Oberammergau; and Mr. Henry G. Bryant, who has recently returned from the wilder portions of Mexico, and who is the president-elect of the Geographical Society of Philadelphia.

GROWTH OF OUR NAVY.

In response to several requests from correspondents that we would publish another general view of the new ships that have been authorized, or are under construction, for our navy, thereby supplementing the double-page engraving published in our last Naval Supplement of December 14, 1901, we present the accompanying double-page inset. The engraving in the special number referred to represented all the ships that were authorized or under construction at the close of the year 1901. The double-page inset in the present number includes every warship contracted for and under construction since that date. In looking through the official records, we were much interested to note that the whole of this very formidable fleet was authorized by Congress in the brief period of eight months, from July, 1902, to March, 1903. It includes five of the largest and most formidable battleships ever designed, vessels only slightly smaller than the British "King Edward" class, and more powerfully armed than they; two smaller battleships of about the size of the Russian "Czarevitch" or the new "Borodino" of the Russian Baltic fleet; two armored cruisers which will be the largest vessels of that type ever built, and two gunboats. This is a most remarkable addition to be made in so short a space of time, and if it were not that the contractors for our warships are so slow in completing their contracts, the vessels being at times from one to three years behind their contract date of completion, it would indicate we were rapidly moving forward to the second position in strength among the great naval powers of the world.

BATTLESHIPS.—The most important vessels of the fleet are five large battleships of the "Connecticut" class, the first two of which, the "Connecticut" and "Louisiana," authorized by Congress July 1, 1902, are sister ships. The other three ships, "Kansas," "Minnesota," and "Vermont," were authorized on March 3 of the following year. They are practically identical with the "Connecticut" and "Louisiana," the chief points of difference being that the thickness of the waterline belt has been somewhat decreased, and that of the upper main belt somewhat increased over that on the earlier ships. The "Louisiana" is being built by a private firm, the Newport News Shipbuilding Company, and the "Connecticut" is being constructed at the New York navy yard, Brooklyn, where a rate of progress has been maintained that has already gone far to prove the truth of the naval constructors' assertion, that work can be done as expeditiously and satisfactorily at the government yards as it can at private establishments.

The detailed description which we now give of the "Connecticut" and "Louisiana," both of which, by the way, will probably be launched toward the close of the present year, will also serve for the three later vessels of this class in all particulars except that the main belt amidships will be 9 inches instead of 11 inches thick, and that the upper main belt will be 7 inches thick instead of 6 inches as in the "Connecticut." The particulars of these five battleships then are as follows: Length, 450 feet; extreme breadth, 76 feet, 10 inches; depth, 24 feet, 6 inches; and the displacement at this draft, when the ship is fully equipped ready for sea, with all her stores on board and a normal coal supply of 900 tons, is 16,000 tons. The ships will be driven at a speed of 18 knots by twin-screw, triple-ex-

pansion engines of 16,500 indicated horse-power, to which steam will be supplied by Babcock & Wilcox water-tube boilers. The protection will consist of a complete belt of Krupp steel armor at the waterline, extending from stem to stern, which will vary in thickness from 11 inches amidships to 4 inches at the ends. Associated with this armored belt is a complete protective deck $2\frac{3}{4}$ inches on the flat and 4 inches on the slopes. Above the main deck, throughout that portion of the ship amidships between the main barbettes, is a wall of 6-inch Krupp armor extending from the main belt to the upper deck, and protecting the central battery. The turrets for the main battery 12-inch guns will be protected with a maximum thickness of 12 inches of Krupp steel, and the barbettes upon which they turn will be protected with 10 inches of Krupp steel. The 8-inch turrets will have 6 inches of armor in the case of the "Connecticut" and "Louisiana," and $6\frac{1}{2}$ inches of armor in the "Minnesota," "Kansas," and "Vermont."

The armament of these ships will be the most powerful of any vessels at present designed. It will consist of four 12-inch rifles, calculated for a muzzle energy of over 46,000 foot-tons, eight 8-inch guns with a designed muzzle energy of 13,600 foot-tons, and a battery of twelve 7-inch guns with a designed muzzle energy of 9,646 foot-tons. There will also be twenty of the invaluable 3-inch rapid-fire guns, which have a designed velocity of 3,000 feet a second, and an energy of 874 foot-tons. Four of the latter are mounted on the gun deck, firing through casemates, two of them forward and two aft; six are mounted on the upper deck in broadside between the 8-inch gun turrets; and ten are mounted in the open upon the superstructure deck, three on each broadside, and one at each corner of this deck. There will be also twelve 3-pounder semi-automatic guns and eight 1-pounder automatic guns, and eight machine guns scattered throughout the bridges and fighting tops. They will carry also two 3-inch field guns. Although no provision was made for submarine torpedo tubes in the original design of these vessels, the plans have been changed since the construction commenced, and the ships will be fitted with two forward submerged torpedo tubes. On such large dimensions the vessels will be able to give ample accommodation for the complement of 42 officers and 761 men.

Speaking of the ships as a whole, we think that they represent about the best combination of speed, armor, and armament to be found in any of the latest battleship designs of the various navies; although there can be no question that the increase of the armor protection above the main belt from 6 to 7 inches in the three later ships, at the expense of a reduction of the main belt amidships, is a decided improvement of the defensive qualities of these ships.

At the same time that the three later ships of the "Louisiana" class were authorized, Congress made provision for the construction of two battleships of 13,000 tons displacement, which were to have the maximum speed and offensive and defensive qualities practicable on these dimensions. Working under this restriction as to size, our naval constructors have turned out two admirable ships, the "Mississippi" and "Idaho," which may be termed smaller editions of the "Connecticut." The dimensions are as follows: Length, 375 feet; beam, 77 feet; mean draft, on a displacement of 13,000 tons, 24 feet, 8 inches. The ships will be driven at 17 knots by twin-screw, triple-expansion engines of 10,000 horse-power, steam being supplied by Babcock & Wilcox boilers. The main battery will consist of four 12-inch guns carried in turrets protected by 12 inches of Krupp steel, and barbettes of 10 inches of steel. The intermediate battery will consist of eight 8-inch guns mounted in four turrets protected by $6\frac{1}{2}$ inches of steel, the barbettes being protected by 6 inches. There will be a central battery on the main deck of eight 7-inch rapid-fire guns, protected by 7 inches of Krupp armor, and there will also be twenty 3-inch rapid-fire guns, twelve 3-pounder, semi-automatic guns, eight 1-pounder automatics, and two 3-inch field guns. They will also carry two submerged torpedo tubes. The waterline belt will be 9 inches amidships, tapering to 4 inches at the ends. The conning tower will have 9 inches of armor, and the conning-tower tube 6 inches, while the ammunition tubes will be protected by 3 inches of armor. The vessels will have a full coal capacity of 750 tons, and at 10 knots cruising speed they will have a radius of 5,750 nautical miles.

ARMORED CRUISERS.—The two armored cruisers "Tennessee" and "Washington" are, like the battleships above mentioned, among the very latest and most powerful of their class in any navy. Moreover, they are extremely handsome vessels, with a clean-cut outboard profile, and an excellence of proportioning and placing of masts and smokestacks, that renders them comparable in appearance to the modern Atlantic passenger steamship. These cruisers are nearly a thousand tons larger in displacement than the six armored cruisers of the "California" class, and although the length, 502 feet, is the same, they have

about $3\frac{1}{2}$ feet more beam, or 72 feet, 10 inches, and about a foot more draft, the draft on a mean displacement of 14,500 tons being 25 feet. They will be driven by twin-screw triple-expansion engines, with an indicated horse-power of 23,000, at an estimated speed of 22 knots an hour. The normal coal supply will be 900 tons and they will have a bunker capacity of 2,000 tons. They will be protected by a continuous waterline belt, which will be 5 inches in thickness amidships and 3 inches at the ends. This is an inch less than is carried by the "California" class; but what is lost at the waterline is gained in the protection of the main battery, which consists of 9 inches on the turrets, as against $6\frac{1}{2}$ inches in the "California," and 7 inches on the barbettes, as against 6 inches in the earlier ship. Associated with the belt will be a protective deck, $1\frac{1}{2}$ inches in thickness on the flat, and 4 inches on the slopes, with the armored citadel amidships, and 3 inches on the slopes toward the ends outside the citadel. The sides of the vessel from the main belt to the upper deck, and extending for the length of the ship between the main barbettes, will be protected by 5 inches of Krupp steel. The armament of these vessels is particularly powerful, consisting of four 10-inch breech-loading rifles in two turrets forward and aft, and sixteen 6-inch guns mounted in broadside. Twelve of these are on the main deck, and four on the upper deck. There is also a battery of twenty-two 3-inch rapid-fire guns, of which six are mounted on the gun deck within the central battery, six on the gun deck in sponsons outside of the battery, two forward and four aft, and ten on the upper deck in broadside between the 6-inch gun casemates. Twelve 3-pounder rapid-fire guns, four 1-pounders, two machine guns, and six Colt automatic guns are distributed throughout the superstructure, the bridges, and the fighting tops. There are also two 3-inch field guns to be used for landing purposes. This, it will be observed, is for a cruiser a tremendous battery, its most distinguishing feature being the four 10-inch breech-loading guns, which will be capable of piercing the heaviest armor of battleships at the nearer fighting range. There are altogether no less than sixty-eight guns. It must be confessed that the armament of these ships appears to be relatively heavier than their defensive qualities, and we wish that the side armor of the central redoubt had been 6 inches instead of 5 inches in thickness. The vessels will be provided with two broadside submerged torpedo tubes forward and probably another pair aft. Splinter bulkheads of nickel-steel, from $1\frac{1}{2}$ to 2 inches in thickness, will be worked in between the 6-inch guns of the central battery, and the 3-inch battery on the main gun deck will be given also 3 inches of nickel-steel protection. The 6-inch guns in the broadside battery will be mounted in recessed ports, which will allow the guns to be swung around until their muzzles are flush with the side of the ship, thus obviating the inconvenience which arises from the great length of modern broadside guns. Altogether, we must confess to the conviction that these are about the most effective large armored cruisers to be found afloat or under construction to-day, the only vessels which compare with them, being the latest armored cruisers of the British navy, which carry a much lighter armament, and have no better system of protection.

GUNBOATS.—The two gunboats "Dubuque" and "Paducah" are vessels of the unarmored composite class, to which such vessels as the "Marietta" and "Vicksburg," the latter now at Chemulpo, Korea, belong. Both vessels are being built at Morris Heights, N. Y. They are constructed with steel framing and wood planking, and have an over-all length of 174 feet, an extreme breadth of 35 feet, and 1,085 tons displacement on a mean draft of 12 feet, 3 inches. They will be driven by twin-screw, triple-expansion engines, and steam will be furnished by Babcock & Wilcox boilers. On an indicated horse-power of 1,000 they are to have a speed of 12 knots per hour. They will carry an armament of six 4-inch rapid-fire guns, four 6-pounders, two 1-pounders, and two Colts. They are schooner-rigged and have a stump bowsprit, and a modified clipper bow, a combination which, it must be admitted, does not add anything to the beauty of the vessels. However, as the bow is full and lofty, no doubt they will prove to be excellent sea boats, well suited to their particular duties.

In a recent address before the Michigan Municipal League, Dr. Victor C. Vaughn estimated the annual loss in this country due to typhoid fever at \$50,000,000. He said the total number of cases of this disease in the course of the year was about 500,000, of which 50,000 terminated fatally. Placing a valuation of one thousand dollars on each life, he arrived at the total given above. The doctor said that this terrible death list should have no existence; for by the exercise of proper care and precautions, all of these lives might be saved.

The construction of a harbor to the north of the city of Kiel is being planned.

THE LOUISIANA PURCHASE EXPOSITION—ITS SCOPE AND ITS PURPOSE.


BY SAMUEL WILLIAMS.

The Louisiana Purchase Exposition, opened at St. Louis April 30, was planned to be "the greatest exposition ever held in the world." It was thought that the most fitting commemoration of one of the most important centennials in American history would be a World's Fair presenting a comprehensive and instructive illustration of the progress of all nations in arts, industries, and culture. It was an ambitious scheme, calling for the expenditure of enormous sums of money, a vast amount of skillful exploitation work, the exertion of America's influence with foreign governments, and the employment of an array of well known experts in collect-

ing and classifying the exhibits. But there seems to have been plenty of practical ability and high intelligence as well as ambition behind the scheme, and its projectors have unquestionably succeeded in creating an exhibition far surpassing all former ones in the amplitude, magnificence, and beauty of its equipment. Ten million dollars were granted by the city of St. Louis—\$5,000,000 by popular and an equal amount by municipal subscription—and an appropriation of \$5,000,000 was made by the United States Treasury, to which has recently been added a treasury loan of \$4,600,000, to be repaid from the exposition receipts, making \$19,600,000 expended by the Exposition Company in the three years since its organization. Forty-four States of our Union are



The Palace of Machinery.



Colonnade of the Palace of Manufactures.



Sculptured Groups in Front of the Palace of Electricity.



Palace of Transportation.



North Vestibule of the Palace of Machinery.



Part of the North Facade, Palace of Manufactures.

THE OPENING OF THE LOUISIANA PURCHASE EXPOSITION.

spending nearly \$7,000,000 on their exhibits, and thirty of them have beautiful State buildings erected on the grounds. The United States government has a special building and exhibits installed at an expense of \$1,600,000, and about sixty foreign governments are participating at an expense of over \$7,500,000. Mexico, France, England, Belgium, Brazil, Germany, Austria, Italy, Sweden, Holland, China, Cuba, Japan, Ceylon, Canada, Siam, India, and other countries have erected fine pavilions, some of which are noble replicas of famous old buildings, such as the Grand Trianon of France, the Orangery of Kensington Palace in England, Germany's Castle of Charlottenburg, Prince Pu' Lun's Peking residence, and Siamese and Japanese temples.

The site comprises 1,240 acres of lovely undulating park land, much of it covered with forest. The landscape gardener's art has heightened its scenic beauty. A commission of famous architects laid out the building scheme. About 1,000 structures are posed on the site. Many of these are exhibit buildings of enormous dimensions and grand and imposing in architectural design. Of the twelve largest exhibition palaces, that of Agriculture measures 1,600 by 500 feet; the Transportation Palace, 1,300 by 525; Manufactures, 1,200 by 525; Varied Industries, 1,200 by 525; Machinery, 1,000 by 525; Liberal Arts and Mines and Metallurgy, each 750 by 525; Electricity and Education, each 600 by 525. The exhibit palaces cover 128 acres of ground. Eight of these buildings, grouped on broad avenues and lagoons that focus on Art Hill with its cascades crowned by Festival Hall and the Terrace of States, compose what is called the "Main Picture." This picture is intended to be an exhibit of American architecture and sculpture at the beginning of the twentieth century, and over \$500,000 was set apart for the artists designing the sculptural decorations herein displayed.

The exhibits of all nations are the results of competitive selection. All exhibits have been subjected to an admirable scientific classification and are installed in their respective buildings in 144 groups and 807 classes, so that everything can be studied in comparison with all that belongs to its own class or group. Whenever practicable the "live exhibit," the process as well as the product, is demonstrated, and this has led to a great many "outdoor exhibits." Some fifteen acres in the "Mining Gulch" are devoted to mining and metallurgical demonstrations not admissible in the Mines and Metallurgy Palace. Although the Transportation Palace covers about fifteen acres and contains four miles of railway track, Germany's elaborate display of her terminals is on outside tracks, and the airship exhibits and contests are at the Stadium, half a mile west. All the space in the Electricity Palace had been reserved for preferred exhibits, more than a year ago, and yet many interesting exhibits competing for awards in this department are "live exhibits" at work as part of the immense lighting and power plant of the Exposition in the Machinery Palace. The British, French, German, Japanese, and other foreign pavilions are treasure houses of famous old paintings, sculptures, tapestries, pottery, and other decorative art work not entered in the competitive exhibits of the Palaces of Liberal Arts, Manufactures, and Fine Arts. The school, university, manual training, and technical institutions of Germany, France, England, and America are luminously illustrated here, both in organization and method, and the teaching of defectives will be shown in actual operation.

Scientists and members of all the technical professions will find that great entertainment has been prepared for them—laboratory demonstrations of all sorts; laboratory tests of locomotives, of power generators, and other machinery; elaborate models of harbor improvements and great engineering works in all parts of the world, including the great Assouan dam; tests of kites, aeroplanes, dirigible balloons, and other airship experiments. In addition there are such great attractions for them as the World Congress of Art and Science and a long series of technical and professional congresses, with distinguished participants

from many foreign countries. For musicians there are great musical events extending throughout the Exposition period, with recitals by the most distinguished organists on the most powerful and wonderful organ that was ever built.

For breeders of live stock there will be a live-stock show distributing \$250,000 in premiums, besides the prizes added by the breeding associations, which are all taking a profound interest in the contests.

For the physical culture advocate and the sportsman, the International Olympian Games for 1904 will be held in the noble Stadium and Athletic Field provided for them on the Exposition site, where will also be held a long series of inter-state, inter-collegiate, and inter-scholastic games and sports, for the expenses of which the Exposition has appropriated \$150,000.

The dominant idea to which the projectors of this Exposition have steadily adhered, was to make it an epochal event in the progress of mankind, a great world-university course, as it were; throwing world-wide light on all the paths of progress; aiding and stimulating invention; arousing that competitive instinct in man which impels him to improve the highest achievements of others, to produce something better than the best. The influence of former Expositions on subsequent progress has been distinctly manifest, and why should not the influence of an Exposition of far greater scope and resources be still more marked and memorable, as an inspiration to inventive genius and as a guide to popular taste and to social, civil, and industrial betterment? As the completest display ever made of the resources of our own country and of the

eter. The ground color of this roof is azure; it is dotted with stars and marked with meridians, to represent the heavens. In this building is the mechanism that connects with the underground machinery and moves the hands, also the mechanism that strikes the great bell. The south wall is of plate glass, and the glass in turn is hidden from view by a swinging door, except for a few minutes during every hour, when the door is thrown back automatically, revealing the works within. Above the dome is a figure of Time.

On the right of this central building is a similar structure, though smaller; the roof, also a hemisphere, represents half the earth, showing the western continents. Within hangs the 7,000-pound bell, which sounds the hours in deep tones that can be heard all over the Exposition grounds. And it is at the first stroke of the bell that the door swings open, revealing the clockwork.

A companion structure stands on the left of the central building, and within is an immense hour-glass that turns automatically every hour.

At night these three buildings will be brilliantly illuminated, and so will be the dial, to do which electric bulbs will nestle under the plants that form the numerals and cover the hands. To cause the necessary effect, two thousand lights will be used.

This clock, in so far as the machinery goes, is an exhibit of a western manufactory; the floral arrangement has been planned by the Chief of Agriculture of the Exposition and his assistants. Following the latest plans, the inner surface of the dial—the smaller

circle, which is bordered by a wide rim containing the numerals—will be of white, low-growing flowers bordered by a thin hedge of foliage plants. Within the rim the numerals of the hours will be dark tall foliage plants, thrown into relief by intervening white blossoms, the same as those growing in the inner circle. The border of the rim will be a circle of low-growing flowers, and beyond this again will be spears of foliage plants, red alternating with yellow, which will indicate the seconds, 1,800 of the one color and the same number of the other, making 3,600 in all.

Surrounding the complete circumference of the dial on the outside will be six feet of lawn, and surrounding this again will be a broad path of red-colored earth.

The minute and the hour hands are long steel troughs, in which fertilized earth has been placed to supply nourishment to the vines that will cover the metal and completely hide

it from view. The minute hand weighs 2,500 pounds, and the vines that will cover it would hide from view the front of a large house.

The effect in the daytime will be that of a mass of green moving slowly over a field of white, and pointing at brilliant-colored hours and minutes; at night, a glowing indicator will move above glowing numerals.


PARTICULARS OF THE GREAT CLOCK.

Diameter of dial	112 feet.
Length of minute hand	70 feet.
Diameter of the hands across the center.	10 feet.
Minute hand moves each minute	5 feet.
Weight of minute hand	2,500 pounds.
Weight of bell	7,000 pounds.
Diameter of bell at mouth	70 inches.
Height of bell	60 inches.

The total cost of the eleven Washington University buildings, used by the Louisiana Purchase Exposition, is \$1,480,000. These buildings are all permanent structures.

Idaho was one of the first States at the World's Fair to complete its agricultural exhibit. The showing is a revelation as to that State's resources, and the taste displayed in the arrangement is much admired by all who see it.

President Roosevelt, from his desk in the White House at Washington, pressed the electric button which set in motion the wheels of the World's Fair machinery. This was done at exactly 1 o'clock, eastern time, or 12 o'clock, noon, St. Louis time.



THE GREAT FLORAL CLOCK AT THE ST. LOUIS EXPOSITION.

wonders wrought by our own people, it will not only be a beneficial revelation to themselves, but greatly enhance the prestige of our republic abroad. In such a representation of the races of men and of the products of nations, each is a teacher, each a learner, and must derive from it a clearer sense of the dignity of manhood and of the kinship of the human family.

THE LARGEST CLOCK IN THE WORLD.

BY CLAUDE H. WETMORE.

Sixteen times larger than any timepiece in the world will be the floral clock on the Exposition grounds at St. Louis, which is located in front of the north entrance to the Palace of Agriculture, and separated from that building by a driveway. Although it is what is known as a floral clock, it will keep accurate time, for beneath the vines and other plants, skilled artisans have constructed machinery similar to the works of a watch, but which in size bears the same comparison as does the dinotherium, which once inhabited the Miocene beds of Europe and Asia, to the titmouse of today.

The disk consists of a circle of flower beds one hundred and twelve feet in diameter; and the hands are long, green pointers, the largest of which moves five feet a minute. At the place where these hands join in the center, a tall man could lie down and the surface beneath would extend four feet beyond his head.

Between the dial and the Palace of Agriculture are three small ornate buildings. The central one, which is fourteen feet square at the base and fourteen feet to the cornice line, is of Grecian architecture, except the roof, which is a hemisphere twelve feet in diam-

The National Academy of Sciences.

The annual or stated meeting of the National Academy of Sciences was held in Washington, D. C., from April 19 to 21, 1904, in the United States National Museum, under the presidency of Dr. Alexander Agassiz. Public sessions were held in the lecture room of the Museum during the afternoons, and were devoted to the reading of papers, of which some nineteen were presented.

Prof. John Trowbridge, of the Lawrence Scientific School of Harvard University, opened these public sessions with a series of three papers, all of which consisted of lantern-slide illustrations devoted to the exposition of the topics which they served to elucidate. The first of these was on "Spectra of Gas at High Temperatures," and was followed by one by Theodore Lyman on "Short Wave-Lengths of Light," while a third was by H. W. Morse on "Spectra Produced by the Wehnelt Interrupter." Messrs. Lyman and Morse have carried on their investigations under the direction of Prof. Trowbridge, who, as they were not members of the Academy, presented their papers.

"On Fluorescence Spectra" was the title of a short joint paper by Profs. E. L. Nichols and Ernest Merritt of the Physical Department of Cornell University, after which Prof. Robert S. Woodward of Columbia University described "A Double Suspension Apparatus for Determining the Acceleration of Gravity" and "The Compressibility of the Earth's Mass Required by the Laplacean Law of Density Distribution," both highly technical expositions of the subjects treated.

Of more popular interest was Prof. George F. Barker's "Note on Radio-activity and Autoluminescence." This able physicist discussed the phenomena which have been discovered in connection with uranium, radium, and other elements, presenting a full series of minerals showing radio-activity. Baskerville's recent announcement of his discovery of carolinium and berzelium was referred to and the work of the brilliant young chemist from the University of North Carolina favorably commented on. Prof. Barker showed a number of photographs which had been developed by the autoluminescence of the minerals which he exhibited before the Academy.

Of considerable interest was the paper entitled "Physiological Economy in Nutrition, with Special Reference to the Minimal Protein Requirement of Healthy Man," presented by Prof. Russell H. Chittenden, director of the Sheffield Scientific School of Yale University. He described in detail the experiments carried on by him on a number of students and a squad of United States soldiers and found at the end of six to twelve months—varying with the different subjects—that he had been able to effect a gradual reduction of meat and other protein foods with little if any increase in starch and other foods and that the weight of the subjects was almost exactly the same as when the experiments began. Their bodily vigor was greater and their strength much greater, the latter due, however, to the regular physical exercises which they practised. His conclusions were therefore that the average healthy man eats from two to three times as much as he needs to keep him in perfect physical and mental health and vigor. Prof. Chittenden said that so far as he himself was concerned he found his health greatly improved by eating only two meals a day, eliminating entirely his breakfast. Considerable discussion followed the reading of this paper, which was participated in by Prof. Horatio C. Wood, of Philadelphia, Pa.; Dr. John S. Billings, of New York, and Prof. E. S. Morse, of Salem; and while the value of Prof. Chittenden's experiments was conceded, it was contended that a series of experiments with persons eating the normal amount of food would be highly desirable in order to show what ill effects if any follow the ordinary practice. In other words, no evidence was presented to show that the satisfying of a man's appetite in the usual method was deleterious to health. The paper was illustrated by a number of lantern slides, showing the physical development of the subjects.

"A Brief Preliminary Report upon Apocynum cannabinum," showing the properties of this plant, was presented by Prof. Horatio C. Wood, of Philadelphia, Pa.; and Prof. Henry F. Osborn, on behalf of Prof. W. D. Matthew, of New York, described briefly the "Position of the Limbs in the Sauropoda."

The public session on Thursday began with Gen. Henry L. Abbot's paper on "The Disposition of Rain-fall in the Basin of the Chagres," and was followed by Prof. Henry F. Osborn, who, under the title of "Recent Paleontological Discoveries by the American Museum Exploring Parties," referred to the explorations which have been carried on during the past three years with a fund of \$15,000 given by the late William C. Whitney for the purpose of learning more perfectly the history of the prehistoric horse on the American continent. A number of discoveries of great interest and value to zoologists and paleontologists was reported. One of the finds made was of the skeletons of a small herd, consisting of a mare and colts, of the Neohipparion. The type was named Neohipparion Whitneyi, in honor of the donor of the gift which made the expedition

possible. The Neohipparion is especially interesting as being a perfect American type of the old European Hipparion, or forest-living horse. The find was made in 1902 in the upper Miocene period formation of Nebraska. Other finds were a specimen of the *Equus Scotti*, or true Lower Pleistocene period horse, discovered in 1900 in Texas.

Prof. Osborn also read a paper advocating a reclassification of the reptilia, chiefly interesting because of the positive announcement that man as a mammal, with a single arch on the side of his skull, is unmistakably descended from that class of reptiles known as lynnepida, which has only one arch. The descendants of the lynnepida are all mammals, including man.

Dr. Alexander Graham Bell then introduced Prof. A. F. Zahm, of the Catholic University of America, who read an important paper on "Surface Friction of the Air at Speeds Below Forty Feet a Second," after which Prof. Bell himself presented a brief paper on "The Multi-nippled Sheep of Beinn Bhreagh," in the course of which he announced that in the continuation of his efforts to produce a variety of sheep that would yield twins, he obtained sheep that showed evidence of as many as eight nipples, thus leading to the inference that a variety of sheep could be developed that would yield larger families than at present.

Biographical Memoirs of James Hadley by Arthur T. Hadley and of Henry Barker Hill by Charles L. Jackson were read by the Home Secretary. The meeting was brought to a close by a "Note on the Simplest Possible Branch of Mathematics," by Charles S. Pierce.

In addition to the papers presented, the business of the Academy included the presentation of the Henry Draper medal to George E. Hale, director of the Yerkes Observatory, for his brilliant astrophysical researches. The constitution limits the membership of the Academy to one hundred persons, and not more than five new members can be elected each year. At this meeting only four men were found worthy of admission into this select body. They were William Morris Dean, who fills the chair of geology in Harvard University; William Fogg Osgood, assistant professor of mathematics in Harvard University; John Ulric Nef, head professor of chemistry in the University of Chicago; and William Thomas Councilman, professor of pathology in the Harvard Medical School. By the election of these members the active list has been increased to nearly ninety-three.

Also the following eight foreign associates were chosen: Dr. Paul Ehrlich, of Frankfurt on the Main; Dr. H. Rosenbusch, of Heidelberg; Prof. Emil Fischer, of Berlin; Sir William Ramsay, of London; Sir William Huggins, of London; Prof. George H. Darwin, of Cambridge; Prof. Hugo de Vries, of Amsterdam; and Prof. Ludwig Boltzmann, of Vienna.

The Melancholy Cypress

In a recent issue of the St. Louis Globe-Democrat Ferdinand Tonney declares that the axman is fast destroying the melancholy cypress, and that the enormous consumption of the imperishable wood will soon clear the Southern swamps of their noblest product. Mr. Tonney says the best specimens are found in Arkansas and Louisiana. The lumbermen class the timber as red, yellow and white, according to the tint of the wood. In Southern Illinois, some years ago, there were brakes of a white variety, but the trees were pygmies when compared with the yellow cypress giants of the Cache River country in Arkansas, and the mammoth red cypress tree along the Ouachita River. The slow growth and the uncertain method of reproduction lead to the belief, says Mr. Tonney, that before many years the tree will become extinct. The great brakes are rapidly disappearing before the modern methods of lumbering, and regions which heretofore were regarded as inaccessible because of the swamp conditions are being cut over, and the lumber going into the markets at a rate surprising even to those who are intimately acquainted with the industry. The antiquated methods of logging, so slow and cumbersome, have been replaced by the up-to-date ideas, and the new facilities and improvements have worked wonders in the business. Mr. Tonney says, further, that just now cypress is the one kind of timber which has obtained a prominent place on the lumberman's list, and the increasing demand and the advancing price are attracting the attention of every one who has in any way to deal with building materials. The commercial value of a good cypress brake is almost beyond the belief of those who are not familiar with the lumbering industry. The merits of the timber as adapted to a multiplicity of uses are without question, and it has taken rank along with white pine and poplar. A house may be built, these days, wholly of cypress. The framework, siding, flooring, lath, shingles, and even the interior, when finished in this remarkable product of the Southern swamps, give satisfaction, which is shared alike by the builder and owner. Strength, durability and beauty of finish combine to make it popular with the wood-worker. An instance may be cited where cypress was substituted for yellow pine in the construction of the

World's Fair buildings. While it is true that the cypress brakes in Arkansas are being drawn upon heavily, there is no danger of immediate depletion. And every cypress tree felled means that in return additional wealth comes to swell the means whereby in other ways Arkansas is undergoing splendid development.

The New Warships for Japan.

BY THE ENGLISH CORRESPONDENT OF THE SCIENTIFIC AMERICAN.

A further advance in warship design and construction is to be exemplified in the two new powerful armorclads to be built in England, for the Japanese navy, by Vickers Sons & Maxim, Ltd., of Barrow-in-Furness, and Sir W. G. Armstrong Whitworth & Co., of Elswick, respectively.

In general design these ships will somewhat resemble the "King Edward VII." class, now in course of erection for the British navy, with some important modifications and improvements. They will each measure 455 feet in length. This is 30 feet in excess of the recent battleships for the British navy, but although an increase is made in the length there is no corresponding augmentation of the beam and draft, which are 78 feet 2 inches and 26 feet 7½ inches respectively. This increase of the length with the preservation of the other two dimensions marks a new feature in battleship design. That there are limitations to these dimensions is incontestable, for the progress and development of large battleships has out-paced the corresponding provisions of docks sufficiently large to accommodate them. There are few docks in existence capable of accommodating battleships exceeding 78 feet beam. Yet it is imperative in the case of hostilities when a vessel is injured that it should be able to be docked at the nearest port, and the repairs effected with all possible celerity.

This fact has been borne forcibly in mind in the design of these two new vessels for the Japanese navy. There are no graving docks in that country at present which could accommodate a vessel exceeding 78 feet beam. Consequently the beam measurement has been minimized to the most advantageous extent.

The displacement of these vessels is approximately the same as the "King Edward" class—16,400 tons. The contracted speed is to be 18½ knots generated by twin-screw four-cylinder triple-expansion engines.

Steam is to be supplied from a battery of twenty Niclausse water-tube boilers. The coal capacity of each vessel is to be 2,000 tons.

The armament will be particularly formidable, comprising four 12-inch guns mounted in pairs within barbettes. The latter are to be built of 9-inch hardened steel, and provided with armored hoods. In addition there will be one 10-inch gun placed in each of the four quarters in 6-inch armor, and also covered with protective hoods. In the "King Edward VII." class 9.2-inch guns are employed, but the substitution of the 10-inch guns instead of the 9.2-inch weapons accentuates the formidable character of the armament to a very considerable degree. The 9.2-inch gun fires a 380-pound shot with an energy of 20,000 foot-tons, while the 10-inch weapon discharges a 500-pound projectile with an energy of 28,000 foot-tons. A total of 2,000 pounds of shot with an aggregate energy of 112,000 foot-tons will thus be obtained, from the four 10-inch weapons, as compared with 1,520 pounds of shot, and 80,000 foot-tons energy from the four 9.2-inch guns, an increase of 480 pounds and 32,000 foot-tons in shot and energy respectively.

This main armament will be supplemented by twelve 6-inch guns placed as follows: Five weapons on each broadside within the main battery and one on either side of the upper deck centrally situated.

For the repulsion of torpedo and submarine attack there will be twelve 12-pounder, three 3-pounder, and six Maxim guns conveniently placed. Six submerged torpedo tubes are to be provided.

The guns placed behind the broadside armor will be separated by armor bulkheads. The 12-inch guns will be arranged 26 feet, the 10-inch guns 22 feet, and the main deck guns 14 feet above the load waterline.


The scheme of protective belting first introduced upon the battleship "Mikasa" will be followed, but with some extension. For instance, the water-line belt will be 9 inches in thickness and 6 inches thick up to the level of the upper deck. In addition to this, however, a 4-inch continuous belting above the lower or berth deck will be introduced for the first time. This addition will be continued to within 80 feet of the bow, and 88 feet of the stern. By this arrangement, with the exception of right fore and aft, no part of the upper works of the ship will be left unprotected.

Both offensively and defensively these two vessels when completed will be the most powerful warships afloat. The gun power is the most formidable yet designed for a battleship, the guns being both heavier, and in the case of the 6-inch weapons more numerous than those decided upon for the vessels of other navies, and records a decisive advance in battleship construction and armament.



AN IMPROVED VAPOR GENERATOR.

Mr. James Andrews, of 180 W. Regent Street, Glasgow, Scotland, has invented a novel apparatus by which the temperature of one fluid may be transmitted to another without bringing the fluids into actual contact. The prime object of the invention is to effect



A SEA-WATER EVAPORATOR.

a thoroughly rapid circulation of the fluid, the temperature of which is to be transmitted, so that a greater amount of heat may be transmitted in a given time.

The apparatus, as it is shown in Fig. 1, is adapted as an evaporator of sea-water. It consists of the usual shell or receptacle in which the water to be evaporated is contained; a manhole to permit access into the interior; a safety valve; a pressure gage; and a valve-controlled passage *F* for carrying off the vapor generated. The water-inlet valve is indicated by *G* in the figure mentioned, and the valve for drawing off the brine by *H*. A blow-off cock is provided, which appears in the illustration immediately below the valve *H*. A water-tube and connections for indicating the level of water within the shell are provided. Outer and inner coils of pipe, *B* and *C*, are arranged vertically in the lower part of the shell and connected at their lower ends by a bend, from which a drain-pipe passes. The coils *B* and *C* are also connected at their upper ends with the two passages of an injector, which is shown in detail in Fig. 2. One of the passages of the injector is the injecting passage, the other the suction-passage. A steam-nozzle is introduced into the injector and passes into one of the passages, as shown. The other passage discharges into the former outwardly from the mouth of the nozzle. A steam-supply pipe *A* is connected with the nozzle. When steam is introduced into the injector a fluid movement is created through the one passage of the injector into the outer coil of pipe *C*, and simultaneously a suction effect will be obtained in the other passage of the injector. These movements jointly produce a circulation in the pipe *B*. Consequent-

ly the pipes *B* and *C* with their appurtenances form a continuous fluid passage, and the injector will enforce a continuous fluid movement through this passage. The excess fluid from the water of condensation may be drawn off from the drain-cock. A cylindrical partition *E* is placed at the lower part of the shell and incloses the coils *B* and *C*. This partition enforces a circulation of the sea water upwardly through the pipes and outwardly and downwardly between the sides of the shell and the partition.

In Fig. 3, a tank and ball-cock arrangement is illustrated which automatically draws off the excess fluid in the circulating coils. The fluid moving through the coils *B* and *C* is forced to pass through the tank. As the liquid in the coils increases by reason of the condensation of the steam, the level of the water in the tank rises. The ball-cock is adjusted to discharge all water rising above a certain level. In this manner the discharge of the water of condensation is automatically effected.

A NEW ELECTRIC CLOCK.

While electricity has so largely been adapted as a motor in modern machinery, large and small, and is so rapidly superseding old-time appliances, is it not a little strange that the old-fashioned weights and spring, with the attending winding apparatus, still constitute the moving power in most clocks turned out at the present time? In other words, in this branch of industry are we not still following in the footsteps of a century ago?

To be in keeping with the times, the modern clock should be an electric clock—a clock which requires no winding and no attention for periods of a year or more.

The electric clock shown, and invented by Mr. George S. Tiffany, of 30 Rose Street, New York city, possesses several unique features. It is extremely simple in construction, the working parts consisting mainly of an electro-magnet, a pivoted armature, a pawl mounted on the armature and engaging a single ratchet wheel, to the arbor of which is attached the minute hand. The ordinary train of wheels is dispensed with.

A slow-beat torsional pendulum carrying a contact arm momentarily closes the circuit of the electro-magnet and a battery, at regular intervals determined by the beat of the pendulum. The armature, moving in response to the influence of the magnet, propels the ratchet wheel and hands. As the pendulum has no mechanical work to perform in operating the clock, and consequently no frictional loads, it is obvious that it can perform its functions as a periodic time interval device in a most perfect manner.

Varying frictional loads, which in the movement of a clock of the ordinary type would seriously affect its operation, are of comparatively small importance in this clock. It is evident therefore that a clock upon this principle may be crudely constructed, yet be capable of keeping good time.

The action of the clock is very similar to that of a secondary clock controlled by an independent pendulum. A number of these clocks may be operated in synchronism by removing the pendulums from all but one clock, and using this as a master clock with the others connected properly in circuit.


The current consumption is very small. One good dry cell will operate the clock for many months, and when exhausted may be renewed at a nominal expense.

The clock is now being made by the Tiffany Electric Clock Company, whose president is Mr. J. Van Inwagen, of Momence, Ill.

STRAINER FOR LOCOMOTIVES.

A new form of strainer which has recently been invented by Mr. Francis B. Brown, of Kingman, Ala., will be found very useful for purifying the water in the feed pipes of locomotives. The strainer, as illustrated herewith, is very simple in construction, and the parts are readily accessible, thus facilitating the making of repairs when necessary. Furthermore, provision is made for cleaning


the strainer of any accumulated filth without removing any of the parts. The strainer casing is interposed between sections of the vertical feed pipe of the locomotive. The lower or inlet section is provided with a three-way valve, which is normally turned to allow the water to flow through the strainer, but which, when it is desired to clean the strainer, may be turned to permit discharge of the cleansing fluid. The strainer proper is of cylindrical form, and extends obliquely from the inlet port to an opening near the top of the casing, where it is seated in a cap which closes this opening. The strainer is formed at each end with a metal band, and these fit snugly in their seats, holding the cylinder securely in place, and at the same time spacing it from the wall of the casing. In operation, as the water flows up through the strainer, any impurities will be caught by the meshes of the strainer cylinder. When it is desired to purify the cylinder, the three-way valve is turned to cut off the inflow of water, and connect the strainer with the discharge pipe. Water or steam is then admitted to flow in the return direction to the strainer, to wash the meshes free of the accumulated impurities. In case of any accident to the strainer, the cylinder may be removed by unscrewing the cap which forms its upper seat in the casing.




STRAINER FOR LOCOMOTIVES.

THE HYDRAULIC LETTER PRESS.

Letter presses are in such common use in railroad, telegraph, steamship, express offices, etc., that it is really surprising that no one before has thought of rendering them automatic. A patent for such an automatic press has recently been granted to Mr. Walter A. Rosenbaum, of 35 Broad Street, New York city, and the invention offers several important advantages. No physical effort is required to operate it. The pressure applied is equally distributed over the surface. Several tons pressure may be obtained, if desired. The construction is simple, and the power used is obtained




THE TIFFANY ELECTRIC CLOCK.



HYDRAULIC LETTER PRESS.

from the city water supply. The water power is led to two hydraulic cylinders, secured by means of brackets to the table or standard of the letter press. These brackets are hollow, to receive the pistons, and fulcrumed to each cylinder is a lever, which, at its outer end, enters a slot in the bracket of the opposite cylinder, and bears on the top of the piston. The arrangement is such that the two levers lie parallel, and an equalizing lever is placed diagonally across them. The equalizing lever transmits pressure to a platen through a ball-and-socket joint, the socket being formed with a



A NEW WRENCH.


circular rubber cushion to take up any inequalities in the thickness of the book, and render the pressure uniform over the entire book surface. The copying book is pressed upward by the platen against a pressure plate, which is mounted on extensions of the cylinder bracket. The flow of water in the cylinders is controlled by a three-way valve, which is operated by a small hand-wheel conveniently placed near the top of the table.

A NOVEL MAIL-BAG CATCHER.

The essential requisite of a good mail-bag catcher is rapidity of operation, which means quick-acting devices to release the mail-sack when caught. This requisite seems to have been attained by William M. Falen, Wakefield, Kan., in a recently patented invention of his.

Mr. Falen's mail-bag catcher is provided with the usual bar and catching arm on the car. The novel features of his invention are to be found in the devices mounted adjacent to the roadbed. Upon a vertical post set in the roadbed, and provided with brackets, two horizontal arms are pivoted, the lower one of which is spring-controlled. These arms support between them the mail-bag holder, which consists primarily of two swinging members, separately hinged together by the peculiar form of hinge shown in Fig. 2. Attached to the two parts of the holder is a flexible connection such as leather, the purpose of which is to hold the two parts in alinement when not under strong pressure.

When the arm on the car comes into contact with the mail sack, the joint, formed by the hinged parts illustrated in Fig. 3, will be broken. The parts will separate and the bag will be swept into the car. Grooves at the ends of the horizontal arms between



A NOVEL MAIL-BAG CATCHER.

which the mail-bag holder is supported will cause this operation to take place without the sliding of the members of the holder in the grooves. When the sack and holder are removed, the horizontal arms previously referred to, will swing in toward the vertical post, the upper one by gravity, and the lower one by means

of its spring. In Fig. 3 is shown, by dotted lines, the course which the members of the holder take in their operation.

A NEW WRENCH.

Thomas H. Barry, of Empire, Oregon, is the inventor of an improved wrench of the type having a fixed jaw on the end of a handle-lever, a sliding jaw on the lever, and an arrangement for holding the sliding jaw at a selected point on the lever.


The handle-lever, with the fixed jaw at one end, has at the opposite end a shank reduced in width to form a shoulder. The movable jaw slides on the handle lever and is provided with a rack, the teeth of which are located on the edge near the free end. A handle-block is apertured to receive the shank, and abuts against the shoulder. The handle-block of the shank has a number of perforations for the reception of screws. These serve to secure the handle upon the shank of the handle-lever. The block has a longitudinal chamber parallel with its aperture, which chamber at one end receives the toothed end of the rack-bar. An expansible spring in the chamber presses upon the rack-bar, which is thus forced by the spring toward the fixed jaw.

The means for detachably securing the movable jaw at any point consist of a curved, resilient arm, secured by one end on the end of a handle-block, a laterally-projecting dog at the other end of the arm with teeth projecting through an opening in the handle block for engagement with the rack-bar teeth, and a catch-lip on the resilient arm adjacent to the dog.

In adjusting the wrench to engage a nut or the like, the wrench is grasped by its handle and the slidable jaw is pressed upon the object. Pressure is applied simultaneously with the manipulation of the catch-lip to release the dog from the rack-teeth, thereby locking the rack bar and jaw at a desired point of retracted adjustment. The release of the dog by manipulation of the catch-lip permits the spring to expand and to force the movable jaw into contact with the fixed jaw or into closed position.

A COMBINED THIRD-RAIL CONTACT SHOE AND SLEET REMOVER.

The introduction of the third-rail system of electric traction in our large cities has brought with it a most



SLEET-REMOVING THIRD-RAIL CONTACT SHOE.

serious problem, namely, the removal of the insulating layer of sleet that forms upon the third rail during the stormy weather of winter. Naturally the problem has not been left unattacked by inventors. Of the many devices that have made their appearance of late years, one of the most promising seems an invention patented by Mr. Henry Rosenfeld, 773 East 174th Street, Bronx, New York city, N. Y.—promising because the contact-shoe itself is made to remove the sleet, so that it is unnecessary to depend upon auxiliary scrapers.

Mr. Rosenfeld's contact shoe is provided at the bottom with divergent ribs that meet at the front end of the shoe in a sharp edge so as to form a plow. As the contact-shoe moves along, the plow cuts into the sleet, pushes it aside, and enables the conducting metal of the shoe to pick up the current. In order that the plow-like ribs may perform their proper function, the forward end of the contact-shoe is weighted. A box filled with metal balls constitutes the weight.

The machinery exhibit at the St. Louis Exposition will be novel in a great many respects as there will be shown a number of designs which are quite new. Among them will be a Worthington pump which is known as the multi-stage turbine centrifugal and differs in a great many features from the centrifugal with which engineers are so familiar. The pump, which will be placed on exhibition, will have a capacity of delivering 500 gallons of water per minute against a headway of 250 pounds per square inch and with high efficiency.

Brief Notes Concerning Patents.

There have been a number of claimants for the honor of having discovered Portland cement, but it has been pretty definitely settled that it belongs to Joseph Aspdin, a native of Leeds, England, and effort is now being made by a number of Englishmen engaged in engineering and industrial pursuits, to have a memorial raised to the man who has done such a great work for the building industries of the world. It is said that notwithstanding the fact that the discovery was made in 1813, it was not until eleven years after that he decided to take out patent papers. The value of the cement was soon appreciated, and among the first to make use of it was the great Brunel, who used it on the Thames tunnel, where it attracted a great deal of attention.

James W. Gladstone, of East Orange, N. J., a former employe of Thomas A. Edison at the latter's laboratory, has been accused, by the great inventor, of infringement and making unlawful use of the knowledge obtained while engaged at the Edison works. The suit involves the manufacture of the new storage batteries which Edison has recently put on the market and on which he has been at work for some time. Subsequently, a suit was brought against Edison by Gladstone to restrain him from making use of a process which is said to be essential in the manufacture of the batteries. The bill of complaint alleges that the improvements were invented by Felix de la Laude, of Paris, France, who patented them in this country in 1892 and in the following year sold the rights to William M. Offley, of Washington, D. C., who in turn disposed of them over a year ago to Gladstone.

At the Chicago Exposition, twenty-five girls were kept busy all the time the Fair was in progress engaged in counting the admission tickets. The average daily capacity of these persons was 120,000. It is anticipated that the daily admissions at the St. Louis Exposition will be greater than this by far, and it is proposed to do this work of counting the tickets by machine. The device has been submitted to the Admissions Department, and Chief E. N. White is now engaged in giving it a test to prove its accuracy and rapidity. The inventor claims that four of these machines will handle all of the pasteboards as fast as they are taken up; and if his hopes are realized, the machines will be a great improvement over the old way of doing this work. Another mechanical novelty which is being experimented with by this department of the great show, is a machine ticket seller. It is said that these machines will dispose of the tickets to visitors much more rapidly than the human ticket seller and without any possibility of error or dishonesty.

A patent was recently granted covering the process of beer preservation by electricity. The inventor is Francisque Crotte, of New York. A tube-like receptacle of copper is introduced into the keg of beer to be treated, and this is filled with some preservative, such as boracic acid or peroxide of iron, either in solution or solid form. The beer is then subjected to an electric current of a somewhat high tension for about ten minutes. This is accomplished by making the tube one of the electrodes while the other is formed by means of some suitable contact on the outside of the barrel. The current is said to induce a cataphoric transference of the preservative substance through the receptacle into the beer. By this means the organic germ of life in the beer is rendered harmless, so that the beer will keep a great length of time without deterioration. The infinitesimally small quantities of antiseptic are introduced into the beer under the circumstances favorable for the most effective action and the quantity involved is so small that there is no foreign flavor imparted to the beer.

An exhibition of patents and copyrighted designs and patterns is in progress during the months of September and October at Bayreuth, under the auspices of the Central Association of Inventors. It is said that there are 200,000 copyrighted patterns and 140,000 patents, which have some value but which are not availed of, for the reason that the inventors are not able to exploit their inventions. It is rare that an inventor is equipped to get his work before the proper people after he has completed an invention, and the Central Association was formed to do this for him. Every assistance is given to inventors, and those without means are given space free at the exhibition, and no charge is made for effecting a sale. A somewhat similar organization has been recently formed in Philadelphia. It is known as the Inventors' League, and has secured permanent quarters in the center of the city, which are open not only for the members but to all persons interested in this character of work. There is a model room where a permanent exhibition of the work of the members is held, and efforts are being made to attract the attention of investors and industrial people to the exhibition. There is also a reading room where there are a number of periodicals to be found as well as other reading matter likely to be of interest to the members in their work.

Let us put you on the Right Track!

Steel Highway Track

UNITED STATES DEPARTMENT OF AGRICULTURE
ADVOCATES STEEL TRACKS FOR HIGHWAYS

UNITED STATES DEPARTMENT OF AGRICULTURE,
OFFICE OF PUBLIC ROAD INQUIRIES,
WASHINGTON, D. C.

MARTIN DODGE, DIRECTOR
M. O. ELDREDGE, ASSISTANT DIRECTOR

September 11th, 1903.

Mr. Thomas H. Gibbon,
Chief Engineer,
Steel Highway Track Construction Co.,
Security Trust Bldg., Camden, N. J.


Dear Sir:-

I have just received your letter of August 13th on my return to the Office after a long absence in the Northwest, and have looked through your thesis on steel highway track construction with much interest. For cheapness, simplicity and durability, I have never seen its equal, and have no doubt that you will be very successful in introducing your new steel highway track for general service. I hope to see a good example of this in operation in the near future, and shall be glad to have you notify me of any work that you may have in progress of construction.

Regretting that I was not at the Office when you called on me, and hoping to see you in the future, I remain,

Yours truly,

Martin Dodge
Director.



11 TONS HAULED BY 20 HORSES OVER AN ORDINARY ROAD

THE Secretary of Agriculture, a short while ago, determined to undertake, through the Road Inquiry Bureau, a test as to the utility of a steel track, made and laid so that vehicles without flanged wheels might have the great advantage of a smooth track, heretofore enjoyed only by those having flanged wheels.

Hon. Martin Dodge, Director of the Road Inquiry Bureau, began preparations to build a sample steel-track wagon road which should permit of making tests as to value, cost and utility of such a road. For this purpose he secured considerable space on the grounds of The Trans-Mississippi Exposition at Omaha. The illustrations here given show the result of his test. We quote the following from the Director's Report:—

"The three great advantages sought for in the steel-track wagon road are found in this new roadway, demonstrating:—

"I.—That the steel-track wagon road can be built without greater cost in most cases, and probably with less cost in many cases, than any other hard and durable road.


"II.—That it will last many times as long as any known material for road purposes, and with much less repair.

"III.—That the power required to move a vehicle over the steel-track road is only a fraction of the power required to move the same vehicle over any other kind of road."

Correspondence solicited relative to the formation of subsidiary companies to operate under State Rights. Full details, estimates, etc., supplied promptly

STEEL HIGHWAY CONSTRUCTION CO. OF AMERICA

New York Office—114-118 Liberty Street
Home Office—758 Drexel Building, Philadelphia



11 TONS HAULED BY ONE HORSE ON STEEL TRACK

Get out of the old ruts!!

RECENTLY PATENTED INVENTIONS.

Electrical Devices.

BATTERY-CELL.—E. WHITMAN, Lynn, Mass. This invention relates to cells admitting of general use, and more particularly to a form of cell serving as a cathode and also as a containing vessel. The outside portion of the cell is applied while in a liquid state and permeates the pores of the porous carbon. The effect of the glass is to prevent leakage of the battery fluid through the porous carbon, and to fill its pores. The interior of the porous carbon is provided with ribs to increase the internal surface of the cell. The bottom of the cell is rendered comparatively thick, so as to confer greater strength.

STORAGE BATTERY.—A. V. MESEROLE, New York, N. Y. In this case the object of the invention is to make an efficient and desirable battery of comparatively light weight in which the mechanical strain is distributed by a novel arrangement of the electrodes and their supporting devices. The invention relates to storage batteries and further to the composition of the active material to be used therein.

Hardware.

IMPLEMENT FOR DETACHING BOARDS FROM STRUCTURES.—F. GUENTHER, Springfield, Ill. In the present improvement the object is to provide a practical device having features that adapt it for easy use to remove boards that have been nailed to studding, joists, or the like, the work being greatly facilitated and accomplished with little exertion in a superior manner without injury to the material or bending the nails.

Machines and Mechanical Devices.

COIN COUNTING AND DELIVERY MACHINE.—L. SUMNER, Colorado Springs, Col. The present invention relates to counting and delivery machines for coins. One of the principal objects is to overcome numerous disadvantages and objections found to exist with many machines hitherto devised for similar purposes and to provide a comparatively inexpensive machine of this kind which is accurate as well as effective and reliable, and which may be easily manipulated and quickly regulated according to requirements.

BOLTING-MILL.—A. RENAULT, Chateauroux, and G. CUSSON, St. Genon (Indre), France. This apparatus comprises, essentially, a certain number of smooth-surfaced cylinders arranged horizontally and placed one above another. It is based upon a particular property of powdered impalpable substances, such as flour, which being thrown upon a smooth-surfaced rotating cylinder partly adheres to this surface, which carries them, while the least fine portions and the impurities do not possess this property and are thrown off with the portion of the flour not carried along. The apparatus purifies and sifts flour, cement, lime, phosphates, etc.

CRANE.—L. S. FLECKENSTEIN, Easton, Md. Mr. Fleckenstein's invention is more particularly an improvement upon a former crane for which he received Letters Patent. The present improvement pertains particularly to the friction-clutch by which the power mechanism is engaged with or disengaged from the hoisting mechanism, also to the means for engaging and disengaging the clutch and the arrangement of the winch or drum with certain connected parts forming the hoisting mechanism.

BALLOTING-MACHINE.—W. M. DOUGHERTY, St. Joseph, Mo. In this patent the invention relates to certain improvements in the balloting-machine disclosed in a prior patent granted to Mr. Dougherty. The present improvements lie in the devices for operating the numbering or counting means, and by these improved devices he provides against the possibility of casting a vote for more than one candidate for an office by a single voter.


DRAIN-PIPE ATTACHMENT FOR REFRIGERATORS.—MARTHA McNAMARA, New York, N. Y. The intention in view in this case is to provide means for preventing the overflow of the usual drip-pan by the continued accumulation of water after the pan shall have become filled. Further, to provide means for automatically opening a valve when the pan is placed in position below a refrigerator, the valve being closed by automatic devices when the water in the drip-pan reaches a certain level.

MACHINE FOR REGISTERING MAIL-MATTER.—D. DI BRAZZA SAVORGNA, Rome, Italy. Mr. Savorgna's purpose is to provide a machine easily operated by a person sending the mail-matter after the proper coin or coins shall have been inserted or after the postage shall have been otherwise paid, and, further, to so construct the machine that a copy or copies of the original receipt delivered to the sender will be retained in the machine and bound in book form, the retained copy or copies for use of the postal authorities. The mail-matter deposited will be consecutively numbered and numbers printed on receipts to correspond with numbers on the mail deposited.

ICE-CREAM FREEZER.—J. PRADÉ, Waco, Texas. Primarily the invention seeks to provide an apparatus in which the operation of freezing the cream may be continuous, and in its generic nature it comprehends a peculiar construction of a freezing-cylinder and means for feeding the refrigerant and the cream thereto and in which the several parts are so designed and co-operate whereby power is saved by

Wood-working Machinery

For ripping, cross-cutting, mitering, grooving, boring, scroll-sawing, edge moulding, mortising, for working wood in any manner. Send for catalogue A. The Seneca Falls Mfg Co., 695 Water St., Seneca Falls, N. Y.



ENGINE & FOOT LATHES. MACHINE SHOP OUTFITS. TOOLS AND SUPPLIES. CATALOGUE FREE. SEBASTIAN LATHE CO. CINCINNATI, O.

Foot and Power and Turret Lathes, Planers, Shapers and Drill Presses. SHEPARD LATHE CO., 133 W. 2d St., Cincinnati, O.

The Expenditure of a Dollar—More or Less—In The Getting Of Good Belting

Is of very little consequence. The thought should be, a good belt first, and price afterward, and when the combination of good belting and reasonable price obtains as in the case of SCHIEREN BELTING, there's no excuse for using anything but the best. Dixie Belt Leather Book Free.

CHAS. A. SCHIEREN & CO. New York: 59 Ferry St. Chicago: 92 Franklin St. Boston: 192 Lincoln St. Pittsburgh: 243 Third Av. Philadelphia: 228 N. Third St. Denver: 1519 Sixteenth St. Hamburg: Pickhuben 4.



'Tis Misplaced Confidence to Niggle with an Old Style Brake.

The relish of safety to life, limb, and gear is in The "Forsyth" Coaster Brake. It spins as free as a plain hub. Is adjustable and has less parts.

Forsyth Hand Brakes, Chain Guards, Chain Guard Braces and other bicycle parts are the best and cheapest. Forsyth Mfg Co., Buffalo, N. Y.

PUNCTURE PROOF HEDGE THORN BICYCLE TIRES

TO INTRODUCE WE WILL SELL YOU A SAMPLE PAIR FOR ONLY \$4.80. REGULAR PRICE \$8.50. STRONG, DURABLE, EASY RIDING, SELF-HEALING. NO MORE TROUBLE FROM PUNCTURES. Result of 15 yrs. experience. Fully covered by patents. Beware of imitations. No danger from thorns, cactus, glass, nails, or nails. Serious punctures like intentional knife cuts can be readily vulcanized. Guaranteed not to become porous. NOTE the thick tread and puncture proof sections—will outlast any other make. Soft, elastic and easy riding. We will ship C.O.D. on approval without a cent deposit. If you order direct from this advertisement, sending cash, we will prepay express charges. Pump free with each pair. Send for CATALOG "T," showing all makes and kind of tires, bicycle sundries, coaster brakes, built-up wheels, etc., at half usual price.

MEAD CYCLE CO., Dept. T-58 Chicago, Ill.

ELECTRICAL BARGAINS

"Magic" Search Light (like cut) \$2.00. Vest-Pocket Electric Light 1.50. Telephones, complete 2.50 to 5.95. Door-Bell Outfit, complete 1.00. Telegraph Outfit, complete 2.00. Home Medical Batteries 90c. to 6.50. Battery Motors 75c. to 12.00. Agents Wanted. Bicycle Electric Lamps 3.50. Electric Hall and Porch Lamps 3.00. Electric Carriage Lamps 5.00. Electric Reading Lamps 5.00. Miniature Electric Railways 3.25. Electric Scarf Pins 1.50. OUR FREE CAT'G describes over 100 other electr. novelties. We refund money if dissatisfied. These novelties sell on sight, easily shown. Everyone interested. We want good, live agents in every place, big or small. Particulars for postal, write to-day.

J. W. SCRIBNER & CO. 145 Niagara St., Tonawanda, N. Y.

Engineering TAUGHT BY CORRESPONDENCE

Our system of training by mail has helped thousands held down in poor positions to rise to better salaries and situations. Your chance to rise is just as good as others. Write for our free illustrated book, "Can I Become An Electrical Engineer?" We teach by mail, Electrical Engineering, Mechanical Engineering, Steam Engineering, Mechanical Drawing, Electric Lighting, Electric Railways. ELECTRICAL ENGINEER INSTITUTE, Dept. A, 240 West 23rd St., New York.




TEMPLE-CLASPEYE GLASSES

Are the only glasses that really help the sight, the only glasses that do not pinch the nose, or pull the ears. Temple-Claspeye glasses revolve on a rigid yet very fine frame. They are the only glasses exactly adjustable to pupil-distance and line of vision, either up or down.

They give perfect comfort and exact focus for reading, writing or sewing and all close work. When you look through any other glasses you look either across the edge, or diagonally. You look straight through the center of Temple-Claspeye all the time. They touch no sensitive spot; being supported by a flexible fly foot at the temple. The weight is entirely on the cheek. You do not feel that you are wearing glasses, yet it is almost impossible for them to fall off. They are the only perfect eye glasses made, yet they cost even less than the old kind. Only the finest lenses are used. If you want perfect eye-glass comfort, and a stylish glass that really helps the sight, write for OUR FREE BOOK, "EYE LOGIC." It contains endorsements from physicians, ministers and prominent people in every walk of life. It will tell you how you can preserve your sight and secure relief if you suffer from weak eyes. Address

BRIGGS OPTICAL CO., Dept. 344 GA. ROCHESTER, N. Y.



Royal 4-Cycle GASOLINE ENGINES MARINE AND STATIONARY.

We make a Special Reversible 3 H. P. Engine FOR LAUNCHES. ROYAL EQUIPMENT CO. 45 Golden Hill St., Bridgeport, Conn.

New 7 in. BENCH SHAPER

The best of its kind on the market. Furnished mounted on a column if desired. Special machinery built to order. Inventions Developed. Send for Catalog. L. E. RHODES HARTFORD, - CONN., U. S. A.

BARKER MOTORS

Have more good points, fewer parts and require less attention in operation than any other. Launches, Valves, Specialties. C. L. Barker, Norwalk, Ct.

MORRILL'S "HERCULES" PUNCH

WILL PUNCH A 1/4 INCH HOLE THRU #18 GAUGE SHEET IRON IN ONE OPERATION. INEXPENSIVE. DURABLE. INTERCHANGEABLE. CONVENIENT. THREE SIZES OF DIES WITH EACH PUNCH. WRITE FOR FURTHER INFORMATION TO CHAS. MORRILL, 271 BROADWAY, NEW YORK.

FISHING TACKLE

We make everything dear to the Fisherman. The quality of Our Goods is most remarkable. You are consulting Experts when you consult us. Our Prices are Very Low.

Send 5c. for 170 page illustrated catalogue. CLARK-HORROCKS CO., UTICA, N. Y.

Brown Folding Stools

The only perfect FOLDING STOOL ever put on the market. Suitable for use of salespeople behind counters, dining rooms, elevator cars, telephone booths, on the end of roll top desks, engine rooms, and all contracted quarters where a seat is occasionally required. BROWN FOLDING STOOL CO. 27 Dock Square, Boston, Mass.

scraping and stirring and discharging the cream before too much of the same accumulates within the freezing-cylinder.

Metallurgical Improvements.

CONCENTRATING SLUICE-BOX.—C. M. CARTER, Sultan, Wash. The objects of the invention are, first, to insure the accumulation of the metallic particles in the riffles with a minimum agitation of water and without packing of the sand or gravel, and, second, to allow the collected minerals to be quickly removed or washed from the riffles without causing practically a cessation in the operation of the sluice-box.

GOLD-SEPARATOR.—J. W. KORFHAGE, Denver, Col. In this patent the invention refers to improvements in machines for separating and amalgamating free-milling gold from gravel, clay, and from pulp. In placer-mining clay containing gold and also clay with gravel containing gold are found, and great difficulty arises in separating the metal from the sticky clays. The object is to produce a device adapted to work under such conditions and make a thorough separation.

Of General Interest.

HAIR-CLAMP.—W. J. KOENIG, New York, N. Y. The invention relates to a device for holding and ornamenting hair braids; and it constitutes an improvement over two former patents granted to Mr. Koenig. The prime object is to simplify prior devices in this class, so that they may be made and sold at a low cost. The clamp may be fitted to braids of any size within a reasonable range. It is easily applied.

ARTIFICIAL LEG.—L. DUGGAN, Rocky Mount, N. C. An object, among others in this case, is to provide a novel construction at the knee-joint and also to provide means in the foot whereby to render the cushioning operation more effective in the use of the device. No disagreeable click will be heard as the leg straightens into standing position.

PNEUMATIC MASSAGE APPARATUS.—F. H. CRABTREE, Anaconda, Mont. The inventor has especially in view the provision of a massage apparatus which may be used with convenience and safety and which through the peculiar correlation of its parts will when in operation cause the tympanum of the ear and small bones of the inner ear to vibrate or move, this movement being produced by the apparatus alternately creating a pressure and a vacuum.

HAT-RECEPTACLE FOR AUDITORIUMS.—J. T. HENDERSON, 312 Suydam Street, Brooklyn, N. Y. This receptacle is connected with theater chairs and the like. The body forms a square connected with a wire to the under part of the seat. A hat, cape, or light coat may be put into the opening in front. The main object is to avoid the necessity of ladies holding their hats in their laps and thus escaping cloak room annoyances. Silk hats and other articles are kept absolutely safe and sound, and against any interference from persons seated in the rear. Any size hat is held. In panics the boxed articles are not encumbrances, and conduce to speedy exit.

DISPLAY-STAND.—W. G. WINANS, Spokane, Wash. In this instance the invention is an improvement in display-stands for use as a medium for exhibiting articles offered for sale. The advantage in this over the stands in common use consists in the apparatus being adapted to be held at any point of a store or shop counter, or slid along to any required place, or clasped firmly while the top portion may be revolved at will for showing goods or obtaining easy access thereto.

VEST AND DRAWERS HOLDER.—A. LUSTIG, Corsicana, Texas. This invention is an improvement upon that for which Mr. Lustig received a former Letters Patent. The clasp arm is pivoted to the main bar, so as to swing free thereon, the bar being provided with a slidable extension, whereby its length may be varied, also with fixed pins, projecting oppositely, whereby the device may be quickly attached to and detached from a vest and held by tension of arm carrying the clasp. In one of the forms the device is without pins or attachment means and adapted to be inserted and held in a pocket formed in the vest's inner side next its front edge.

CAMERA.—W. F. FOLMER, New York, N. Y. The stereoscopic camera is so constructed that in focusing the object will be perfectly blended, appearing with all depth, detail, and definition obtainable when the object is viewed through a proper instrument. The camera is provided with focusing mirrors having means to prevent any light except that entering through lenses to reach the plate. There are means for bringing mirrors simultaneously to focusing position and holding them there, and means for releasing mirrors from focusing position and carrying them to an upper light-tight position out of the cone of light of the lenses.

ATTACHMENT FOR WINDOW SHADES.—G. F. DICKINSON, JR., Morristown, N. J. The particular application of this improvement is to an article adapted to be attached or fastened to the stiffening strip or stick placed at the bottom of a shade, whereby the cord connected to such stick is so arranged that it may stand the strain without tearing the shade. The practice is to insert a screw-eye or hook in the lower edge of a curtain stick and to connect the shade-cord to such eye, but after short use the hook

will be pulled from the stick and the curtain damaged. The present invention overcomes this disadvantage.

DENTAL HANDPIECE.—L. H. CRAWFORD, Dallas, Texas. This handpiece is adapted for holding a bur or other form of abrading-tool for preparing teeth for filling, crowns, etc., the same being so constructed that the bur may be adjusted at various angles ranging from naught to one hundred degrees and still work steadily. Dr. Crawford provides for this purpose an adjustment easily and quickly made, and the instrument may be clamped for holding the bur fixed at the desired angle. The adjustment reduces friction and wear.

HEATING-STOVE.—J. COCKRELL, Fargo, N. D. In this patent the invention relates to heaters designed to warm and ventilate rooms of buildings; and the object is to secure the greatest heating results and also economy of fuel. The improvement consists of the particular arrangement of the cold-air jackets, in which cold air is heated and discharged into the hot-air pipe to be carried to the most remote parts of the house.

SKATE.—T. SPACIE, Globe, Ariz. Mr. Spacie's improvements are intended more especially for use with ice or "runner" skates, though applicable in part to "parlor" or roller type; and an object is to provide a skate with effective and reliably-operating devices for enabling the same to be readily fitted to the soles and heels of shoes of different sizes and again detached therefrom and also to provide these devices with the capacity for long and repeated service.

SAFETY-PIN.—E. L. SANDS, Webb City, Mo. This pin is formed of a single length of wire, bent substantially at its center forming back and pin members, an inwardly-extended eye midway of the bend between the back and pin, a portion of the back member at the end opposite the eye being curved to form double loop members, and the end of the wire coiled around the back member and having a flattened portion extended between the loop members.

SUSPENSORY BANDAGE.—W. A. TAINSH, Portland, Me. The object in this case is to provide details of construction for a supporting appliance for male generative organs which adapt it for convenient application, afford means for adjustment of support to suit the physique of the wearer under all conditions of its service as a support, and permit an exchange of the suspensory sack to replace a soiled sack with a clean one when required.

HITCHING-POST.—T. C. BUTTERWORTH, San Francisco, Cal. When not in use this post will be nearly flush with the surface of the pavement, so as to involve no obstruction to traffic or injury to itself. It may be conveniently lifted and erected by a telescopic action from an underground chamber to an altitude for hitching teams or automobiles or support of bicycles, the parts being so designed as to avoid much leakage of water and the danger of freezing up and from which foreign matter may be easily removed.

TALLY DEVICE.—L. L. FROST, Highland, Kas. It is sought in this invention to provide a construction by which figures can be carried from a lower to a higher order without resorting to the use of subordinate figures, thus simplifying the device and the method of making calculations thereby. The present is an improvement on the tally device disclosed in a prior application for Letters Patent filed by Mr. Frost.


HOSE, ROD, OR PIPE COUPLING.—A. W. HUSMAN, Staunton, Ill. The intention of this improvement is to provide a coupling which will be exceedingly simple and economic, and wherein the parts of the coupling are capable of being expeditiously and conveniently brought into locking engagement and rapidly disconnected, the coupling practically comprising two main parts and a locking-ring for these parts.

HOTEL-REGISTER DESK.—J. I. HAYCRAFT, Linneus, Mo. This contrivance is an improvement in desks for holding registers or similar books in hotels or other places. In operation the register-desk is used upon a desk or counter, and it is desirable to turn the register so it can be made to face the clerk or the guest, and to facilitate this the top is mounted rotatably upon the base and means are provided to connect the parts. Spaces for advertisements will not only cover the initial cost, but will prove a source of income.

BLOTTER ATTACHMENT FOR DESKS.—J. I. HAYCRAFT, Linneus, Mo. This attachment is especially for use on desks employed for supporting hotel-registers and similar books. The blotter is always in position, cannot get out of the way, is retracted and incased when not in use, and can be quickly drawn to position for use upon a book or sheet of paper, or envelope, or otherwise.

KRAUT-DISPENSING BARREL.—T. W. MCFARLAND, Jackson, Mo. The object in view in this case is to provide a barrel or receptacle with a press mechanism which is adapted for holding the kraut below the level of brine or other preservative liquid, whereby the kraut may be kept in a submerged condition without the necessity of inverting the barrel or cask in which the commodity is packed.

GAME-BOARD.—D. STANGER, Glassboro, N. J. The invention relates to that class of game-boards comprising a table having an inclined top with projecting pins, ball-receiving pockets, and side alley-ways. The invention consists in the peculiar arrangement of projecting pins, ball-receiving pockets, and other features. The



Wouldn't You Like To Be Taller

WOULDN'T YOU LIKE TO BE TALLER, TO ADD FROM TWO TO FIVE INCHES TO YOUR HEIGHT,

to improve the general symmetry of your figure, to add to your general appearance? There is no longer any reason why anyone should be short or stunted. Mr. K. Leo Minges has at last perfected the work of his life in discovering a safe, sure and permanent method by which anyone can get taller without any inconvenience. It is such a simple method that one wonders why it was not thought of before. Yet it took a lifetime of study to perfect. Anyone can now enjoy these benefits; to do so necessitates no application of drugs; no internal treatment; no operation; no hard work; no big expense. Mr. Minges' method has been adopted by the leading educational institutions and gymnasia in Rochester and elsewhere. Anyone can now take it up.

Free To Any Short Person

The secrets which Mr. Minges has discovered will enable you to get taller, more graceful, and improve the symmetry of your figure, and this can be accomplished in your own home, no matter what your age, your sex, your height may be. And in order to put these benefits within the reach of all there has been prepared for free distribution among short people a limited edition of a book explaining this discovery in detail. If you wish to add from 2 to 5 inches to your height, if you want to be graceful and have a symmetrical figure, if you want to be a "proper height to dance with," to be able to "see in a crowd," and to reach the correct height, you should write for this book at once. It fully explains how you can obtain these benefits, and is free.

Write to day, addressing

THE CARTILAGE CO.

Dept. 344 B, ROCHESTER, N. Y.



WONDER Acetylene Burners

Price ARE THE BEST
40c. each. Sold by good dealers or write
66c STATE LINE MFG. CO.
9th & 10th Sts., Chattanooga, Tenn., U. S. A.

AERIAL NAVIGATION.—THEORETICAL and Practical Discussions. Pictures and descriptions of actually-built dirigible balloons and aeroplanes will be found in SCIENTIFIC AMERICAN SUPPLEMENTS 1161, 1149, 1150, 1151, 1404, 1405, 1413, 1455. Price 10 cents each, by mail. Munn & Co., 361 Broadway, New York City, and all newsdealers.


Saved \$80 Per Day

That's one record of the
DEAN BOILER TUBE CLEANER



the only device that will remove all scale from the tubes of a water tube or return tubular boiler. Our pamphlet "Economy in the Boiler Room," is most interesting to the man who "pays the bills." Write for it to-day.

THE W. M. B. PIERCE CO.
319 Washington Street, Buffalo, N. Y.



MILLS FOR ALL MATERIALS.
OUR BUSINESS IS TO MAKE MACHINERY FOR GRINDING GRAIN, CRUSHING ROCKS AND POWDERING ALL HARD SUBSTANCES. WE HANDLE ALL KINDS OF MATERIALS FROM COTTON-SEED TO ROOTS AND HERBS. BY AN UNEXCELLED PROCESS, IF YOU WANT ANY KIND OF A MILL OR GRINDING MACHINE, COME TO US AND YOU WILL GET THE BEST AND STILL SAVE MONEY. DEAL WITH US ONCE AND YOU WON'T CHANGE. ESTIMATES FREELY FURNISHED.
SPROUT, WALDRON & CO.
SEND FOR CATALOG NO. 4. MUNCY, PA.

We Challenge the World to Produce Our Equal!

THE "U. S." FIRE EXTINGUISHER MFG. CO.

Sole Manufacturers of the
U. S. "AUTOMATIC" HAND FIRE EXTINGUISHER

Each U. S. Machine guaranteed tested to 350 lbs. Most efficient, durable and economical fire extinguisher in the world. It is absolutely self-sealing. No other extinguisher like it. Safe, sure, simple, quick. CAN NOT get out of order.

134 West 23d Street, N. Y.

The offices of Scientific American are equipped with our "U. S."

AGENTS WANTED EVERYWHERE

Pat'd Feb. 2, 1897.

When You Go On Your Vacation Take

An Ingersoll Dollar Watch

It is the best watch for travelers, on business or pleasure—it removes one worry—about the injury or loss of a valuable timepiece.

The time has passed however, when its usefulness is limited to Sportsmen and Children, as it is being carried habitually by every class of people, fully meeting the average requirement for accuracy, appearance and durability.

IT IS AN "EVERYDAY WATCH FOR EVERY-ONE."

Sold by 50,000 dealers or postpaid by us. See that "INGERSOLL" is on the dial.

Robt. H. Ingersoll & Bro. Dept. 25, 51 Maiden Lane, N.Y.

ARMSTRONG'S PIPE THREADING

—AND—

CUTTING-OFF MACHINES

Both Hand and Power. Sizes 1 to 6 inches. Water, Gas, and Steam Fitters' Tools, Hinged Pipe Vises, Pipe Cutters, Stocks and Dies universally acknowledged to be THE BEST. Send for catalog. THE ARMSTRONG MFG. CO. Bridgeport, Conn.

POWER

For any power purpose we offer The American Gas & Gasoline Engine, in actual service, it will be found simple, durable, economical of fuel, and a most satisfying power, easily operated, without the aid of skilled help. A modern up-to-the-minute explosive engine. We also build Vertical Engines. Catalogue sent of either, or both, to interested parties.

AMERICAN GAS & GASOLINE ENGINE CO., Portland, Maine

70 Kennebec Street,

ORIGINAL BARNES

Upright Drills

10 to 50-inch Swing

Send for Drill Catalogue.

W. F. & JNO. BARNES CO.

(Established 1872)

1999 Ruby St., Rockford, Ill.

Patents, Trade Marks,

COPYRIGHTS, etc.,

Address MUNN & CO., Solicitors of Patents.

Office of the SCIENTIFIC AMERICAN

361 Broadway, New York.

Branch Office: 625 F St., Washington, D.C.

Hand-book Sent Free on Application.

CRESTMOBILE \$800

The BEST CAR Built in America

Proved by Its Splendid Records.

Tonneau for Four, \$850.

Other LOW Priced Models.

Export Prices \$80 Extra.

CREST MFG. CO., Cambridge, Mass., U.S.A.

THE EUREKA CLIP

The most useful article ever invented for the purpose. Indispensable to Lawyers, Editors, Students, Bankers, Insurance Companies and business men generally. Book marker and paper clip. Does not mutilate the paper. Can be used repeatedly. In boxes of 100 for 25c. To be had of all booksellers, stationers and notion dealers, or by mail on receipt of price. Sample card, by mail, free. Manufactured by Consolidated Safety Pin Co., Box 124, Bloomfield, N. J.

1/4 H. P. Gas Engine Castings

FOR \$15 WITH BLUE PRINTS.

Cylinder bored and faced-off.

Runs by gas or gasoline. Water-jacketed.

1/4 H. P. Castings—not bored or faced—\$16.00.

Send for catalogue of engines, dynamos, electrical supplies.

L. W. GILLESPIE & CO., 232 E. 4th St., Marion, Ind.

The CURTISS double cylinder

5 horse-power MOTOR

Weight 60 lbs. List price \$150.00. The most powerful cycle motor in the world.

Holds World's Record of 10 miles in 8 m. 54.5 sec. Catalog of motors and complete motor cycles free.

G. H. Curtiss Mfg. Co., HAMMONDSPORT, N. Y.

SIMPLICITY

combined with HIGH POWER

and DURABILITY

"One Lever Drive"

For particulars write

Monroe Engine Co. 19 Harvard Place

BOSTON, MASS.

special object is to provide a game-board to admit of the game of base-ball being played thereon and making a complete score from the game, such as the record of the outdoor game of ball.

Of Interest to Farmers.

BEE-HARVESTER.—H. M. HEILIG, Tecumseh, and M. H. REED, Blue Springs, Neb. The invention refers to improvements in beet-harvesters; and the objects in view are first to provide means for digging embedded beets from the soil, and, second, to provide means which insure the loading of beets on a suitable elevator or conveyor and also tend to loosen the dirt adhering to the beets. These inventors have also invented another beet-harvester, the object being to provide means for removing the tops of beets, while in the ground. An automatic adjusting mechanism makes the cutter devices slice the tops uniformly, however high they may project. The position of the cutter devices is regulated by hand. Means are included for ejecting cut tops and refuse out of the machine's path. Active parts of certain devices are kept from being obstructed by vegetable matter and the devices are arranged to automatically adjust and clear themselves from clods, earth and stones in the path.

Pertaining to Vehicles.

SUPPORT FOR BICYCLE HANDLE-BARS.—R. H. TATE, Portland, Ore. The main purpose in this instance is to provide means of throwing the handle-bar in a line position with the front wheel or parallel with the line of travel of the wheel and automatically locking it in such position and returning the handle-bar at right angles to the line of travel of the front wheel or at right angles to its axle-support with equal ease, where the bar is again automatically locked in riding position.

VEHICLE-WHEEL.—L. LANGE, New York, N. Y. The present invention relates to a class of vehicle-wheels wherein the peripheral portion of the wheels is held to rotate upon the body of the wheel, and has for its object to provide details of construction for a wheel that adapt a rubber tire and its shoe to receive anti-frictional support on the wheel-rim, that is held concentric with a wheel-hub by a series of spaced radial spokes.

FASTENER FOR CLIP-BANDS.—C. L. POPE, Ely, Nevada. Mr. Pope's invention has for its aim the provision of features of construction for a clip-band fastener that may be readily applied to secure attachment of clip bands or rings upon wagon running-gear or the like, so as to hold in place trace-hooks or ring-eyes on the ends and centers of neck-yoke bars, whiffletrees, or on the ends of wagon-poles as may be desired.

RUNNER ATTACHMENT FOR AUTOMOBILES.—W. H. ANDERSON, New York, N. Y. The inventors' purpose is to provide a form of runner adapted to be fitted to the rear axle as a substitute for wheels and to provide the runners with propelling mechanism and driving devices for the mechanism, together with means for operating the devices from the driving axle of the automobile, the mechanism including means whereby the runners enter the snow or pierce the ice so as to sufficiently grip when the propelling-chain is operated to force the machine forward.

Prime Movers and Their Accessories.

BOILER.—H. W. WHITE, Youngstown, Ohio. In this patent the invention relates to boilers, and more particularly to a type of boiler adapted for use in connection with waste gases from which it is desired to extract the heat. The construction includes an inner shell rising centrally and an outer shell spaced from the former. Horizontal tubes connect the space outside of the outer shell with the interior of the inner shell, and on the upper section of the outer shell a head of special form is provided. Ashes, cinders and scale are easily removable.

STEAM-ENGINE.—F. LANE, Carthage, and O. E. OAKES, Joplin, Mo. This is a new and useful engine of the type known as "flashers" or steam-engines which have no boiler proper and carry no permanent body of steam, but inject upon heated surfaces small quantities of water at each piston movement, which quantity is instantly expanded into steam to give a single impulse to the piston and which injections of water and steam impulses are repeated at every movement of the piston.

ROTARY MOTOR.—T. EASTMORE, Jacksonville, Fla. In this instance the invention has reference to improvements in rotary motors of the turbine type, one of the objects being the provision of a rotary motor of simple and durable construction, easily reversed, and arranged to utilize the motive agent to the fullest extent.

Railways and Their Accessories.

CAR-STAKE.—J. E. PUCKETT, Richmond, Va. Mr. Puckett's invention is an improvement in flat railway-cars, and particularly in the stakes thereof for use in securing lumber, timber, and the like upon the flat platform. He provides a locking-rod adjustable or movable so it may be set to and secured in position to lock the stakes in their places or to position to release said stakes, so they may be adjusted out of the way, the locking-rod serving to secure the stakes to the car in the latter position and position for use.

AUTOMATIC PIPE-COUPLING.—C. O. COLE, Whatcom, Wash. Mr. Cole's invention relates to pipe-couplings for connecting air, steam, or other pipes of cars in a train with each other to form continuous pipe-lines. The object is to provide a coupler which is completely automatic in operation and insures a firm coupling of the pipes for the various lines without danger of leakage, allows automatic uncoupling on moving the uncoupled cars apart, and permits a manually-controlled release of the coupling members by the operator.

NOTE.—Copies of any of these patents will be furnished by Munn & Co. for ten cents each. Please state the name of the patentee, title of the invention, and date of this paper.

Business and Personal Wants.

READ THIS COLUMN CAREFULLY.—You will find inquiries for certain classes of articles numbered in consecutive order. If you manufacture these goods write us at once and we will send you the name and address of the party desiring the information. **In every case it is necessary to give the number of the inquiry.**
MUNN & CO.

Marine Iron Works. Chicago. Catalogue free.

Inquiry No. 5460.—For manufacturers of road graders, also of hand power drills for quarries.

AUTOS.—Duryea Power Co., Reading, Pa.

Inquiry No. 5461.—For makers of gasoline or hot air engines of about $\frac{3}{4}$ horse power.

"U. S." Metal Polish. Indianapolis. Samples free.

Inquiry No. 5462.—For makers of elastic webbing, such as used in suspenders.

Handle & Spoke Mch. Ober Mfg. Co., 10 Bell St., Chagrin Falls, O.

Inquiry No. 5463.—For parties desirous of putting a new article on the English market.

WANTED.—Address of Manufacturers of Quaker Shade Roller. L. I. Manning, Morganfield, Ky.

Inquiry No. 5464.—For addresses of manufacturers of hardware specialties.

Sawmill machinery and outfits manufactured by the Lane Mfg. Co., Box 13, Montpelier, Vt.

Inquiry No. 5465.—For a cheap device for cutting paper 6 and 8 foot down to 2 foot pieces.

American inventions negotiated in Europe. Wenzel & Hamburger, Equitable Building, Berlin, Germany.

Inquiry No. 5466.—For manufacturers of paper box machines.

Novelties made in all kinds of metals. Special machinery for making of dies and wire forming. Estimates free. Metal Stamping Co., Niagara Falls, N. Y.

Inquiry No. 5467.—For manufacturers of peat machinery.

In buying or selling patents money may be saved and time gained by writing Chas. A. Scott, 340 Cutler Building, Rochester, New York.

Inquiry No. 5468.—For makers of thermostats for dry kilns.

Send for new and complete catalogue of Scientific and other Books for sale by Munn & Co., 361 Broadway New York. Free on application.

Inquiry No. 5469.—For manufacturers of sporting gun and ammunition.

FOR SALE.—Patent machine for wrapping laundry soap. Will do the work of eight people. Ed. Nelson, 1104 Cherry Street, Kansas City, Missouri.

Inquiry No. 5470.—For manufacturers of electric runabouts.

We manufacture anything in metal. Patented articles, metal stamping, dies, screw mach. work, etc., Metal Novelty Works, 43 Canal Street, Chicago.

Inquiry No. 5471.—For manufacturers of self-registering turnstiles.

The largest manufacturer in the world of merry-go-rounds, shooting galleries and hand organs. For prices and terms write to C. W. Parker, Abilene, Kan.

Inquiry No. 5472.—For makers of steam excavators or navies, for trenching for sanitary work, about 4 feet wide by 16 feet deep.

The celebrated "Hornby-Akroyd" Patent Safety Oil Engine is built by the De La Vergne Refrigerating Machine Company. Foot of East 138th Street, New York.

Inquiry No. 5473.—For a machine for hulling strawberries.

Manufacturers of patent articles, dies, metal stamping, screw machine work, hardware specialties, machinery and tools. Quadriga Manufacturing Company, 18 South Canal Street, Chicago.

Inquiry No. 5474.—For makers of working model engines.

WANTED.—Man capable of taking charge of factory making special machinery, who can also take \$2,000 or \$3,000 interest in established plant. N. B. Harrington & Co., 106 Broadway, Buffalo, N. Y.

Inquiry No. 5475.—For manufacturers of glass novelties.

Manufacturers: We can satisfactorily represent and handle your account. Correspondence invited. Welbener-Patrick Company, Manufacturers' Agents, 172 Washington Street, Chicago.

Inquiry No. 5476.—For makers of hollow brass wire.

FOREMAN WANTED.—A thoroughly capable man to take charge of brass shop employing about fifteen men. Must be between 30 and 40 years of age, married. Reply by letter only, stating experience and references to Wm. H. Wilkinson Co., West Medway, Mass.

Inquiry No. 5477.—For makers of handles for artists' pencils, also parties making the machinery for making the same.

Inquiry No. 5478.—For manufacturers of or dealers in a patent dishwasher.

Inquiry No. 5479.—For machinery for making cotton batting.

Inquiry No. 5480.—For the manufacturers of the cigar lighter which was patented by Clyde J. Coleman, or makers of any other electric lighter.

Inquiry No. 5481.—For manufacturers of metal, nickel or aluminium egg shells.

Inquiry No. 5482.—For automatic vending machines for selling liquors.

Inquiry No. 5483.—Wanted, to purchase a hardware store.

Inquiry No. 5484.—For machines for perforating paper patterns.

Inquiry No. 5485.—For manufacturers of metal garter trimmings, as hooks, slides, supporters and non-elastic garter web.

Inquiry No. 5486.—For makers of paper chair bottoms, imitation leather chair bottoms, also fiber and other material used for the same.

FOR ALL KINDS OF FACES

WILLIAMS' SHAVING SOAP

Who Are We?

On receipt of your address and a 2-cent stamp we will send a correct list of the distinguished men shown here—and also a useful and ingenious little tool called the Triplet—a key-ring, letter-opener, paper-cutter and screw-driver combined, and an article that every man and boy will find many uses for every day.

What is Said of the Triplet

"I would not take a dollar for the Triplet. As a screw-driver it saved me a very serious accident two days ago."—ROLLIN W. MULFORD, Lebanon, Ohio.

"The Triplet has become like my pocket-knife, or watch or pencil—a necessity, and I would not care to be without it."—JAMES F. MCCARRIAR, Baltimore, Md.

ADDRESS

The J. B. Williams Co., Dept. 38, Glastonbury, Conn.

Williams' Shaving Sticks, Shaving Tablets, Toilet Waters, Talcum Powder, Jersey Cream Toilet Soap, etc., sold everywhere

What Do You Want To Buy?

We can tell you where to buy anything you want.

Write us for the addresses of manufacturers in ANY line of business.

Novelties, Special Tools, Machinery, Equipments, New Patent LABOR SAVING DEVICES.

MUNN & CO., Publishers of the SCIENTIFIC AMERICAN, 361 BROADWAY, NEW YORK.

G. J. WEBER

SUCTION GAS PRODUCER

WEBER

SIZES RANGING FROM 4 TO 400 H. P.

THE WEBER CHARCOAL SUCTION GAS PRODUCER

The Most Economical, Easily Operated and Durable Power Producer for Mining, Smelting and Manufacturing Plants. Leads All Others in Effective Working Force.

THE WEBER GAS ENGINE AND THE WEBER GAS PRODUCER COMBINED

100 HORSE POWER OPERATING 10 HOURS AT A COST OF \$5.00.

Delivers 1-h. p. Per Hour on Consumption of One Pound of Charcoal, costing one-half cent per horse power per hour. Other Fuels may be used.

SOLD UNDER A POSITIVE GUARANTEE.

Engines, Hoists, Air Compressors and Pumping Plants. Double and Triple Cylinder Vertical Engines in Large Units. Engines to Operate Gasoline, Distillates, Naptha, Etc., Etc. State your power requirements fully; we will save you money.

THE WEBER CHARCOAL SUCTION GAS PRODUCER IS BUILT EXCLUSIVELY BY US.

There are many thousands of our Engines in use. Established 1884.

WEBER GAS & GASOLINE ENGINE CO.,
P. O. BOX 310 KANSAS CITY, MO., U.S.A.

Notes and Queries.

HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters or no attention will be paid thereto. This is for our information and not for publication.

References to former articles or answers should give date of paper and page or number of question.

Inquiries not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and, though we endeavor to reply to all either by letter or in this department, each must take his turn.

Buyers wishing to purchase any article not advertised in our columns will be furnished with addresses of houses manufacturing or carrying the same.

Special Written Information on matters of personal rather than general interest cannot be expected without remuneration.

Scientific American Supplements referred to may be had at the office. Price 10 cents each.

Books referred to promptly supplied on receipt of price.

Minerals sent for examination should be distinctly marked and labeled.

(9380) L. E. G. asks: 1. How is a hand lead marked; that is, how are the marks and depths laid off and how shown, also length of line? A. Sounding leads are generally laid off in fathoms below 5 and at 7, 10, 13, 17 and 20 fathoms, which latter is the usual length of the line with from 7 to 11 pounds weight. Deep-sea lines are usually 200 fathoms in length with 28-pound weights and marked at each 2 to 10 fathoms with leather and bunting tags so combined as to readily measure the fathoms as the line passes out. 2. How is a hand log marked? What is distance between marks, in feet or inches, on a log line to be used with a 30-second sand glass, or a 15-second sand glass? A. The hand log line is usually 150 fathoms long and should have 10 fathoms between chip and first knot for stray line. With a 30-inch glass the knot tags are 50 feet 8.03 inches apart and indicate sea miles or knots per hour. With a 15-inch glass the knot tags should be at one-half the above distance parts. 3. How is a 4 or 8 point bearing taken to tell distance of ship from land; that is, taken from bow to beam, or beam to quarter? A. The bow to beam or beam to quarter, or better, from bow to stern, may be taken as a measured base line and the angle of each end simultaneously taken from a shore mark, from which a triangle computation will give the distance. 4. What is the best material for a marine compass needle—ordinary soft iron or Norway iron? The compass cards I wish to use are 6 inches diameter and 1-32 inch thick pasteboard. Would needle 6x $\frac{1}{4}$ x $\frac{1}{16}$ inch be about right size? Being a marine compass, needle will be glued fast to card, of course. A. A compass needle should be made of tool steel, hardened and tempered. The card should be drawn on fine drawing paper and pasted to a thin piece of mica. Fasten to the needle with small lead rivets.

(9381) H. F. H. asks: Is the althea the true "Rose of Sharon"? Or which is the true or original "Rose of Sharon" mentioned in the Bible? Some claim the althea, others narcissus, and some again *Scilla maritima*. Is there any place where a person could get a copy of the flower as it grew or grows on the plains of Sharon? A. The article upon the "Rose of Sharon" in Smith's "Bible Dictionary" begins: "There is much difference of opinion as to the particular flower intended." If this is the case we cannot decide. There are no pictures dating back to the time of the writing of the Canticles, and no way whatever of determining the species of plant denoted by the name.

(9382) A. M. W. asks: A trolley car leaves the track a few feet. The trolley pole can reach the overhead wire. In running it back upon the tracks, the conductor made a connection between the rail and car wheel with the iron rod used to turn the switch; was it of any use? With a stated current carried by trolley wire, will the motors of a car show more power by having the rails of the track wired together, or is the bonding of the rails to prevent damage by the return current to other structures? A. The intention is to use the rails of the street-car lines for a return circuit of the current to the dynamo. If the rails are well bonded together this will result. If they are loosely connected the current will leak off and go by some easier path. On the way, it will take to pipes, water and gas, and destroy them. The bonding is to keep the return current in its proper place. When the conductor used a bar of iron to connect the rail to the wheel of the derailed car, he closed the circuit between the motor and the return path in the track, thus enabling the motor to get power from the line. With the earth connection only the resistance would be too high to allow enough current to flow to run the motor.

(9383) R. S. L. asks: Is it not a fact that the battleships and armored cruisers of our navy are built and are building without armored smokestacks? Are not the extremely lofty stacks of our later construction designed to obviate the necessity of forced draft? Would not these tall stacks be immediately riddled in an engagement, and thus deprive the vessel of a large part of her steam power when most



A Summer Day and a CADILLAC

Model A Tonneau, - \$850
Without Tonneau, \$750
Model B Touring Car, \$900
Without Tonneau, \$800

For a delightful spin in the country; for business or pleasure; for quick and pleasant transit over long distances or short, there's nothing equals a *reliable* automobile.

No *reliable* automobile is so easy to buy, to operate, or to maintain, as a Cadillac.

No automobile at double the money is so strongly constructed, so speedy on good roads, so dependable on bad, so capable in the matter of hill-climbing, as the Cadillac.

Model A Tonneau (shown above) will carry four people safely and comfortably at 30 miles per hour on the level stretches, and will go up a 45 per cent. grade.

Model B Touring car is identical in accomplishment, but has larger wheels, longer wheel-base, more roomy body. Both Models are equipped with Goodrich 3-inch detachable tires.


Full appreciation of Cadillac superiority in design, construction and performance is possible only by inspection and trial.

Will be glad to send you booklet *N* for the asking. It explains and illustrates all Cadillac models in detail, and gives address of agency nearest you where they may be seen and tried.

CADILLAC AUTOMOBILE CO.,
Detroit, Mich.

Member Association of Licensed Automobile Manufacturers


DARRACQ



12, 15-20, 30-35 Horse Powers

Favorite of two continents. Holds more records for speed and endurance than any other make. Prompt deliveries. Duplicate parts always on hand.

AMERICAN DARRACQ AUTOMOBILE CO.
Controlled by F. A. La Roche Co., 652 Hudson Street,
147 West 35th St., New York



PEERLESS Direct Drive TOURING CARS

\$3,700 to \$6,000

Combine elegance—comfort—safety—speed—simplicity and absolute dependability. 80% of the buyers of Peerless Cars have owned and discarded automobiles of other makes

Write for illustrated catalogue explaining fully the points of Peerless Perfection, Photographure of Peerless Girl No. IV, without advertising, size 18x28 inches, sent postpaid for ten cents

PEERLESS MOTOR CAR CO.
Cleveland, Ohio

Member Association Licensed Automobile Manufacturers.

needed, besides rendering the upper works untenable from smoke? Is it not a serious error to neglect to armor the stacks, and would it not be better for our constructors to follow in some respects the designs of Continental nations instead of the English? A. The armoring of smokestacks is a question that is attracting attention among naval designers, some of the latest vessels of the Russian navy being armored on that portion of the smokestack that is between decks. It would be impossible to carry the armor higher than this without making serious inroads upon the amount of armor that could be spared for other vital parts of the ship. We believe that as yet we have not been in the habit of armoring our smokestacks even at the bases; though we believe that the matter is now under advisement.

(9384) H. H. B. asks: We have a 50-horse-power side-crank, partially balanced valve Atlas engine in our mill. 1. Will this engine run without a wheel of any kind on the shaft? Our engineer says it will not, but I say that it will. Hence the argument and wager. A. A steam engine without a flywheel might possibly run with a jerky motion, which is not tolerable to good practice. Your engineer is about right. 2. Will a 55-horse-power boiler, now furnishing steam for a 50-horse-power engine considerably overloaded, furnish steam enough for a 75-horse-power Corliss engine? A. The 55-horse-power boiler should be of sufficient capacity, if not overrated, for 75 horse-power in a Corliss engine. 3. How much working advantage does a Corliss engine have over the same size plain engine? A. Plain engines vary in their consumption of steam per horse-power to a considerable extent, and for engines of equal cut-off there is a small percentage in favor of the Corliss engine.

(9385) A. F. O. asks: Is the following from the SCIENTIFIC AMERICAN of recent date, strictly correct? "A. It is not known why water expands in freezing. There are very few substances which do so. Cast iron and type metal are two others which have the same peculiarity, and which are very important to man." I always supposed that cast iron shrank at the moment of solidification. In the American Encyclopedia, Vol. IV., page 80, I read: "In the casting of cylinders, the shrinkage of the iron in cooling must always be particularly taken into consideration. This is quite uniform, and is 1 inch in 8 feet, or 1-96 linear measure." Do not pattern makers for stove castings always make the pattern a little larger than the size required for the finished casting? Regarding type metal, the textbooks on physics generally teach that *antimony* expands on solidification, and that that is why a proper admixture with lead secures the expansion necessary to give smoothness and sharpness to the type. In Fownes (Watts) Chemistry, p. 455, I am informed that antimony alone, like lead, will shrink on cooling, but that the *alloy* will expand. Will you kindly give me the exact truth in regard to both antimony and iron, but especially as to the latter? A. With reference to the change of volume at the moment of solidification—in which respect you criticize a recent reply to a query of ours—we may say that it is not supposed that any chemically-pure metal does increase in volume during the act of changing from the liquid to the solid state. The three substances which we mention, however, water, cast iron, and type, all expand in passing from the liquid to the solid condition in a marked degree. The quotation which you make from the American Encyclopedia, viz., "in the casting of cylinders, the shrinkage of iron in cooling must always be taken into consideration," is not to the point, since it particularly states that the iron is cooling, and the change into the solid condition must be complete before the substance can cool at all. This you will perceive if you refer to the subject of latent heat in any textbook of physics. When a liquid is in the act of solidifying it gives off a great quantity of heat without any change of temperature. Thus water cools to the temperature of 32 deg. before any ice forms, and when ice is formed it is still at the same temperature as the water in which it is floating, but you will observe that the ice could not float if it did not increase in bulk in freezing. Ice is approximately one-ninth lighter than water, and that one-ninth is the increase in bulk in solidifying. Similar reasoning will apply to any other substance. Most substances contract in the act of solidifying, and are in the solid form smaller and denser than in the liquid form. The result is that the solid sinks in the liquid. If you place a piece of wax in a dish and melt it—preferably such a dish as a test tube—the solid wax will remain at the bottom, while the melted wax overflows it; and this would be the case with the great majority of substances which can be melted by the application of heat. It is probably true, as you say, that type metal owes its expansion to the antimony which it contains, but the case of water is different. Ice formed from chemically-pure water floats upon the water in the same manner as ice formed in any lake or pond. So much for changes in the act of solidifying. Now, after the solid has been formed, it obeys the usual laws of expansion and contraction—heating expands and cooling causes a substance to contract. It is to this change the quotation you make above refers. The shrinkage of a metal in cooling must always be taken into account in making patterns for cast-

Take a Kodak with You TO THE EXPOSITION

There will be much at the St. Louis Exposition to delight the heart of the amateur. Architecturally it is to be magnificent—not only in the individual beauty of the buildings, but in the general scheme, in the parks, the lakes and the woodlands. Then there's the "Pike" with quaint people enough to fill miles of film.

Kodaks, 4x5 or smaller, may be taken into the grounds free by patrons of the exhibition.

KODAKS, \$5.00 to \$97.00

EASTMAN KODAK CO.

Catalogue free at the dealers or by mail.

Rochester, N. Y.

“I have now received nine vols. of your Americana, and am more and more pleased as each volume is issued. I have had occasion to examine it considerably and have relied upon it for certain facts which I find to be authentic, and thoroughly and interestingly stated. It is a work of high merit and must have a large sale.”

Judge N. P. FRYE.
Andover, Mass.



FREDERICK CONVERSE BEACH, Editor of the Scientific American, Editor of the Encyclopedia Americana

“Your advanced ideas as expressed in the Americana, confirm the impression that the material America offers for such a work, has in the past been sadly neglected.”

“I have no hesitancy in saying that when the real merits of your work become generally known there will be no library that will do without the Americana.”

O. C. WYMAN,
Wyman, Partridge & Co.,
Minneapolis, Minn.

HURRY-UP NOTICE

Our readers are notified that the time is short to take advantage of the special price, now open to advance subscribers to the

ENCYCLOPEDIA AMERICANA

published under the editorial supervision of the *Scientific American*. Our belief that the time had come when the American people demanded an American Encyclopedia, made by American scholars and specialists, and from the American point of view, has been more than justified. The orders received in advance of publication aggregate

MORE THAN ONE MILLION DOLLARS

An advance sale never before equaled in the history of publishing. Incredible as it may appear, our children, educated in American schools, taught by American instructors, and in accordance with American ideas, have been compelled to consult foreign books of reference for their information concerning even our American institutions, progress and achievements.

To remedy this condition—to produce a National Work, which should bear the impress of the National American character—has been our aim and inspiration.

More than a thousand American experts, each an authority upon his subject, have contributed the results of their ripest scholarship, study and experiment to this great work. Prepared under the editorial supervision of the *Scientific American*, FREDERICK CONVERSE BEACH, its Editor-in-chief, assisted by the largest corps of distinguished editors, specialists and experts ever engaged upon a similar work, our readers may be assured that it represents the highest type of modern scholarship, the latest results of modern scientific investigation.

THE WORK—It is more than an Encyclopedia, it is an *AMERICANANA*. The departments of American History, American Biography, American Literature, and such fields in applied philosophy and science as Government, Industries, Finance and the like which we can claim as essentially American, are treated more clearly and comprehensively than in any other work. Its 65,000 subjects if written in the heavy wordy English style, might easily have been extended to 10 volumes; but the American system of condensation has enabled us to cover the entire field of **Twentieth Century Knowledge in Sixteen Royal Octavo Volumes**. In its mechanical details, paper, binding, maps, plates and illustrations, it is superior to any work of its kind in existence.

THE PLAN OF SALE which we have adopted has been devised for the purpose of giving those who order in advance of publication the benefit of the lowest wholesale price. We thus enable the intelligent and prompt purchaser to assist in making the first distribution of the *AMERICANANA* a success, and we compensate him by giving him a great reduction in price in return for this co-operation and assistance.

Let us tell you more about this great work and our new and novel plan of sale.

A postal card addressed to
THE SCIENTIFIC AMERICAN COMPILING DEPT. 258 FIFTH AVENUE
NEW YORK, N. Y.
will bring you sample pages, and full information about the work, the price, and the plan of sale to advance buyers. As the work is now nearly completed the special price offer will soon close.


MORSE TWIST DRILL AND MACHINE COMPANY

NEW BEDFORD, MASS., U. S. A.



Manufacturers of

Increase Twist and Constant Angle Drills, Chucks, Reamers, Milling Cutters, Taps, Dies, Machinery and Machinists' Tools



At last we can give it to you: Just what you have been looking for—A thoroughly reliable Electric Lamp that fits in the vest pocket

If you wish to find a house number at night; if you wish to find an article you have dropped; if you wish to avoid dangerous places in dark streets, just "press the button" and you have an instant, brilliant light. Will give eight thousand flashes, or burn three months with right usage. Price only One Dollar!! Inexpensive to buy and to operate!! Invaluable to physicians, or miners and gas fitters who go in dark places where any other form of light is dangerous. Batteries and bulbs easily detached and renewed when required. Extra battery only 25c. Address Dept. 66.

ELECTRIC UTILITY MFG. CO.
114 and 116 East Twenty-third Street, New York City

JEFFREY ELEVATING--CONVEYING--POWER

Transmission--Screening--Dredging--Coal Cutting
Drilling--Hauling--Washing Machinery.

For Catalogues address
THE JEFFREY MFG. CO.
COLUMBUS, OHIO, U. S. A.
NEW YORK DENVER

GAS ENGINE IGNITERS


Price, \$15.00



LATEST TYPE. BEST MADE.

For Marine, Automobile or Stationary Engines. Fully Guaranteed. Write for Circular.

The Carlisle & Finch Co.,
233 E. Clifton Ave., Cincinnati, Ohio



Screw Cutting Back Geared
9x25 Lathes \$35


and up, to suit your need either as to size or price. Write us, we will interest you.
The Carroll-Jameson Machine Tool Co.
BATAVIA, OHIO, U. S. A.



THE CLIPPER CLIP

Its triangular shape prevents entangling and gives three times the capacity of any other clip for attaching papers together.
Best & Cheapest. All Stationers.

CLIPPER MFG. CO.,
401 West 124th St., New York, U.S.A.
For free samples and information write to us.



For PIPE-THREADING OR CUTTING

there is no machine on the market that can compare for ease of operation and excellence of work with

FORBES PATENT DIE STOCK


Vise is self-centering and dies are adjustable to any variation of the fittings. Parts can be duplicated at slight cost when worn out. Will thread and cut up to 12 in. pipe.

CATALOGUE FREE.

MACHINE No. 30. CURTIS & CURTIS CO.,
Range 1/2-2 in. R. & L. 6 Garden St., Bridgeport, Conn.



EASTERN GRANITE ROOFING CO.
Irving Building New York



To economize time is to save expense. The Burr Index furnishes the short cut to profits in any business. A sample sent on request for examination without any charge whatever. Can be returned if not satisfactory. Try it and be convinced.
The Burr Index Co.,
Department S, 330 Asylum Street, Hartford, Conn.
Send for Catalogue.

A.W. FABER

Manufactory Established 1761.

LEAD PENCILS, COLORED PENCILS, SLATE PENCILS, WRITING SLATES, INKS, STATIONERS RUBBER GOODS, RULERS, ARTISTS' COLORS.

78 Reade Street, New York, N. Y.

GRAND PRIZE, Highest Award, PARIS. 1900.

Old Sol

will do business 366 days this year. He will make it warm for paint wherever he finds it. A good deal of it will blister, peel, crack and fade under his merciless beating. There is one paint that does not fear his touch.

PATTON'S SUN-PROOF PAINTS

successfully resist Old Sol's hottest rays. They protect and preserve the house from his relentless blaze. These paints are absolutely sun and weather-proof. Guaranteed to wear five years. Their economy and durability commend them to every user of paint. Our valuable Paint Book is free. Write for it to-day.

PATTON PAINT COMPANY,
227 Lake St., Milwaukee, Wis.
PITTSBURGH PLATE GLASS CO., General Distributors.

Big and Little—Heavy and Light

The HARTFORD SINGLE TUBE and DUNLOP DOUBLE TUBE Tires

Stand foremost for Uniform Quality, Honest Construction and Durability. That each is the most serviceable tire of its class is universally acknowledged by those buyers who desire The Best regardless of cost, and thus consider the question of their needs intelligently. Let us advise you regarding the proper size and weight of tire best adapted to your requirements. Branches in principal cities.

The HARTFORD RUBBER WORKS COMPANY
HARTFORD CONN

(Users of SOLID RUBBER TIRES may rest assured that our reputation as makers of only high-class goods will be carefully sustained in connection with this product)



ings. But iron and type metal are the only metals which actually expand on solidifying, and which therefore may be employed for making exact reproductions of the fine lines and markings upon a mold. Lead, tin, etc., contract in solidifying, and always present rough surfaces in casting.

(9386) R. M. asks: 1. Would you explain the difference between the automatic cut-off engine and the flyball governor engine? A. The difference in the two styles of engines is in the method of controlling the admission of steam to the cylinder. The governor of the automatic engine controls the cut-off point of the slide valve, while the flyball governor controls the throttle valve only, in ordinary slide-valve engines, and also the cut-off in engines of the Corliss type. 2. Explain the term sharp cut-off as used in reference to steam engine cylinders. A. A sharp cut-off is a quick action cut-off, as in the Corliss type and in some special designs of the slide-valve type. 3. What are the mechanical differences between a high-speed engine and an ordinary engine? A. The high-speed engines are generally of the automatic type with short stroke, and perfection of the moving parts required by high speed. 4. What is the pressure of water per square inch of surface in the change from a liquid to a solid? Does the pressure increase for each degree of change of temperature from 39 to 32? Is the contraction the same for each degree below 32? A. Water being incompressible, its pressure becomes immense, and will burst the strongest vessels, if confined. Water contracts from 39 deg. to 32 deg., and suddenly expands about one-tenth of its bulk in freezing, after which contraction continues by fall of temperature at a greater rate per degree than any other solid—about 0.033 of an inch per degree in one hundred feet.

(9387) B. W. N. asks: Would you kindly explain the following question through your column of Queries and Answers? Why does not the sum of the included angles of a triangle equal 180 deg.? I had been taught that the sum of these angles always equaled 180 deg., but I read in a book on astronomy that if imaginary lines be drawn from the sun to the star Sirius, and from Sirius to the polar star, and from the polar star to the sun, forming a triangle, the sum of the angles formed by these lines did not equal 180 deg. A. The theorem in geometry is that the sum of the three angles of a plane triangle is equal to two right angles. From this value there is no deviation; you may consider it absolutely correct. It is also a geometrical theorem that the sum of the three angles of a spherical triangle is greater than two and less than six right angles. Hence the angles included by the three arcs of circles drawn upon the celestial sphere from the sun to the star Sirius, and from Sirius to the pole star, and from the pole star to the sun again, need not and do not equal 180 deg. The position of the pole star and Sirius with reference to each other does not change to any great degree, but the sun is changing its position with reference to these two stars every day in the year, and twice in the year must be upon the circle of the celestial sphere which passes through both these stars, and at these times no triangle is formed by the three bodies, for they lie on the same circle. At all other times during the year there will be a spherical triangle formed by the three bodies, the sum of whose angles is continually changing between the limits specified in the theorem quoted above.

(9388) E. R. E. writes: Can you tell me how much water would be discharged at the lower end of a pipe 18 inches in diameter and 100 miles in length, with a fall of 800 feet in that distance? How much difference would it make if said pipe was 4 or 6 feet in diameter for the first few miles, or until it reached a fall of 100 feet, then gradually contracting to 18 inches? Would water running this distance keep in constant motion, or would it freeze if the pipe was on the surface of the ground; that is, above ground? A. The pipe line of 18-inch pipe, 100 miles long, laid with a fairly even slope of 800 feet, should deliver 252 cubic feet of water per minute. If 25 miles is of larger size to give full flow, the 75 miles of 18-inch pipe with 700 feet slope should deliver 275 cubic feet per minute. The 4 or 6 feet pipe, with say a slope of 100 feet in 25 miles, will be too large and too expensive for a feeder to the 75-mile line. If it is only 2 feet in diameter, it will supply 360 cubic feet per minute, which will give an initial pressure to the long line equal to nearly 100 feet, and increase the flow of the 75 miles of 18-inch pipe to 300 cubic feet per minute. Such a pipe line would not be safe against obstruction by freezing to several inches thick on the inside of the pipe in extremely cold weather and at times of low discharge. It should have some protection in your climate.

(9389) F. S. K. asks: 1. Is there any liquid better than water to use in a hydraulic of an oil gas bench? A. The hydraulic main of an oil gas works should be charged with water only. There is nothing better. 2. Is there any part of the gas that is taken out by its passing through the water of the main? A. A small quantity of tar and ammonia and possibly sulphur are absorbed or detained by the water of the hydraulic main. 3. What is the best substance to use to purify oil gas? A. Water from jets trickling through a bed of coke in a vertical cylinder with the gas passing upward is the best purifier for oil gas.

Hot or cold,
Rain or shine,

Jaeger
Underwear

will enable you to enjoy life out-doors as well as in.

In New York alone over 300 physicians wear it.

Can your health afford to disregard such endorsement?

**DR. JAEGER'S
SANITARY WOOLEN SYSTEM CO.**
New York: 306 Fifth Ave.; 157 Broadway.
Brooklyn: 504 Fulton Street.
Boston: 230-232 Boylston Street.
Philadelphia: 1510 Chestnut Street.
Chicago: 82 State Street.
Agents in All Principal Cities.



THE COWBOY AND THE COLT

are inseparable companions. The Cowboy sticks to the COLT REVOLVER because it never fails him in the hour of need. He may neglect or misuse it, but it is always ready for instant action.



Colt's Patent Fire Arms Manufacturing Co.
HARTFORD CONN. U. S. A.

THE HIGHEST EFFICIENCY

is guaranteed in every one of the smooth-running **Brennan Gasoline Motors** made on the latest approved pattern, safe, sure and quick to start, economical in fuel and of great durability. Can be used for Marine purposes. The tendency of the times are high powered cars. If you have not sufficient power, write us. We can furnish you with a practical powerful motor ready to set up in your car, with working drawings of any of the Standard makes of cars. Full protected patents allowed.
BRENNAN MFG. CO. SYRACUSE, N. Y., U. S. A.

READY May 15th
Spangenberg's Steam and Electrical Engineering
By E. SPANGENBERG, M. E.
former Superintendent of the St. Louis School of Engineering.
Containing 1,035 Questions and Answers, with 648 Illustrations.
Price, \$3.50.
The best book on the subject ever published.
GEO. A. ZELLER, Publisher, Estab. 1870.
68 S. Fourth St. St. Louis, Mo.

The Cincinnati Upright Drills

If you are considering Upright Drills at all it will pay you to investigate thoroughly
The Better Kind
which we make as a strict specialty. Every modern improvement is embodied and every care for perfection has been used.
ACCURACY, STRENGTH, CONVENIENCE AND RESULTS
are our claims.
Write us for catalogue and prices.
CINCINNATI MACHINE TOOL CO.
New Location
CAMP WASHINGTON
Cincinnati, Ohio U. S. A.
Special attention given to Export orders.

Electric Motor
The **Rienco Motor** runs at high speed when connected to one cell of almost any kind of battery. It rotates in either direction and is reversed without changing connections. It is fitted with grooved pulley. Price 50c. Postage and packing 15c. **Motor Outfit No. 8**—consists of 1 Rienco Motor; 1 Rheostat, or speed regulator; 2 Small Dry Batteries and 10 feet of wire. Price \$1. Postage and packing 20c. Send stamp for catalogue.
Ithaca Electric Novelty Co.
Box 33, ITHACA, N. Y.




The ANGELUS

It is worth while for anyone interested in piano music to know why The Angelus enables performers to obtain such brilliant results. Our booklet, mailed free on request, explaining about the Phrasing Lever, tells why.

Purchased by Royalty and the world's greatest musicians
AGENTS EVERYWHERE

The Wilcox & White Co. ESTABLISHED 1876
Meriden, Conn., U.S.A.

OLDSMOBILE



**The sun never sets
on the Oldsmobile**


**You see them
wherever you go,
They go wherever
you see them**

All nations pay willing tribute to the Oldsmobile. Its unequalled motor equipment; the ease with which the motor is started from the seat; the device by which the spark is retarded in starting to a point where "back fire" is impossible, all emphasize its superiority, placing it in a class by itself.

Our Light Tonneau Car and Touring Runabout have attracted widespread attention by reason of their beauty of external design and perfection of mechanical construction.

Full information about the Oldsmobile line can be obtained from our nearest sales agent, or by writing direct. An interesting and beautifully illustrated automobile story, "Golden Gate to Hell Gate," will be sent on receipt of a two cent stamp. Address Department 21.

Oldsmobile Standard Runabout, \$650
Oldsmobile Touring Runabout, \$750
Oldsmobile Light Delivery Wagon, \$850
Oldsmobile Light Tonneau Car, \$950



Olds Motor Works
Detroit, U. S. A.

Member of the
Association of
Licensed
Automobile
Manufacturers

NEW BOOKS, ETC.

SUBMARINE NAVIGATION PAST AND PRESENT. By Allen H. Burgoyne, F.R.G.S. Illustrated. Two volumes. London: Grant Richards. New York: E. P. Dutton & Co. 1903. Price, \$10.

Mr. Burgoyne's book, although primarily a history of submarine navigation, may be considered a strong plea for the more general introduction of the submarine boat in the British navy. Starting with the mythical attempts of the ancients at submarine navigation, the author passes to more modern times and discusses the inventions of such pioneers as Van Drebel, Norwood, Borelli, Bushnell, and other historic inventors. Although Americans have been behindhand in the development of the submarine boat, despite the inventions of Holland and Lake, still it must be said that the first successful attempt to use the submarine in modern warfare is to be found recorded in the annals of our Civil War. Mr. Burgoyne has not confined himself to a description of actually built submarines, but has even given accounts of craft that have never developed beyond paper. Many of these designs are mere fantasies, mechanically bad, and often displaying anything but a clear conception of the needs of submarine craft. Particularly valuable in this book are the chapters dealing with the development of the Holland and the Lake submarine boats. They, at least, show how success may be attained. Altogether, Mr. Burgoyne has succeeded in presenting a highly instructive book upon a subject with which most of the navies of the world are now concerning themselves.

MY AIRSHIPS. By Alberto Santos-Dumont. New York: The Century Company, 1904. 12mo.; pp. 400; 75 photographs and diagrams. Price, \$1.40.

It can hardly be said that Mr. Santos-Dumont's book is a scientific work on aerial navigation. All that he has done is to tell in a very breezy, entertaining way the story of his airship experiences, outlining his career as an aeronaut from the time that he made his first balloon ascent to the time he built the Santos-Dumont No. 10. The book is frankly written for the man in the street. Still, many of the adventures which Mr. Santos-Dumont describes shed a flood of light upon the mistakes that are very frequently made in the construction of dirigible airships. Particularly is this true of the account of the collapse of one of the first, if not the first airship, that Santos-Dumont built. He dwells instructively upon the lessons which that accident taught him and upon the way in which it influenced the construction of his subsequent vessels. The book as a whole is striking, bright, and instructive.


LES AMALGAMES ET LEURS APPLICATIONS. Par Léon de Mortillet. Paris: Librairie Bernard-Tignol. 8vo.; pp. 52.

ENTROPY; OR, THERMODYNAMICS FROM AN ENGINEERS' STANDPOINT, AND THE REVERSIBILITY OF THERMODYNAMICS. By James Swinburne. Westminster: Archibald Constable & Co., Ltd., 1904. 8vo.; pp. 137. Price, \$1.80.

This volume is made up of a series of articles printed last fall in Engineering, and dealing with the oft misunderstood subject of entropy. Instead of treating this subject in the usual mathematical and, to most people, vague and puzzling way, Mr. Swinburn has looked at it from a common-sense point of view and has used language (not figures) intelligible to the ordinary lay mind. The treatment of the subject, which is somewhat novel in order to make the theory clear, is along lines laid down in a paper on "The Reversibility of Thermodynamics," found at the end of the book. This paper was read before the British Association last year for the purpose of drawing out the criticism of men well up in the subject; but it resulted in very little discussion, and so the author considers the views set forth in it to be approved. The book is well written and concise, and will be found useful to engineers generally who desire enlightenment on this somewhat obscure subject.

THE METALLURGY OF STEEL. By F. W. Harbord, Assoc. R.S.M., F.I.C. With a Section on the Mechanical Treatment of Steel. By J. W. Hall, A.M. Inst.C.E. London: Charles Griffin & Co., Ltd. Philadelphia: J. B. Lippincott Company. 1904. 8vo. Pp. 258, 595 cuts. Price, \$9.

The subject matter of the book is divided into four sections, which treat of (1) The Manufacture of Steel; (2) Reheating; (3) The Mechanical Treatment of Steel; and (4) Finished Steel. Section I. describes the theory and practice of steel manufacture, special attention being given to recent developments in the same both here and abroad. The latest types of steel furnaces, gas producers, mechanical appliances, Bessemer and open-hearth and crucible plants are fully described and illustrated. Sections II. and III. describe the treatment of the ingot and the appliances used in shaping it into the finished section. The third section, by Mr. Hall, treats of the rolling, hammering, forging, wire-drawing, and fluid compression of steel, and includes detailed descriptions of the latest modern rolling mills, hammers, forging presses, and other labor-saving devices in common use. The section on Reheating contains a description of the



16 horse power complete with
canopy top, side basket,
horn and lamps,
ONLY \$1,350.00
at the factory.


Rambler

Touring Cars

represent absolutely the highest values—our reputation is back of them. Eight models, \$650.00 to \$1,350.00 at the factory.

THOMAS B. JEFFERY & COMPANY
Kenosha, Wisconsin, U. S. A.

Chicago Branch, 304 Wabash Avenue
Boston Branch, 145 Columbus Avenue




Four-Cylinder.
Model "1," 1904

Actual 22 horsepower, with only 85 lbs. loaded weight to each horsepower. Speed range of 4 to 40 miles per hour. Anti-friction ball bearing axles, direct drive, mechanical valves for intake and exhaust. Winner of highest prizes for BOTH speed and endurance wherever entered.

\$3,000.

Send for illustrated descriptive literature and name of nearest agent.
PACKARD MOTOR CAR CO., Dept. 5, Detroit, Mich.
Member Association of Licensed Automobile Manufacturers.
New York Agents: PACKARD MOTOR CAR CO., OF N. Y., 317-319 W. 59th St., New York City.




NOISELESS

Bevel Pinions

We can furnish our New Process Noiseless Pinions in bevels as well as spurs of any size wanted and to transmit any required horse power. Write for catalogue.

THE NEW PROCESS RAWHIDE CO.
Syracuse, N. Y.

Two Models
1904—Tonneau 1904—Light Touring Car
HAYNES
AUTOMOBILES



Light Touring Car, \$1,450 Complete.

WE originated the two cylinder opposed gas engine (the only simple engine free from vibration) and have brought it nearest to perfection. Others have imitated but never equaled it. Get the Catalogue.

Most Haynes-Apperson Cars have practically been sold before they were built. Get your order in early.


HAYNES-APPERSON CO., Kokomo, Ind., U. S. A.

The Oldest Makers of Motor Cars in America.

Members of the Association of Licensed Automobile Manufacturers.

Branch Store: 1420 Michigan Ave., Chicago. Eastern Representatives: BROOKLYN AUTOMOBILE CO., 1239-41-43 Fulton St., Brooklyn, N. Y., and 66 West 43d St., New York. Agency for Southern California: J. A. ROSETELL, Los Angeles. Western New York Agents: BUFFALO AUTOMOBILE EXCHANGE, 401 Franklin St., Buffalo, N. Y.


See Our Exhibit at the St. Louis Fair.



To Owners of Gasoline Engines,
Automobiles, Launches, Etc.
The **Auto-Sparker**

does away entirely with all starting and running batteries, their annoyance and expense. No belt—no switch—no batteries. Can be attached to any engine now using batteries. Fully guaranteed write for descriptive catalogue.

Motsinger Device Mfg. Co.,
14 Main St., Pendleton, Ind.



BUFFALO
MARINE
MOTORS

2 to 40 H. P.
Highest Awards
Noted for
SPEED
ECONOMY
and
ENDURANCE

Buffalo
Gasoline Motor Co.
Buffalo, N. Y.

most recent type of coal- and gas-fired reheating furnaces, mechanical chargers, and various appliances for handling the materials at the reheating furnaces and transferring them to the mills. Section IV. describes the properties of finished steel. The influence of impurities on the mechanical properties of steel is thoroughly discussed, as is also the important subject of its heat treatment and the pyrometers used in connection with the same. The relation of microstructure to heat treatment is fully illustrated by numerous micro-photographs, and the latest theories on hardening, tempering, and other matters of much interest and importance are discussed. The question of specifications, both as regards chemical composition and mechanical properties of various steels, is treated in an appendix. Other appendices contain valuable matter on the relation of percentage of carbon to tensile stress, and on the rapid determination of phosphorus and manganese.

INDEX OF INVENTIONS

For which Letters Patent of the
United States were Issued

for the Week Ending

April 26, 1904.

AND EACH BEARING THAT DATE

[See note at end of list about copies of these patents.]

Adding and recording machine, A. S. Dennis	758,052
Adding machine, T. A. Wheeler	758,198
Adjustable protective frame, A. L. C. Marsh	758,372
Air brake train pipe testing device, W. S. De Camp	758,427
Airship, Greenw & De Jong	758,062
Alarm lock, Miller & Kunzinger	758,554
Amusement apparatus, Traver & Nichols	758,341
Animal trap, J. B. Harig	758,208
Animal trap, self-setting and ever-set, L. I. Simon	758,481
Automatic sprinkler, C. B. Garrett	758,522
Automatic supply regulator, E. H. Gold	758,437
Axle box, car, J. Spurr	758,483
Bailing press, J. J. York	758,492
Bank, savings, R. J. Thompson	758,340
Bath apparatus, J. R. Hamilton	758,207
Beaming mechanism, H. Van Winkle	758,489
Bed bottom, J. G. Peace	758,276
Beehive, H. Davesen	758,203
Belt, driving, A. Fritz	758,356
Belt loop attachment for garments, button, J. D. Burns	758,350
Belt or girdle, extensible, G. Farrell	758,240
Belt shipper for pulleys, E. Kottusch	758,081
Bolting and making same, L. P. Warner	758,286
Bench dog, J. H. Belser	758,407
Blinder, temporary, J. F. Cordes	758,050
Boat lowering device, life, J. F. Becker	758,043
Bolt, F. P. Pilegar	758,233
Book, account, H. Sixbey	758,202
Boring and tapping, combination tool for, Allendorfer & Owens	758,038
Bottle cap, E. Norton	758,273
Bottle, non-refillable, D. S. Cooke	758,298
Bottle, non-refillable, C. A. Taylor	758,395
Bottle, non-refillable, G. W. Lovejoy	758,543
Bottle opener and temporary closure, capped, C. Cady	758,235
Bottle stopper, G. Kirkegaard	758,319
Botches, etc., means for packing, W. Duart	758,239
Bowling alleys, machine for use in constructing and repairing, J. F. Darrell	758,424
Box. See Knockdown box.	
Box covering machine, H. B. Blackinton	758,502
Box or container for bottled beverages, P. D. Laible	758,369
Braid, skirt, J. W. Schloss	758,504
Brick for the construction of arches, S. H. Clarke	758,417
Bridge construction, W. R. Diehl	758,428
Brush, C. Grunberg	758,063
Brush, sweeping, G. L. Lamb	758,082
Brush, tooth, H. E. Sandiford	758,109
Bucket dumping device, automatic, J. McKinnon	758,271
Buckle, trace, J. Mensen	758,187
Building construction, G. A. Behnd	758,500
Buoy, S. W. Roberts	758,218
Burglar alarm, A. F. Schilling	758,389
Bushing, bung, G. H. Ricke	758,386
Bushing for crank bearings, shifting segmental, L. T. Weiss	758,397
Bushing forming and setting machine, J. Jacobsen	758,364
Button, cuff, J. Pejchar	758,101
Button, detachable, A. H. Brownley	758,602
Buttonhole cutting and stitching machine, B. B. Allen	758,037
Calipers, P. Shafer	758,283
Can or vessel opening attachment, S. L. Sheldon	758,152
Car air cushion, M. Downer	758,604
Car attachment, F. Freedreaza	758,519
Car bolster, C. A. Lindstrom	758,542
Car brake, M. Mabrey	758,186
Car brake, signal operated by, S. N. Wilcoxson	758,398
Car brake head, J. H. Graham	758,176
Car brake mechanism, J. Shelton	758,391
Car brake slack adjuster, E. E. Crowell	758,423
Car coupling, A. A. Moss	758,268
Car coupling, automatic, L. Bottenstein	758,408
Car door, grain, W. L. Carson	758,414
Car door mechanism, J. F. Streib	758,392
Car door mechanism, C. A. Lindstrom	758,456
Car draft rigging, railway, W. H. Miner	758,144
Car dumping, A. D. Harrison	758,135
Car emergency brake, street, P. Flood	758,131
Car friction gear, motor, W. Seck	758,113
Car heating systems, train pipe terminal for, J. F. McElroy	758,269
Car loading apparatus, E. R. Abbey	758,493
Cars, automatic brake coupling for railway or electric, K. Geucke	758,059
Carbonating apparatus, liquid, J. F. & D. Youngblood	758,403
Carpet stretcher, W. Reichle	758,562
Cart, H. A. Bienhoff	758,126
Cart, garbage, R. D. Wirt	758,343
Case. See Mail delivery case.	
Caseln composition and producing same, W. A. Hall	758,064
Celluloid compound, A. Schmidt	758,335
Cement floors or concrete, bar for strengthening, J. F. Golding	758,061
Centrifugal machine, J. W. Macfarlane	758,457
Chandelier, E. Witzemann	758,163
Child's safety harness, A. Weiss	758,123
Chimney, P. Dickinson	758,510
Chum delivering apparatus, F. E. Forster	758,434
Clamp, P. Lyden	758,262
Clamp, R. Rossler	758,476
Clamp for hoops, bands, etc., W. P. Rice	758,385
Clamp for stop cock for flexible tubes, O. L. Jeralds	758,449
Clip, D. E. Mapother	758,547
Clock case, A. M. Lane	758,454
Cloth reeling machine, C. Krause	758,322
Clothes drier, J. Judelson	758,451
Clothing rack, J. A. Hockersmith	758,072
Clutch, friction, M. C. Nixon	758,272
Coal breaker, E. S. Decker	758,302
Coaling station, W. Robertson	758,191
Coat, rain, B. E. Terwilliger	758,487
Coat, storm, T. A. Jones	758,182
Coffee extract, preparing, F. J. Reichert	758,384



Shaw Stocking Co.
FOR MEN

ASK YOUR DEALER FOR THE FAMOUS Shaw Stocking Co. HALF HOSE; IF HE CANNOT SUPPLY YOU, WE WILL

IN WHICH CASE PLEASE ORDER DIRECT FROM US

We are to-day manufacturing over a hundred different styles in Cottons, Lises, Worsted, Merinos, and Linens, and constantly adding new styles.

Our new Art Catalogue, showing actual colors, now ready, and is free to you for the asking.

Our New Dotted Stripe is of extra quality Egyptian Cotton, for Spring or Summer wear.

K-2 Black ground with dotted stripes of Light Blue and Gold.
K-3 Black ground with dotted stripes of Cardinal and Gold.
K-4 Navy Blue ground with dotted stripes of French Blue and White.
K-5 Navy Blue ground with dotted stripes of Cardinal and White.

Price of either Style, 25c. per pair
Six pairs, neatly boxed, \$1.50

Sizes 9 to 11½, inclusive, sent express or postpaid upon receipt of price, to any address in the U. S.

Shaw Stocking Co., 61 NEW FLETCHER STREET, LOWELL, MASS.

The Olds Gas & Gasoline Engines.

The Olds Patent, protecting the essential parts of our engines, enable us to dispense with two-thirds of the usual complications, giving the highest efficiency, the greatest durability and the most pronounced economy. Stationary Engines, 2 to 100 H. P. Portable Engines, 8 to 12 H. P. Write for full information and illustrated catalogue.

Olds Gasoline Engine Works, 216 River St., LANSING, MICH.

GLOGAU'S ALCOHOL GAS STOVE

For travelers, sick room, boarders, light house-keeping, wherever gas is not available or desirable. Makes its own gas by first vaporizing the alcohol. Consumes but 2 cents' worth of either grain or wood alcohol in an hour. Non-explosive. Burns smokeless, odorless, wickless. Reservoir holds 7 ounces of alcohol. Boils a quart of water in 5 minutes. Nickel plated. Sent postpaid anywhere for \$1.

S. A. GLOGAU CO., 17 Quincy St., Chicago. Agents wanted

Special Notice

AGENTS WANTED

We have completed arrangements for several thousand dollars' worth of space in the leading popular magazines—advertising to start at once and run until 1905. The general public (about 20 million or more) will learn of the merits of the

No. 5 Lindsay High Candle Power Lamp

Reliable men wanted in every locality to take care of the resulting business.

Write at once for particulars.

Lindsay & Co., Dept. S, Chicago

ARTESIAN

Wells, Oil and Gas Wells drilled by contract to any depth from 50 to 3000 feet. We also manufacture and furnish everything required to drill and complete same. Portable Horse Power and Mounted Steam Drilling Machines for 100 to 1200 feet. Write us stating exactly what is required and send for illustrated catalogue and address.

PIERCE WELL ENGINEERING AND SUPPLY CO.
136 LIBERTY STREET, NEW YORK, U. S. A.

A Southern Home

In a country free from excessive heat and cold, healthful and prosperous.

LANDS at LOW PRICES

For printed matter, circulars, etc., giving full particulars, write

M. V. RICHARDS, Land and Industrial Agent,
Southern Railway and Mobile & Ohio Railroad,
Washington, D. C.

Universal SCRAPER

75 cents buys the best Scraper ever made. Try it on floors or meat blocks.

Send for free catalog No. 17 B.

THE L. S. STARRETT CO.
Athol, Mass.

SPRING HUB

FOR BICYCLES, MOTOR CYCLES, AUTOMOBILES

Holds several World's Records for speed. Relieves and breaks jar below the axle, thereby saving at least half the wear on tire. Absolutely guaranteed.

FRANK SCHMITZ & SONS
560-564 Orleans St. - - Chicago, Ill.

CABOT'S Sulpho-Naphthol

A SICK-ROOM NECESSITY

The reliable ANTISEPTIC, DISINFECTANT and DEODORANT used for many years by physicians and nurses at hospitals and homes for arresting and preventing disease, purifying air, washing vessels, utensils, etc. At all dealers or 10 and 25 cents by mail. Look for above trade-mark. Genuine only bears it. Avoid imitations. Valuable medical literature FREE.

Sulpho-Naphthol Co., 15 Haymarket Sq., Boston, Mass.

The NEW BRISTOL Counter

Registers an accurate account of work done on printing presses, grain talies, weighing, measuring and other automatic machines. Counts up to 1,000,000 and repeats automatically. Simple, accurate, durable. Special counters to order. Send for circular.

C. J. ROOT, Bristol, Conn.


Coil, radiating condensing, R. Jardine	758,077
Column, metallic, E. Ohnstrand	758,331
Combustion structure, G. C. Savage	758,281
Commutator brushes, means for preventing arcing between, E. Thomson	758,157
Compressing device, W. J. Cruikshank	758,584
Compressing mechanism, W. M. Holmes	758,253
Concentrator, W. L. & F. S. Card	758,413
Concentrator, L. C. Graupner	758,438
Condenser, O. H. Mueller	758,090
Conveyer, stock house, T. A. Edison	758,432
Core drying oven, W. J. Breen	758,409
Corn husker, R. N. Thomas	758,196
Corset stay, C. H. Cunningham	758,585
Cot or bed, folding and convertible, J. W. Jones	758,211
Cotton gin mote board, C. G. Bodungen	758,166
Crane, C. H. Howland-Sherman	758,254
Cranes, track or the like for, R. Wilke	758,399
Cross section tester, H. E. Smith	758,221
Crusher and pulverizer, M. F. Williams	758,288
Cultivator disks, dust proof journal for, N. S. Barger	758,582
Cultivator wheels, dust proof journal for, N. S. Barger	758,581
Current collector, J. E. Greenwood	758,528
Current motor, alternating, R. McNeill	758,378
Curtain fixture, Reiss & Bradbury	758,476
Curtain holder, J. D. Ticken	758,570
Cut off, A. Martin	758,265
Cut off, rain water, J. J. Sandvig	758,479
Damper regulator, E. A. Pahl	758,471
Dash foot and brace combined, H. C. Swan	758,393
Dental matrix retainer, W. Crenshaw	758,422
Doll, dancing, Y. F. Plunk	758,469
Drier, W. E. Macklind	758,327
Driving mechanism, H. M. Pope	758,147
Easel, H. C. Cady	758,351
Elastic fabric, H. J. Gaisman	758,435
Electric conductor ground connection, Fuller & Walsh	758,057
Electric conductor support, F. C. Locke	758,324
Electric heater, E. Eckmann	758,303
Electric motor, A. Vanderbeck	758,225
Electric switch, A. R. Ferguson	758,300
Electric switch, J. H. Rusby	758,478
Electric time switch, H. C. Little	758,084
Electrical impulses, transmission of, J. S. Richmond	758,406
Electromagnet, H. W. Chamberlain	758,236
Elevator safety device, C. N. Pollock	758,470
Ellipsograph, J. F. Hanlon	758,314
Embossing punch, R. Woodman	758,491
Embroidery hoop or ring, W. N. Howden	758,535
Emergency brake, F. B. Corey	758,173
Enameled ware, manufacture of, T. M. Lunan	758,325
Engine. See Explosion engine.	
Engine base clamp, C. P. Shertzer	758,114
Engine controlling mechanism, explosive, R. Jardine	758,076
Engine cylinders, means for cooling explosive, Marsh & Nichols	758,373
Envelope opening machine, A. Hess	758,315
Envelopes, etc., safety fastener for, J. Noseworthy	758,379
Excavating shovel, J. W. Page	758,380
Exhibitor, curtain, P. Jr. & H. Roush	758,149
Explosion engine, McMillen & Robinson	758,189
Fabrics, machine for uniting looped, G. O. & H. E. Harbaugh	758,248
Fan, electric, A. R. Ferguson	758,305
Fanning mill for cleaning grain, etc., J. L. Doub	758,511
Fare register, H. Tyler	758,488
Fastening device, R. M. Pancoast	758,432
Feed water heater, T. Y. Stewart	758,484
Feeder and band cutter, J. A. Anderson	758,290
Feeding device, mechanical, T. L. & T. J. Sturtevant	758,119
Fence, G. Bronson	758,046
Fence, L. Haws	758,503
Fence, brace, A. W. Whaley	758,576
Fence material, J. Stickley	758,154
Fence post, F. Hedrick	758,178
Fence post, J. B. Goudry	758,591
Fencing, wire, C. B. Baumgartner	758,125
Ferrules, etc., machine for contracting, Schweinert & Kraft	758,195
Fertilizer distributor, J. S. Kemp	758,537
Fibers together, felting or matting, G. Gold-	758,245
Fibers together, matting or felting, G. Gold-	758,243
Fibers together, uniting or matting, G. Gold-	758,247
Filing cabinet, H. W. Andrews	758,039
Filter, K. Abraham	758,345
Filter, O. Selg	758,390
Fire extinguishing apparatus, E. W. Hicks	758,362
Firearm, automatic, T. C. Johnson	758,338
Fireproof door, F. A. Howell	758,316
Flask, H. Struben	758,339
Flexible joint, T. W. Moran	758,556
Floor or ceiling, W. N. Wight	758,577
Floors, ceilings, sidings, etc., tool for removing, W. O. Harmon	758,442
Floors, partitions, etc., construction of, V. Moeslein	758,555
Flour non-hygroscopic, making, O. Avedyk	758,346
Fluid pressure brake, J. W. Cloud	758,072
Fluids, air or gas lift for, W. B. Harris	758,360
Flushing tank, F. Feindsen	758,307
Flushing tank, B. Walker, Jr.	758,396
Friction device, G. L. Harvey	758,066
Fulling mill stop motion, J. P. Ryan	758,107
Furnace charging apparatus, blast, Black-	758,498
lund & Hurman	758,498
Furnace combustion apparatus, V. Zanetti	758,404
Fuse, blow out, F. B. Corey	758,072
Garment fastener, B. M. Burr	758,507
Garment supporter, F. S. Boedfeld	758,201
Gas burner, C. A. Campbell	758,411
Gas burner, furnace, N. Cote	758,420
Gas burning apparatus, W. H. Bradley	758,294
Gas fireplace heater, A. B. Schofield	758,111
Gas generator, acetylene, F. E. Way	758,159
Gas machine carbide feed, J. T. & T. C. Hays	758,249
Gas producer, J. Reuleaux	758,475
Gases, apparatus for the filtration of, C. Stone	758,222
Gate, P. Oppenheim	758,559
Gear, friction, D. L. Lindquist	758,323
Gear, frictional reversing, A. Adamson	758,494
Gearing, electromagnetic, E. M. Bentley	758,293
Glass drawing bait, J. H. Lubbers	758,544
Glass drawing bait, R. S. Pease	758,500
Glass gathering machine, L. M. C. C.	758,536
Grading machine, road, Powelson & Erb	758,148
Grain binder attachment, Williams & Evans	758,161
Grain binder shocking attachment, J. C. McDougall	758,093
Grain germinating apparatus, V. Lapp	758,083
Gramophone reproducer support, E. R. Johnson, reissue	12,213
Grapple, T. Alexander	758,199
Grinder, corn, M. H. Hatfield	758,068
Grinding, harvester knives, etc., machine for, M. C. Nixon	758,558
Gripping device, F. H. Lamb	758,261
Hammer, power, H. W. Hathorn	758,361
Handle. See Tool handle.	
Harness hook, B. H. Wilson	758,124
Harvester reel, Friend & Bolton	758,241
Hat, coat, and umbrella rack, combined, W. R. Clark	758,509
Hat pin, W. Wittigschlager	758,280
Hay loader, E. C. McConville	758,557
Heating system, low pressure, E. H. Gold	758,436
Hinge, box couch, C. W. Gross	758,530
Horseshoe, J. Groenning	758,358
Horseshoe calks, machine for making, J. H. Vinton	758,607
Hose connection, F. H. Paradise	758,099
Hose coupling, G. Stroth	758,153
Hose drier, C. M. Bowman	758,168
Hot blast air feeding center tube, R. A. Culter	758,237
Hydrocarbon lighting apparatus, F. E. May-	758,087
Igniter mechanism, sparking, C. C. & E. A. Rlotte	758,217
Implement, combination, B. F. Schubert	758,282
Index, H. M. Rudasill	758,477
Ingot, compound metal, R. Rowley	758,387
Inkstand, C. Keller	758,257
Inkstand, G. A. Griggs	758,439
Insulating material saturating machine, G. M. Gest	758,132



THE BIGELOW Wire Fly Killer

No household is complete without it. Kills but does not crush the fly. To be had at all dealers.


J. F. BIGELOW
Manufacturer
Worcester, Mass., U.S.A.



The Hygrophant

shows with accuracy and without computation the temperature and degree of humidity. Send for circular

J. S. F. HUDDLESTON
20 Devonshire St., Boston



Kerosene Oil Engine

Nothing but Kerosene Oil to run it

Simple, Safe and Efficient. Needs little attention, is less likely to get out of order, and is cheaper to run than any other engine manufactured. Economical and Easily Operated.

International Power Vehicle Co.
Stamford, Conn.

A NUT AND PIPE WRENCH COMBINED



A PERFECT TOOL

You need one about the house

At All Dealers Send for Catalog W

BEMIS & CALL HARDWARE AND TOOL CO.
SPRINGFIELD, MASS., U.S.A.

ELECTRO MOTOR, SIMPLE, HOW TO MAKE.—By G. M. Hopkins. Description of a small electric motor devised and constructed with a view to assisting amateurs to make a motor which might be driven with advantage by a current generated from a battery, and which would have sufficient power to operate a foot lathe or any machine requiring not over one man power. With 11 figures. Contained in **SCIENTIFIC AMERICAN SUPPLEMENT, No. 6411**. Price 10 cents. To be had at this office and from all newsdealers.



SEALS BOTTLES, PACKAGES, BOXES, PAPERS, CAR DOORS

Send for a sample of the great Twentieth Century

SIGNATURE SEAL

THIS Seal has two parts—the Lock and Breakable Key. To seal any article, pass both ends of the wire through the eye of the block, turn key until it breaks off. Signatures may be written permanently with a pen on one side of the block. Signatures may also be stamped or printed on the block. The stub of the key may be used to keep "tab" on the seals used, so that a count is easily kept by the sender. No tools necessary.

Write to-day for Literature.

D. K. HIETT, 185 Dearborn St., CHICAGO, ILL.

RADIUM AND RADIO-ACTIVITY

The **SCIENTIFIC AMERICAN SUPPLEMENT** has published the most complete information on the subject of Radium and Radio-activity that has thus far appeared.

The following articles, written by men who have played a prominent part in the discovery of the marvelous properties of radium, should be read by every student of chemistry and physics:

RADIO-ACTIVITY AND THE ELECTRON THEORY. By SIR WILLIAM CROOKES. **SCIENTIFIC AMERICAN SUPPLEMENT 1402.**

THE RADIO-ACTIVITY OF MATTER. By PROFESSOR HENRI BEQUEREL. **SCIENTIFIC AMERICAN SUPPLEMENT 1379.**

SOME PROPERTIES OF THE RADIO-ACTIVE SUBSTANCES. By PROFESSOR HENRI BEQUEREL. **SCIENTIFIC AMERICAN SUPPLEMENT 1427.**

PRODUCTION OF HELIUM FROM RADIUM. By SIR WILLIAM RAMSAY. **SCIENTIFIC AMERICAN SUPPLEMENT 1444.**

THORIUM: A RADIO-ACTIVE SUBSTANCE WITH THERAPEUTICAL POSSIBILITIES. By DR. SAMUEL G. TRACY. **SCIENTIFIC AMERICAN SUPPLEMENT 1470.**

RADIUM IN MEDICINE. By DR. SAMUEL G. TRACY. **SCIENTIFIC AMERICAN SUPPLEMENT 1455.**

A RESUME OF RECENT SPECIAL STUDIES OF RADIUM AND RADIO-ACTIVITY. **SCIENTIFIC AMERICAN SUPPLEMENTS 1468, 1471, 1479.**

RADIUM AND RADIO-ACTIVE SUBSTANCES. By WILLIAM J. HAMMER. **SCIENTIFIC AMERICAN SUPPLEMENT 1429.**

A COMPLETE MANUAL OF RADIUM TECHNOLOGY, clearly explaining the methods of obtaining radium, conducting experiments with the substance and measuring its radio-active force will be found in **SCIENTIFIC AMERICAN SUPPLEMENTS 1475, 1476, 1477.**

These **SCIENTIFIC AMERICAN SUPPLEMENTS** comprise what may well be considered an admirable text-book on the subject of radio-activity.

Price of **Scientific American Supplements** **TEN CENTS BY MAIL** for each number mentioned. Order through your newsdealer or from

MUNN & CO., 361 Broadway, New York

A Scientific Germicide

To prove the wonderful curative powers of

Hydrozone

to all afflicted with Skin Disease of any kind, I will send

One Trial Bottle Free to anyone sending me 10 cents to pay postage. Hydrozone is a harmless germicide. A trial will convince.

Booklet on treatment of diseases sent free on request.

Sold by leading druggists.

Prof. Charles Marchand

Dept. U. 63 Prince St., New York

Volt Ammeters

Pocket size, but large enough for accuracy and practical use. Various ranges for testing batteries, electric light, telephone and other circuits, etc. Also, Voltmeters and Ammeters for general measurements. Send for Circular.

L. M. PIGNOLET,
80 Cortlandt St., New York, N.Y.

A Chance to Make Money



Patented Portable Illuminated Sign
Patent rights for sale at a low figure
Send for particulars
C. P. GATES
186 Sheridan Ave.
Brooklyn, N. Y.

"Perfection" AIR MATTRESS
FOR HOME, CAMP AND YACHT
Cover drawn back, showing air sack and method of inflating.

THE IDEAL BED
For Home, Camp, Yacht, Hospital
Non-Absorbent—Hygienic—Odorless
When deflated can be rolled into small package for storage or transportation
NO CAMPING OUTFIT COMPLETE WITHOUT THEM
"Perfection" Air Cushions
For Office, Easy, and Invalid—Hairs, Yachts and Small Boats.
Send for descriptive booklet "A" and price list.
MECHANICAL FABRIC CO.
Providence, R. I.

It Fills the Bill
This is the business man's verdict concerning the

New Remington Billing Typewriter
It writes neat, compact, legible bills, with twice the speed of the pen. Adaptable to all billing systems.

REMINGTON TYPEWRITER COMPANY,
327 BROADWAY, NEW YORK.

THE RESULT OF USING

THE SMITH PREMIER TYPEWRITER
"THE WORLD'S BEST"
THE SMITH PREMIER TYPEWRITER CO.
Executive Offices, 287 Broadway, New York
Factory at Syracuse, N. Y.
Branches in all large cities

Insulation, E. E. Bechtold	758,165
Insulator, S. C. Cutter	758,175
Insulator supporting pin, line, J. D. Hillard, Jr.	758,179
Jar closure, W. B. Fenn	758,515
Jewelry mounting, A. A. Boismaure	758,167
Key can, T. F. Whitmarsh	758,287
Knockdown box or crate, J. F. Reul	758,105
Knockdown gate, C. G. Hunter	758,181
Lace fastener, C. O. Johnson	758,366
Lamp filaments to leading in wires, device for securing incandescent, Miller & McDonnell	758,328
Lamp flame regulator, F. A. Cortis	758,299
Lamp, gas, A. E. Lovett	758,201
Lamps and burners, flexible drop light tubing for gas, W. S. Edwards	758,054
Land clearing machine, W. M. Seymour	758,480
Latch, H. Harden	758,441
Lathe, combination, J. B. Ehrlich	758,514
Lathe machine attachment, J. Denault	758,238
Lavatory or shampooing bowl, M. Housholder	758,447
Lawn edge trimmer, A. E. Fuller	758,310
Ledger, loose leaf, H. W. Ayres	758,292
Legging, J. M. Braun	758,349
Light controlling system, H. Faltermayer	758,589
Linotype machine, W. H. Randall	758,103
Linotype machine attachment, P. Shea	758,284
Liquid heating or cooling apparatus, Braselmann & Lunnemann	758,045
Liquids in tanks, apparatus for circulating, G. E. Dutton	758,430
Liquids, means for storing, R. Jardine	758,078
Lock, See Alarm lock	758,394
Lock, V. B. Kerr	758,452
Loom, bead, H. B. Mees	758,376
Looms, means for guiding the jacks in Crompton dobby, G. Schwabe	758,219
Lubricators, automatic force sight feed pump for, G. C. McCune	758,460
Magnetic brake, J. D. Ihlder	758,140
Mail box, A. M. Hoes	758,446
Mail chute, J. W. Cutler	758,128
Mail delivery case, rural, A. M. Kindwall	758,258
Mailing card, coin, O. Mussinan	758,091
Mailing tube closure, H. Del Mar	758,129
Malt turning machine apron, D. D. Weschler	758,227
Massage machine, J. Graves	758,205
Match box holder, E. A. Parker	758,467
Match package, J. A. E. Criswell	758,583
Match safe, S. Que	758,215
Measure, line, S. Kling	758,320
Measuring and cutting off machine, R. Thirsk	758,223
Mechanical movement, F. A. Yokum	758,578
Metal bars or beams and structural work, manufacture of flanged, H. Grey	758,529
Metal box, hermetically sealed, S. Jacoby	758,255
Metals by chemical process, apparatus for extracting, T. B. Joseph	758,367
Mineral separator, H. L. Orr	758,414
Mining engine, J. Heenan	758,533
Mirror, L. B. Prabar	758,382
Molding machine, F. W. Hall	758,313
Motor, J. Vinson	758,226
Mower attachment, lawn, W. G. Johnson	758,080
Muffler, exhaust, C. E. Yackel	758,402
Musical instrument, automatically operated, H. E. Sharps, reissue	12,215
Necktie holder, L. Hodecker	758,073
Negative lubricator, E. C. Reed	758,473
Negative printing attachment, gas light, G. W. Harse	758,444
Newspaper or periodical, S. B. Hutchinson	758,139
Nut lock, Douglas & Bartleson	758,512
Oil lock, E. F. McIntyre	758,270
Oil burner, crude, Grundell & Tucker	758,206
Oil burning system, Tucker & Grundell	758,224
Oil press mat, R. F. Werk	758,572
Ophthalmoscope, C. McCormick	758,092
Ore concentrator, W. L. & F. S. Card	758,412
Ore concentrator, J. Shier	758,565
Ore separator, dry, E. W. & W. H. Noakes	758,097
Ores, treating, W. F. Hannes	758,532
Organ wind chest, pipe, T. Clausung	758,048
Packing box, J. J. Hinde	758,138
Packing cup, R. Burnside	758,410
Pad or tablet cutting machine, C. F. Taylor	758,156
Paper coating machine, M. Cashin	758,169
Paper machine, A. W. & L. W. Case	758,127
Paper, photographic developing, F. Gunther	758,312
Paper, producing platina copy, A. Lurz	758,086
Pedometer, Bartel & Kuhn	758,405
Pen, fountain lettering, O. Payzant	758,381
Perfumes, etc., case for use with solidified, J. Bardin	758,234
Phonograph, P. Gabler	758,521
Phonographic records on mandrels, means for sliding and holding, Manahan & Waldeck	758,546
Photographic plates and prints, apparatus for developing and fixing, W. A. Peters	758,277
Piano, W. C. Hamilton	758,531
Pictures, etc., reproducing multicolor, A. von Beust	758,501
Pin. See Hat pin	758,102
Pipe coupling, S. H. Powers	758,334
Pipe cutter, H. F. Renner	758,334
Pipe hanger, C. MacTaggart	758,458
Pipe joint, W. M. Rapp	758,278
Pipe joint, machine for uniting sheet metal, J. J. Mulvaney	758,330
Placket closer, D. A. Moon	758,459
Planter, broadcast seed, S. B., C. G. & J. C. Abbott	758,231
Planter check line button, W. Winkel	758,162
Plate holder and adjuster, W. H. Golding	758,242
Plumbing fixtures, waster control for, E. L. Angell	758,040
Pneumatic dispatch apparatus, C. F. Stoddard	758,569
Pocket or other knife, I. Kinney	758,142
Poke, animal, J. P. Montgomery	758,213
Powder box, tooth, M. M. Fletcher	758,309
Power transmitter, Merritt & Wall	758,550
Printer's galley, J. L. Lee	758,540
Printer's plate catch or clutch, J. L. Lee	758,370
Printing apparatus, J. J. A. Jones	758,210
Printing machine envelope feeding and ejecting mechanism, C. A. Belknap	758,044
Printing, photomechanical, E. Spitzer	758,338
Printing, planographic, R. J. Sachers	758,108
Printing plate, R. J. Sachers	758,599
Printing press, W. Scott	758,112
Printing process, M. Rudometoff	758,192
Printing roller, B. J. Such	758,486
Printing wheel, J. J. A. Jones	758,256
Pulley, clutch, A. Medlin	758,48
Pump, air, J. E. Fisher	758,516
Pump cylinder, J. H. Miller	758,377
Pumps, concentric valve for compressor, A. Kryszat	758,183
Punch, check, T. K. Davison	758,425
Punching bag, H. Rhodes	758,279
Rail clamp, guard, Kelly & Riordan	758,536
Rail clearer, H. C. King	758,055
Rail joint, Evans & Strange	758,586
Rail joint, G. W. Dickey	758,526
Rail joint bridge piece, W. Goldie	758,177
Railway brake, J. H. Graham	758,421
Railway bridle rod, A. H. F. Cottrall	758,368
Railway cross tie, E. S. Keefer	758,368
Railway gate, automatic, J. P. Fowler	758,518
Railway or tramway rolling stock, mounting of, C. T. M. V. de Bange	758,233
Railway signal apparatus, C. W. Coleman	758,297
Railway signal, electric, W. S. Jackson	758,594
Railway signal or alarm, R. F. Stuart	758,485
Railway switch, automatic, U. A. Woodbury	758,490
Railway tie, Nichols & Neff	758,463
Railway tie and fastening, J. F. Smith	758,115
Railway tie seats, apparatus for forming, W. Goldie	758,525
Railway track, W. Goldie	758,523
Railway tracks, forming, W. Goldie	758,524
Railways, ice cutter for third rail electric, S. B. Stewart, Jr.	758,153
Ram, hydraulic, J. M. Kline	758,259
Ratchet mechanism, C. E. Mitchell	758,329
Reeding attachment for dresser reels, Johnson & Geb	758,079
Refrigerator car, J. S. Bashaw	758,406
Rheostat, W. C. Yates	758,164
Riveting machine, M. C. Machado	758,263
Rock and ore crusher, H. M. Sackett	758,280
Rope or cable grip for haulage purposes, J. Aspinall	758,496

"GEM" SAFETY RAZOR

The "Gem" is the "easy to use" mechanically perfect safety razor—the razor which every shaver recommends after one trial—that's why it's in use all over the world. Safe, clean, simple, economical. Requires very little stopping. Our Free booklet will interest you—send for it. Insist on the "Gem"—at your dealers or direct on receipt of price.

Price, Razor Complete, \$2.00
Morocco Case, with two blades, 3.50
Shaving Machine and Strop, 2.00
GEM CUTLERY CO., Dept. J, 34 Reade Street, New York

TAKE THE NICKEL PLATE ROAD FOR THE ST. LOUIS FAIR.

Lowest Rates and many unusual privileges. Special \$15.00 rate on certain dates. Full information on application to local Agents, or R. E. Payne, General Agent, 201 Main St., Buffalo, N. Y., or A. W. Ecclestone, D. F. A., 385 Broadway, New York.

The APPLE Ignition Dynamo

Saves battery troubles, attached to any gas engine. Governors, Storage and Dry Batteries, Spark Coils, Plugs, Switches, Automatic Timing Devices.

The Dayton Electrical Mfg. Co.
98 Reibold Bldg., DAYTON, O.

Ten Days Free Trial

allowed on all our bicycles. We **SHIP ON APPROVAL** without a cent deposit; any wheel not satisfactory returned at our expense.

Highest grade **\$8.75 to \$17**
1904 Models
Coaster Brakes, Hedzethorne Furniture proof Tires and best equipment.
1902 & 1903 Models, best makes **\$7 to \$12**
500 Second-hand Wheels
All makes & Models **\$3 to \$8**
Great Factory Clearing Sale at half Factory Cost.

RIDER AGENTS WANTED
in each town to take orders from sample wheel furnished by us. Our agents make big profits. Write at once for catalogues and our Special Offer.

AUTOMOBILES, TIRES, Sewing Machines, Sundries, etc., half usual prices.

MEAD CYCLE CO., Dept. 59 C, Chicago

THE STANDARD FOR NUMBERING MACHINES IS

The BATES

For all kinds of work requiring numbering or dating—and there are few kinds that don't—it is the MOST ACCURATE, MOST SIMPLE, MOST DURABLE. It will last a lifetime and always do good work. Even an office boy cannot do poor work with it. By a touch of the finger it can be changed from consecutive numbering to repeat or duplicate. All office supply houses and dealers sell it.

Manufactured by the...

BATES MANUFACTURING CO.
83 Chambers St., New York

Write for Booklet 26

An Old English Candy

Let me tell you if you want to get all the sweets of life you cannot afford to ignore or overlook

Mackintosh's EXTRA TOFFEE

an old English candy that I am introducing into this country. Its exquisite flavor has made it popular in Great Britain and the same quality is creating a demand for it in this country. I have put it on the American market because I know American people like good things. Ask your dealer to supply you with **MACKINTOSH'S TOFFEE**.

Try him first. You can, however, buy a handsome family tin, weighing four lbs., for \$1.00 by mail. Large sample, package sent for 10c. in stamps.

LAMONT, CORLISS & CO.,
Importers,
78 Hudson St., New York City.

Dealers supplied everywhere through them.

LEVIATHAN CONVEYORS


ARE THE RIGHT KIND OF ECONOMY

Here is witness

"We have been using three of your Leviathan belts for conveying and elevating our entire coal supply, under very trying circumstances—our carrying belts running outside in freezing weather, and the elevator belt has run continually in a steam bath—in both conditions very gratifying to us, handling over 500 tons in ten hours time."

We will gladly submit proof of Leviathan's superiority for conveying any material—wet or dry, hot or cold—in any shape, and estimate on complete equipments for handling to the best advantage. Is not this of interest to you?

Main Belting Company 1223 Carpenter Street, Philadelphia
Chicago, Boston, New York, Buffalo, Pittsburg



USE GRINDSTONES?


If so we can supply you. All sizes mounted and unmounted, always kept in stock. Remember, we make a specialty of selecting stones for all special purposes. Ask for catalogue.

The CLEVELAND STONE CO.
2d Floor, Wilshire, Cleveland, O.

INVESTORS

desiring to realize the Large Interest and Profits possible in legitimate Mining, Oil, Timber & Smelter Investments and Dividend-paying Industrial Stocks, listed and unlisted, should send for our Booklets, giving full information, mailed free.

DOUGLAS, LACEY & CO.,
Bankers & Brokers, 66 Broadway, New York



Carriage Motors

For Bicycle, Contact or Jump Spark

One Piece Casting. Light Weight. Large Bearing Surfaces. Write us to-day
GRANT-FERRIS CO.
Troy, N. Y.

MARINE ENGINES

1, 2, 3 and 4 Cylinder 1½ to 40 H. P.

Launches 17 to 50 feet

Send for new catalog

GRAND RAPIDS GAS ENGINE & YACHT CO.
Grand Rapids, Mich.

KENT POCKET METERS

Automatic Volt-Ammeter

is designed and calibrated especially for testing batteries on gasoline automobiles and launches and for any other use of like capacity. Accurate and substantial. Amperage reading made simply by pressing button. The most convenient and complete

battery tester on the market.

Volt-Ammeter \$6.00. Amperometer \$5.00.

Atwater Kent Mfg. Works, 110 N. 6th St., Philadelphia, Pa.

Our Specialty:

Knock Down

Boats of any description

AMERICAN BOAT & MACHINE CO.,
ROW, SAIL AND PLEASURE BOATS,
Marine Station, ST. LOUIS, MO.

MATCH MACHINERY.

BIG MONEY IN MATCHES.

We manufacture everything pertaining to the business. The Very Latest Process. We will furnish a manager or teach any purchaser the business.

F. W. MURPHY & BRO.,
1118 Ashtland Block, Chicago, Ill., U. S. A.

PERFECT - PUMP - POWER.

is attained only in the

TABER ROTARY PUMPS

They are mechanical simple and durable. Will pump hot or cold fluid, thin or thick. Requires no skilled mechanic. Most power at least cost. All parts interchangeable. Made of iron, steel or bronze. Can be driven by belt, motor or engine attachment. Large Illustrated Catalogue free.

TABER PUMP CO., 32 Wells St., Buffalo, N. Y., U. S. A.

Warren's Natural Asphalt Sand Surfaced

ROOFING

APPLY IT YOURSELF

MAKES A FINISHED GRAVEL ROOF.

Comes ready to lay in rolls of 108 square feet.

Write for sample, circular and prices.

Warren Chemical & Mfg. Co., 18 Battery Pl., New York

Warwick Ton-

neau Motor

CAR.

DIRECT-DRIVE.

Price, \$1,250

Many new features. Side entrance. Tip seat. Send for catalog.

Warwick Cycle and Automobile Co., Springfield, Mass.

Japstick

It is a disinfecting and antiseptic

paste. It imparts a delicious and refined

odor. Is guaranteed to drive away Moths, Buffalo Bugs, Black Flies, Gnats, etc. Each stick burns one hour. Full box sent post-paid on receipt of 50 cents

The Culecide Company,
165 Summer Street, Boston, Mass.

Rotary engine, M. E. Knight

Rotary motor, J. Nielsen

Sand blast, F. Sticker

Sanding system, W. Schaake

Sash fastener, F. B. Clapp

Sashes, antirattling device for window, F. Huberti

Saw clamp and file guide, H. W. Merwine

Sawmill head block shifter, J. T. Simpson

Sawmill set works, W. E. Dillard

Scale, automatic shifting weight, C. Schenck

Screw jack, trestle, H. Edeline

Sealing envelopes, machine for automatic, L. C. Babcock

Sealing machine, envelope, Harrington & Schermack

Seat shaping implement, J. P. Bolding

Sectional case, O. O. Buice

Seed cleaning machine, cotton, J. Davidson

Seedling machine, force feed, H. C. Ham

Self-cleaning rake, J. Morrison, Jr.

Separator, See Mineral separator

Sewing machine, button, R. L. Lyons

Sewing machine, overseaming and welting, F. Malsch

Sewing machine thread holding mechanism, J. H. & J. B. Ursbruck

Sewing machine work clamp, buttonhole, E. B. Allen

Shade and curtain fixture bracket, F. Gallagher

Shade bracket and curtain rod holder, combined, J. E. Verklar

If You Want the Best Lathe and Drill

CHUCKS

BUY WESTCOTT'S

Strongest Grip, Greatest Capacity and Durability, Cheap and Accurate.

Westcott Chuck Co., Oneida, N. Y., U. S. A.

Ask for catalogue in English, French, Spanish or German.

FIRST PRIZE AT COLUMBIAN EXPOSITION, 1893.

Warwick Ton-

neau Motor

CAR.

DIRECT-DRIVE.

Price, \$1,250

Many new features. Side entrance. Tip seat. Send for catalog.

Warwick Cycle and Automobile Co., Springfield, Mass.

Japstick

It is a disinfecting and antiseptic

paste. It imparts a delicious and refined

odor. Is guaranteed to drive away Moths, Buffalo Bugs, Black Flies, Gnats, etc. Each stick burns one hour. Full box sent post-paid on receipt of 50 cents

The Culecide Company,
165 Summer Street, Boston, Mass.

PERFECT - PUMP - POWER.

is attained only in the

TABER ROTARY PUMPS

They are mechanical simple and durable. Will pump hot or cold fluid, thin or thick. Requires no skilled mechanic. Most power at least cost. All parts interchangeable. Made of iron, steel or bronze. Can be driven by belt, motor or engine attachment. Large Illustrated Catalogue free.

TABER PUMP CO., 32 Wells St., Buffalo, N. Y., U. S. A.

Warren's Natural Asphalt Sand Surfaced

ROOFING

APPLY IT YOURSELF

MAKES A FINISHED GRAVEL ROOF.

Comes ready to lay in rolls of 108 square feet.

Write for sample, circular and prices.

Warren Chemical & Mfg. Co., 18 Battery Pl., New York

Rotary engine, M. E. Knight

Rotary motor, J. Nielsen

Sand blast, F. Sticker

Sanding system, W. Schaake

Sash fastener, F. B. Clapp

Sashes, antirattling device for window, F. Huberti

Saw clamp and file guide, H. W. Merwine

Sawmill head block shifter, J. T. Simpson

Sawmill set works, W. E. Dillard

Scale, automatic shifting weight, C. Schenck

Screw jack, trestle, H. Edeline

Sealing envelopes, machine for automatic, L. C. Babcock

Sealing machine, envelope, Harrington & Schermack

Seat shaping implement, J. P. Bolding

Sectional case, O. O. Buice

Seed cleaning machine, cotton, J. Davidson

Seedling machine, force feed, H. C. Ham

Self-cleaning rake, J. Morrison, Jr.

Separator, See Mineral separator

Sewing machine, button, R. L. Lyons

Sewing machine, overseaming and welting, F. Malsch

Sewing machine thread holding mechanism, J. H. & J. B. Ursbruck

Sewing machine work clamp, buttonhole, E. B. Allen

Shade and curtain fixture bracket, F. Gallagher

Shade bracket and curtain rod holder, combined, J. E. Verklar

Shade retaining device, window, H. Witte

Shade roller and curtain pole holder, combined, W. A. Nordling

Shade roller bracket and curtain pole support, combined, D. J. Cooke

Shaft carrier or till tug, D. B. Shirk

Sheet collar, C. H. Melius

Shaving paper holder, W. P. Nelson

Sheet feeder, pneumatic, A. Lagerman

Sheet metal vessels, forming, Blevins & Whittaker

Sidewalk, E. A. Langenbach

Sidewalk cleaner, T. C. Hiles

Sign frame, C. G. Mixer

Sign switch mechanism, electric, F. S. Wahl

Signal receiving apparatus, alternating current, G. W. Pickard

Signaling and operating system, H. C. W. Graham

Signaling apparatus, block, J. A. Lehr

Sink bracket, J. J. Mahoney

Skirt supporter and shirt waist holder, C. B. Peterson

Solutions, preparing highly diluted, E. Joseph

Sorting machine, Retich & Berg

Sound records, apparatus for electrophoning, G. K. Cheney

Speed changing mechanism, C. J. Reed

Speed indicator, Moore & O'Neill

Spinning apparatus, ring, G. Paley

Spring back chair, J. Gilson

Stacker, pneumatic straw, Walsh & Bretney

Stacker, straw, J. C. Hendricks

Standard, A. M. Moylan

Steam and vapor generator, electric, T. W. Neely

Steam, generating, T. W. Neely

Steam generator, E. A. Briner

Steamer, tank, S. Holmes

Stereoscopic apparatus, H. C. Snook

Stitch separating and indenting machine, Thon & Wolf

Stock loading device, W. Dawson

Store service apparatus, E. R. Gill

Stove, gas, E. Flannigan

Stove or furnace, J. M. & S. R. Crowner

Strainer and filter, G. A. W. Schilling

Sugar, producing milk, W. A. Hall

Suspenders, G. W. Scott

Swing, G. P. Armstrong

Switch, H. Trumbull

Switch operating mechanism, J. H. Miller

Talking machine, E. T. Palmer

Tank heater, H. D. Meyer

Telegraph, printing, C. L. Healy

Telegraph receiver, L. Cerebotani

Telegraph transmitter, C. Adams-Randall

Telegraphy, wireless, L. de Forest

Telephone climber's seat, J. E. Bennett

Telephone instrument, A. C. Christopher

Telephone, office desk, A. R. Fergusson

Telephone receiver, M. R. Hutchison

Telephone switchboards, supervisory signal apparatus for, E. H. Stryte

Testing machine, W. R. Cook

Thill coupling, C. A. Sager

Thill support, C. D. White

Thread dressing machine, G. A. Frodenburgh

Threshing machine, W. Colwell

Tin by electrolysis, obtaining, E. Quintaine

Tire, A. Hendey

Tire cover, pneumatic, Shilton & Schultze

Tire inflator, F. H. Geisler

Tires to fellys, mechanism for securing rubber, Place & Keys

Toaster, bread, R. M. Reams

Tool, compound, A. O. Highsmith

Tool handle, pneumatic, C. H. Peck

Top, spinning, F. Ansley

Towel rack, A. A. Stenberg

Toy, J. Cheln

Toy, A. M. Siebelist

Toy elevated railway track, H. C. Ives

Toy gun, J. B. Mason

Trace end supporter, D. M. Allen

Track claw, A. P. Nichols

Track gage, A. P. Nichols

Track sanding device, W. H. Kilbourn

Train control system, H. E. White

Trap, See Animal trap

Traveling case, W. D. Chase

Trestle, adjustable, W. A. Drummond

Tricycle propelling gear, O. Heynsohn

Trolley head, Hean & Egan

Trolley, safety, Gruner & Fink

Trolley wheel, Fletcher & Waters

Truck bolster center bearing, C. T. Westlake

Truck frame, railway car, C. T. Westlake

Truck dowel pin and lift, O. Rangnow

Truss, adjustable, M. O. Hallowell

Tubes, mechanism for flanging the ends of, A. F. Nordenskjold

Turbine governing mechanism, J. Wilkinson

Turbine, reversible, C. F. de Kierzkowski

Turn button, locking, G. W. Corison

Twist drills, forming, R. L. Barclay

Type bar construction, F. X. Wagner

Type writer, E. Runge

Type writer, C. Wasmuth

Type writer adding attachment, J. W. Magness

Type writing machine, F. W. Hillard

Type writing machine ribbon feed mechanism, E. G. Latta

Undergarment, G. A. Matton

Unloading device, F. G. Pace

Vaccine point, H. K. Mulford

Valve, J. A. Desmarceau

Valve, air brake controlling, F. B. Corey

Valve for air brake control, equilibrium intercepting, E. G. Shortt

Valve gear engine, O. Jackson

Valve, steam engine cutoff, F. J. Waters

Vault cover, illuminating, J. T. Harrop

Vault or safe, Hibbard & Gaston

Vegetable washer, J. F. Fugazzi

Vehicle, motor, B. C. Hicks

FREE TRIAL
WITTE Gas and Engines
 are sold on 30 Days' Free Trial. Size 1½ to 40 H.P. For all power purposes. Catalog E. WITTE IRON WORKS 517 W. 5th St. Kansas City.

Compressed Air House Cleaning DUSTLESS METHOD

Carpets, Furniture, Draperies, Tapestries, Decorations, Ceilings and Walls Cleaned, Disinfected and Renovated. Carpets not taken up. The dust which is in and under them is collected and removed by Compressed Air. A revolution in house cleaning—quick, sanitary, effective. No more dismantled rooms, no more dust, no more worry. Subsidiary companies are now being formed in various cities. Write for catalog

GENERAL COMPRESSED AIR HOUSE CLEANING COMPANY
 General Office and Factory
 3933 OLIVE STREET, ST. LOUIS, MO.

HIGHEST GRADE GREY IRON CASTINGS
 For Gasoline Engines and Cylinders
 All kinds of Automobile Castings.
FRONTIER IRON WORKS, 2 Auburn Ave., Buffalo, N. Y.

TAKE NO SUBSTITUTE
 A Dated Guaranty Tag on Each Tire
 Protects you against Old Stock

Now Only \$4.95 A PAIR
 Express Paid.

ALLIGATOR PUNCTURE-PROOF-SELF-HEALING BICYCLE TIRES
 The ORIGINAL and only Puncture-proof and Self-healing Tire made. Nails, tacks, and glass will not let the air out. Positively will not become porous. Strong, durable, resilient. Greatest thickness where needed (see G. I. illus.)
 Examine—"feel of it." Sent C.O.D. anywhere, subject to examination—no deposit asked; but we pay express only when cash accompanies order. State diameter of rim and size tire wanted. Carriage Tires. State and Lake Sts.
THE VIM COMPANY, Sole Manufacturers, CHICAGO.

Mention Scientific American

BACKUS
GAS & GASOLINE ENGINE

Simple, Economical, Durable.
 Suitable for all kinds of work.

BACKUS WATER MOTOR, cheapest power known
 Write for circular and prices.

BACKUS WATER MOTOR CO., Newark, N.J., U.S.A.

BUILD YOUR OWN BOAT BY THE "BROOKS SYSTEM"

16 FT. LONG. Exact size PATTERNS of every piece. Complete INSTRUCTIONS. Each step plainly ILLUSTRATED. Expert PATTERNS \$5.50. Once unnecessary. Hundreds have built this boat. Working spare time at a total cost of \$14.00. Boat Patterns of all kinds and sizes up to 5 ft. at prices from \$3.00 up. We also build complete boats and knock down frames.

COMBINATION LAUNCH-SAIL & ROW-BOAT. Particulars FREE—25¢ brings 64 p. illustrated catalogue, set of working instructions and illustrations.

BROOKS BOAT MFG. CO. ST. A. BAY CITY, MICH.

The Wheelock for Motor Cars
Popular Price
 Send for Catalogue
WHELOCK MOTOR CAR CLOCK COMPANY
 1048 Tremont Building
 BOSTON - U. S. A.

Complete Mill With Power
 FOR SALE AT MIDDLETOWN, PA.

Suitable for foundry, machine shops or manufacturing buildings. Approximates 25,000 square feet, with large enclosed yard. Sidings on Pennsylvania and Philadelphia & Reading railroads. Six miles from Pennsylvania Steel Works adjacent to Harrisburg, Pa.
HARRISBURG TRUST CO., Harrisburg, Pa.

"Power" Wire Rope
"POWER" ROPE
 MOST POWERFULL WIRE ROPE MADE
BRODERICK & BASCOM ROPE CO.
 ST. LOUIS, MO.

Washing machine, clothes, Loux & Butterfield	758,085
Waste paper box, street, G. C. J. Engel-land	758,354
Water heater, S. Bernstein	758,347
Water softening apparatus, H. Breda	758,295
Water tank, J. Miller	758,188
Water wheel, horizontal, E. Ortwein	758,465
Wheel rim, J. F. W. Rothmeyer	758,190
Wheel wrench, J. H. Chappell	758,508
Windmill, W. P. Brett	758,296
Window attachment, L. K. Bohm	758,348
Wood cutting machine, A. A. Bartlett	758,042
Wrench, C. G. Molin	758,266
Wrench, C. F. Beach	758,499
Wrench, W. E. Snediker	758,568
Wrench, J. S. Barclay	758,580

DESIGNS.

Badge, F. C. Fane	36,886
Badge, N. M. Kirshner	36,887
Badge or similar article, A. Schicklering	36,888
Range or stove, cooking, C. M. Liphart	36,894
Spoons, forks, or similar articles, handle for, W. C. Codman	36,889
Spoons, forks, or similar articles, handle for, G. P. Ittling	36,891
Spoons, forks, or similar articles, handle for, J. Rothlisberger	36,892
Stock, F. Sollee	36,893
Trimming for ladies' underwear, Kerwin & McGinley	36,895

TRADE MARKS.

Antiseptic and disinfecting preparations, Jeyes' Sanitary Compounds Co.	42,485
Boots and shoes, leather, Middlesex Shoe Co.	42,468
Boots and shoes, leather, Moore-Shafer Shoe Manufacturing Co.	42,469
Chemical, certain named, Chemisch-Technisches und Hygienisches Institut, Dr. Popp & Dr. Becker	42,486
Chemical substances, certain named, Knoll & Co.	42,487
Cigars, E. A. Kline & Co.	42,488
Coffee, Direct Coffee Co.	42,489
Confectionery, Belle Mead Sweetsmakers	42,492
Confectionery, D. Arnould	42,490
Cooking utensils made of aluminum and aluminum alloys, Aluminium Cooking Utensil Co.	42,501
Costumes, theatrical, L. D. Gardner	42,465
Cream, toilet, E. M. Kane	42,478
Dress waists and suits, ladies', Frank Winch Co.	42,466
Flour, wheat, Rives Milling Co.	42,493
Food for stock and poultry, prepared and mixed, G. M. Thomas	42,494
Knitted overshirts and sweaters, M. S. Ely	42,467
Leather polishes, Whittemore Bros. & Co.	42,495
Logging tools, certain named, Champion Tool & Handle Works	42,517
Lubricating compounds, certain named, O. F. Zurn Company	42,496
Medicine for the cure of certain named diseases, Sneezoo Company	42,497
Medicines, certain named, Greenville Medicine Company	42,481
Oils and greases, lubricating, O. F. Zurn Company	42,499
Paper, toilet, Scott Paper Co.	42,479
Pipes, brier, E. Deguingand & Son	42,476
Razors, Kraut & Dohmal	42,500
Remedies, dyspepsia, Underwood & Judd	42,483
Remedy for pneumonia, Gowan Medical Co.	42,484
Rubber belting, Gorham Rubber Co.	42,471
Rubber boots, shoes, and sandals, Bentley & Olmsted Co.	42,470
Rubber packing, Gorham Rubber Co.	42,472
Sewing machines and attachments, Davis Sewing Machine Co.	42,503
Sewing machines, attachments, and parts thereof, Singer Manufacturing Co.	42,516
Shaft hangers, Standard Pressed Steel Co.	42,515
Soap, laundry, Lenox Sprayer and Chemical Co.	42,477
Stamps, premium, Sperry & Hutchinson Co.	42,475
Talking machines, parts and supplies therefor, and records, Universal Talking Machine Manufacturing Co.	42,502
Trimmings and hardware for carriage tops, Crandal Stone & Co.	42,518

LABELS.

"Chickasaw Plantation," for molasses, C. E. Coe	10,994
"Commercial Seal," for cigars, A. C. Henschel & Co.	10,999
"Dr. White's Specialty for Diphtheria," for medicine, W. White	11,000
"Gold Coin Cattle Fattener," for fattening foods for cattle, Gold Coin Stock Food Co.	11,009
"Gold Coin Egg-a-Day Poultry Food," for poultry food, Gold Coin Stock Food Co.	11,005
"Gold Coin Foot Remedy," for live stock medicine, Gold Coin Stock Food Co.	11,001
"Gold Coin Germ Killer," for live stock medicine, Gold Coin Stock Food Co.	11,002
"Gold Coin Hog Fattener," for hog fattening foods, Gold Coin Stock Food Co.	11,008
"Gold Coin Quick Cure Condition Powder," for condition powders for live stock, Gold Coin Stock Food Co.	11,007
"Gold Coin Scientific Heavy Cure," for live stock medicine, Gold Coin Stock Food Co.	11,003
"Gold Coin Special Horse Tonic," for horse tonic, Gold Coin Stock Food Co.	11,006
"Gold Coin Worm Powder," for live stock medicine, Gold Coin Stock Food Co.	11,004
"Grape Nut Bread," for bread, Kopp & Mordan	10,991
"Hartman Brand," for canned salmon, R. D. Humm	10,992
"Louisiana Purchase Souvenir Puzzle," for puzzles, L. P. Jordan	11,010
"Maltinatte," for beverages, A. L. Saake	10,997
"Paraiso Mineral Water," for mineral water, A. E. Scamell	10,995
"Pineapple Soda," for carbonated beverages, American Soda Fountain Co.	10,996
"Regina," for music boxes, Regina Music Box Co.	11,011
"Sugar Glen," for molasses, C. E. Coe	10,993
"Swansdown Prepared Table Salt," for table salt, S. S. Pierce Co.	10,990
"Wedderburn Rye," for rye whisky, J. Wedderburn	10,998

PRINTS.

"Don't Suffer and Cuss Buy Your Shoes From Us," for shoes, O. McCormick	981
"Extra Pale," for bottled beer, Wm. J. Lemp Brewing Co.	985
"Faultless Day Shirts," for day shirts, E. Rosenfeld	978
"Faultless Night Shirts," for night shirts, E. Rosenfeld & Co.	979
"Faultless Pajamas," for pajamas, E. Rosenfeld & Co.	980
"New Styles Always on Hand," for shoes, O. McCormick	982
"Ontostay," for hat pins, J. Uhry	977
"Our Customers Smile," for shoes, O. McCormick	983
"Poole Pianos," for pianos, W. H. Poole	986
"The Beer to Which the South Points With Pride," for beer, Chattanooga Brewing Co.	984

A printed copy of the specification and drawing of any patent in the foregoing list, or any patent in print issued since 1863, will be furnished from this office for 10 cents, provided the name and number of the patent desired and the date be given. Address Munn & Co., 361 Broadway, New York.

Canadian patents may now be obtained by the inventors for any of the inventions named in the foregoing list. For terms and further particulars address Munn & Co., 361 Broadway, New York.

PERFORATED METAL
OF EVERY DESCRIPTION
AND FOR ALL USES.
THE HARRINGTON & KING PERFORATING CO., 225 N. UNION ST. CHICAGO, ILL. U.S.A.

SIX FIRST-CLASS 10-DAY TRIPS TO ST. LOUIS FAIR AT OUR EXPENSE
 Full Instructions in each box of "Velva Soap"
 Offer Positively Closes May 31, 1904
ONLY SCIENTIFIC SOAP IN THE WORLD

"VELVA" is the most delightful toilet soap manufactured. It is especially prepared and will cleanse, soften and feed the skin. It contains a strip of finely powdered Pumice Soap, so scientifically arranged that, while a part of the soap itself, it performs independently its functions of instantly removing the most persistent stains—Ink, Carbon, Ribbon, Oil, Grime and Chemicals that ordinary toilet soaps cannot remove. It is used and endorsed by thousands of stenographers, book-keepers, clerks, teachers and others daily using ink, chalk and chemicals. Wears just twice as long as ordinary toilet soaps. The other advantage of "Velva" is the doing away with the annoyance often caused by hunting for your toilet soap and pumice. "Velva" combines both in one cake. Send 5¢ cents for a box of three cakes, postpaid, and be convinced.

WILLARD CHEMICAL CO.
 7 Cornhill, Boston, Mass.

EASIER TO ROW ABSOLUTELY SAFE
Write to-day for free catalogue

15-foot boat, crated \$29.00 seat five persons in comfort. The modern row boat, or pleasure, safety and durability. No other boat so desirable for family use, summer resorts, parks. Guaranteed. Will be for ladies and children.

Mullins Unsinkable Steel Pleasure Boats
 Made of steel. Practically indestructible. Air chamber each end. Cannot sink. Cannot leak. Require no caulking. Ideal boat.

W. H. MULLINS, 384 Depot St., Salem, Ohio

SPECIAL MANUFACTURING.
DIES AND STAMPINGS TO ORDER.
SPECIAL MACHINERY—MODELS—EXPERIMENTAL WORK.
 DROP FORGING DIES AND DROP FORGING. HARDWARE SPECIALTIES ETC. MANFD. TO ORDER SEND SAMPLES OR DRAWINGS FOR ESTIMATES. WRITE FOR OUR BOOKLET.
THE GLOBE MACHINE & STAMPING CO.
 970 HAMILTON ST., CLEVELAND, OHIO.

Export Trade
How to Secure and How to Hold It
 Valuable hints on how to secure Export Trade sent gratis on request. Address
EXPORT EXPERT
 Box 773, New York

ICE MACHINES. Corliss Engines, Brewers' and Bottlers' Machinery. **THE VILTER MFG. CO., 899 Clinton St., Milwaukee, Wis**

MODELS & EXPERIMENTAL WORK. Inventions developed. Special Machinery. **E. V. BAILLARD, Fox Bldg., Franklin Square, New York.**

THE SCHWEDTLE STAMP CO.
 STEEL STAMPS, LETTERS & FIGURES.
 BRIDGEPORT, CONN.

SPECIAL MACHINERY Tools and Dies. Model & Experimental Work. **Costello Machine Works, 60 Centre St., New York**

CHEMICAL EXAMINATIONS OF ALL KINDS. DR. H. C. STEFEL, Bissell Block, Pittsburgh, Pa.

The National Sheet Metal Works is especially equipped to manufacture small articles stamped, pressed, cut from sheet metal. White metal casting and plating a specialty.
The National Sheet Metal Co., Peru, Ill.

MODELS & GEARS CATALOGUES FREE. UNION MODEL WORKS & GEARS. 193 CLARK CHICAGO.

First Class Lathe and Bench Work, Die-Sinking and Chasing. J. T. WAITE, 275 Water St., New York.

NOVELTIES & PATENTED ARTICLES
 MANUFACTURED BY CONTRACT. PUNCHING DIES, SPECIAL MACHINERY.
E. KONIGSLOW STAMPING & TOOL WORKS, CLEVELAND, O.

EXPORT TO SWITZERLAND.
 Gentleman, having first-class connections, wishes to represent first-class American exporter or manufacturer. Address Z. N. 2339. RODOLPHE MOSSE Zurich. —Z. a 2339c—

MACHINERY SALE. LATHES, Drill Presses Cutting Machines, Key Seater, Planer, Shaper, and Wood Working Machinery. Write for list.
W. J. HAYES, Trustee of the Conrad Motor Carriage Co., Bankrupt,
 1417 Niagara Street, BUFFALO, N. Y.

SETS OF CASTINGS OF MODEL ENGINES
 SEND 10¢ FOR 126 PAGE ILL. CATALOGUE.
ALSO TOOLS, GEAR WHEELS & PARTS OF MODELS
GOODNOW & NIGHTMAN
 Removed to 132 Milk Street.

Specialties Manufactured. Special machinery built. **Nye Tool & Machine Works, 20 So. Clinton St., Chicago.**

Columbia

LIGHT TONNEAU
 12-14 HORSE POWER \$1,750

Self-lubricating, two-cylinder opposed motor in forward bonnet. Cylinders 5x4½ in. Bevel-gear drive. Driving pinions and gears as strong as found in most cars of twice the weight. All-metal clutch running in oil. Positive controlling levers without notches or indices. Easiest of all gasoline cars to operate and maintain.

30-35 HORSE-POWER TOURING CAR, \$4,000
 Most powerful and efficient car of its weight. Canopy top, Limousine or Surrey body to order.


24-30 HORSE-POWER TOURING CAR, \$3,500
 The car that holds the Chicago-New York record. Canopy top or Limousine body to order.

NEW MODEL ELECTRIC RUNABOUT, \$850
 Lightest, fastest and most efficient vehicle in its class.

"ELBERON" ELECTRIC VICTORIA, \$1,600
 In its fourth successful season. Improved this year. Catalogue will be sent on request. Also special catalogues of Columbia Electric Town Carriages and Commercial Vehicles.

ELECTRIC VEHICLE CO HARTFORD CONN
 New York, 134-136-138 West 39th St. (Opp. Metropolitan Opera House.)
 Chicago, 1413 Michigan Ave. Boston, 74-78 Stanhope St.
 Member Association of Licensed Automobile Manufacturers


Winton is King! It Wears the Crown of Excellence



Absolute air governor, guaranteed tires, indestructible crank-shaft, mechanically correct transmission, thoroughly reliable ignition. \$2,500 f. o. b. Cleveland. Prompt deliveries.

THE WINTON MOTOR CARRIAGE CO. - Cleveland, Ohio

Orient Buckboard




With Two Speed
Price, \$425
4 H. P.
Weight, 500 lbs

The little machine that has in one year gained a reputation bounded only by the limits of the earth.

Write for catalogue.

WALTHAM MANUFACTURING CO.
Waltham, Mass.



CHARTER GAS and GASOLINE

For All Work. Stationaries, Portables, Hoisters, Pumps, Sawing & Boat Outfits. Send for Catalogue and Testimonials. State Your Power Needs.

CHARTER GAS ENGINE CO., Box 148, STERLING, ILL.

Scales

All varieties at lowest prices. Best Railroad Track and Wagon or Stock Scales made. Also 1000 useful articles, including Scales, Sewing Machines, Bicycles, Tools, etc. Save Money. Lists Free. CHICAGO SCALE CO., Chicago, Ill.

What Is Daus' Tip-Top?



TO PROVE that Daus' "Tip-Top" is the best and simplest device for making 100 copies from pen-written and 40 copies from typewritten original, we will ship complete duplicator, cap size, without deposit, on ten (10) days' trial. Price \$7.50 less \$5 Net trade discount or 33 1/2 per cent, or

The Felix F. Daus Duplicator Co., Daus Bldg., 111 John St., New York

Coats of Arms

Established for Trade-Marks, Stationery, Carriage and Auto-Panels, Etc. Genealogies Traced. Colonial Records and Registers Scrutinized. Revolutionary Lineages. St. Botolph Research Bureau 151 St. Botolph St., BOSTON, MASS.



Our Microscopes, Microtomes, Laboratory Glassware, Chemical Apparatus, Chemicals, Photo Lenses and Shutters, Field Glasses, Projection Apparatus, Photo-Micro Cameras are used by the leading Laboratories and Round the World

MICROSCOPES

Catalogs Free
Bausch & Lomb Opt. Co.
ROCHESTER, N. Y.
New York Chicago Boston Frankfurt, G'y

Shippers Buyers Superintendents
Clerks Managers Foremen
Salesmen Bookkeepers Stenographers

Learn Business System

The development within ten years of Scientific BUSINESS SYSTEM marks a new vocation for bright young men; many are now employed by the several firms of high reputation who make it a business (not of auditing) but of systematizing factories and stores from receipt of goods or raw material to output. Others who have learned the principles of Modern Business System are filling lucrative positions in factories or stores. The demand for men so trained greatly exceeds the supply. For full particulars address Dept. B.


BOSTON SCHOOL OF BUSINESS SYSTEM
227 Washington St., Boston, Mass.

CRUDE ASBESTOS

DIRECT FROM MINES

PREPARED ASBESTOS FIBRE for Manufacturers use
R. H. MARTIN,
OFFICE, ST. PAUL BUILDING
220 B'way, New York.


HEIMET OIL LUBRICATES ANYTHING
IF YOU HAVE A HOT BOX TRY IT
CHESLEY & CO. CHICAGO, ILL.
15 to 21 Clinton Street.



WONDER of the AGE

Jackson's Patent High Head Centrifugal Pump. Guaranteed to raise water 1,000 feet or more and maintain an efficiency of from 70% to 84%. First choice of the Engineer for City Water Works, Draining Mines, Hydraulic, Irrigating and Reclaiming Land. Beats the world for Durability, Economy and Efficiency. Catalogue No. 6.

BYRON JACKSON MACHINE WORKS, - SAN FRANCISCO, CAL.



FOOT AND POWER

"STAR" LATHES

High-grade screw-cutting engine Lathes, with forged crucible steel hollow spindles, phosphor bronze bearings, gear-driven reversible feeds with strong friction drive in apron, our patented spring nuts which allow quick shifts of change gears, also Draw-in Chuck, Gear-Cutting, Milling and Taper Attachments if desired. Suitable for electrical and repair work, model makers, gunsmiths, technical schools and fine, accurate machine-shop and tool-room service. Ask for COMPLETE DESCRIPTIONS.

THE SENECA FALLS MFG. CO.

656 Water St., Seneca Falls, N. Y., U. S. A. (78)

Densmore, Official of the Typewriter



World's Fair, St. Louis.
Head Office, 309 Broadway, New York.

The Value Added to a House

by a good tin roof is more than the difference in price between "Taylor Old Style" roofing tin and the cheapest tin that can be made. This is true whether you build for dwelling or selling

This and other roof-proof truths are in the book "A Guide to Good Roofs" free to all who want weather-tight roofs. Architects, builders, and metal workers will, if they send their names and addresses, receive free each month "The Arrow," a little paper which hits the bull's eye more frequently than some publications more pretentious. It also tells about tin.

N. & G. TAYLOR COMPANY
Philadelphia.

Established 1870

EVERLASTING WRITING

The Writing of a
Dixon's Eterno Pencil

As the writing on the obelisk is a part of the stone, so the writing of the new indelible copying pencil—Dixon's Eterno—becomes a part of the paper, and wears so long as there's a scrap of the paper left. For all business purposes.

Writes Black Copies Purple

Sold by stationers, with or without nickel point protector. A copy of Dixon's Pencil Guide, indexed by vocations, will bring you pencil satisfaction—it's free if you'll write for it.

Dept. W
JOSEPH DIXON CRUCIBLE CO.
Jersey City, N. J.



POPE MFG. COMPANY

Bicycle Innovations

TWO-SPEED GEAR AND NEW COASTER BRAKE

Greatest Improvements since the coming of the Chainless

Pope Quality in Every Wheel

Catalogues free at our 10,000 dealers' stores, or any one Catalogue mailed on receipt of a two-cent stamp



MECHANICALLY FASTENED


Fisk Tires

Stay on the Rim when in use, but can be detached by a novice. Get a catalogue describing it.

FISK RUBBER COMPANY
Chicopee Falls, Mass.

BRANCHES AND REPAIR DEPOTS: Boston, Springfield, New York, Philadelphia, Washington, Syracuse, Buffalo, Detroit, Omaha, Chicago, St. Louis, Minneapolis, Denver, San Francisco, Los Angeles, London, Eng.

FOSTER RUBBER HEEL



Superior to the old-fashioned kinds because of the Patented Friction Plug, which absolutely

PREVENTS SLIPPING

and doubles the wearing qualities of the heel. Gives pleasant and healthful resilient tread without causing that "sneaky" feeling. No holes to carry dirt into the house. Ask your dealer for it. Sent by mail upon receipt of 35 cents. Send outline of heel.

Jobbers and Dealers Wanted Everywhere

\$1,500 IN PREMIUMS FOR SELLING

THE FOSTER

Send for full particulars

FOSTER RUBBER COMPANY
370 Atlantic Avenue Boston, Mass.




Edmund W. Miller, 13 Somerset Street, Boston, Mass. Manufacturer of Miller's "Adform" Boots and Shoes

BABBITT METALS.—SIX IMPORTANT formulas. SCIENTIFIC AMERICAN SUPPLEMENT 1123. Price 10 cents. For sale by Munn & Co. and all news-dealers. Send for catalogue.

HOROLOGICAL DEPARTMENT

BRADLEY POLYTECHNIC INSTITUTE
Formerly Parsons Horological Institute
PEORIA, ILLINOIS
LARGEST AND BEST WATCH SCHOOL IN AMERICA
We teach Watch Work, Jewelry, Engraving, Clock Work, Optics. Tuition reasonable. Board and rooms near school at moderate rates. Send for Catalog of Information.

JESSOP STEEL CO.
MFRS OF CRUCIBLE SHEET STEEL
WASHINGTON, PA.



A Practical Car for American Roads.

Three Speeds and Reverse, Sliding Transmission, Interlocking Devices Throughout, Bevel Gear Drive Direct in Top Speed.

2 cylinder upright motor, 18-20 Horse Power.
4 " " " 32-35 "

Prices \$2,300 to \$4,000.

Aluminum Bodies, Canopy Top or Limousine Types. Descriptive Catalogue sent upon request.

ROYAL MOTOR CAR CO.,
100 Marquette St., Cleveland, Ohio, U. S. A.

BE LAZY

—and take it easy, as you can do by wearing the "Lightweight" PRESIDENT SUSPENDER—two ounces.

Any store 50c and \$1.00 or postpaid for choicest patterns.
THE C. A. EDGARTON MFG. CO., Box 310, Shirley, Mass.